

File No.P.39012/5/2018-L&R
Government of India
Ministry of Commerce and Industry
Department for Promotion of Industry and Internal Trade
(L&R Section)

Udyog Bhawan, New Delhi
Dated the 24th March, 2025

OFFICE MEMORANDUM

Subject: Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009 –Regarding

The undersigned is directed to refer to Minutes of IMC Meeting held on 11.02.2025 at Vanijya Bhawan, New Delhi to discuss exclusion of Pneumatic Tyres and Tubes from QCO 2009 (**Copy Enclosed**) and to say that w.r.t Para 8 of said Minutes, it is further stated that as per provisions contained under sub-clause (a) to (f) of Clause 3 of the “Pneumatic Tyres and Tubes for Automotive (Quality Control) Order, 2009” (**Copy Enclosed**), certain categories of Tyres have been exempted from the application of the provisions of the said Quality Control Order, 2009. In pursuance of the Sub-Clause (f) of Clause 3 of said Order, 2009, a Committee was constituted to review the list of Tyres not manufactured domestically and Imported by the Original Equipment Manufacturers (OEMs) for selling in replacement market through their authorized dealers.

2. The said Committee has reviewed and finalized the lists as under:
 - i. **Annexure-I:** The exemption list will now contain 629 tyres by reducing 248 tyres and by adding 27 tyres of the existing 850 Tyres.
 - ii. **Annexure-II:** The list of 131 run-flat tyres with BIS text noted as a footnote. (*same as previous Annexure III*)
3. A Copy of the list of Tyres can also be obtained from the website of this Department <https://dipp.gov.in>.
4. This issue with the approval of the Competent Authority.

R Rawat
24.03.25

(Rajesh Rawat)

Under Secretary to the Govt. of India
e.mail: rajesh.rawat@nic.in

Encl: as above

To

1. Central Board of Indirect Taxes and Customs(CBIC)(Kind Attention: Shri Anupam Prakash, Joint Secretary (Customs), Department of Revenue, North Block, New Delhi 110 001. (email: js.cus@nic.in)
2. Bureau of Indian Standards (Kind Attention: Shri P.K. Tiwari, Director General (DG), Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Delhi-110 002. (e.mail: dg@bis.gov.in).
3. Director General of Foreign Trade, (Kind Attention: Ms. Shubra, Additional Director General of Foreign Trade), Department of Commerce, Udyog Bhawan, New Delhi -110 0011 shubhra.ag@nic.in.
4. Society of Indian Automobile Manufacturers (SIAM), (Kind Attention: Shri Rajesh Menon, Director General) Core 4-B, 5th Floor, India Habitat Centre, Lodi Road, New Delhi-110 003. email: siam@siam.in
5. Automotive Tyre Manufacturers' Association (ATMA), (Kind Attention: Shri Rajiv Budhraj, Director General), PHD House 4th Floor Apposite Asian Games Village, Siri Fort Institutional Area, New Delhi-110 016.
6. Dr. K. Rajkumar, Director, Indian Rubber Manufacturers Research Association (IRMRA), Plot No.254/1B Road No.16V, Wagle Industrial Estate Thane(W), Pin400604. e-mail: info@irmra.org

Copy to NIC, DPIIT for uploading on the Website of Department.



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1905]

नई दिल्ली, बृहस्पतिवार, नवम्बर 19, 2009/कार्तिक 28, 1931

No. 1905]

NEW DELHI, THURSDAY, NOVEMBER 19, 2009/KARTIKA 28, 1931

वाणिज्य और उद्योग मंत्रालय

(औद्योगिक नीति और संवर्धन विभाग)

आदेश

नई दिल्ली, 19 नवम्बर, 2009

का.आ. 2953(अ).—भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63) की धारा 14 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार भारतीय मानक ब्यूरो से विचार विमर्श के बाद एतद्वारा निम्नलिखित आदेश बनाती है। नामतः :—

1. **संक्षिप्त शीर्षक तथा प्रारंभ.**—(1) इस आदेश को आटोमेटिव व्हीकलों के लिए न्यूमेटिक टायर तथा ट्यूब (गुणवत्ता नियंत्रण) आदेश, 2009 कहा जाएगा।

(2) यह सरकारी राजपत्र में इसके प्रकाशन के 180 दिन पूरा हो जाने पर तुरन्त प्रभाव में आ जाएगा।

2. **परिभाषाएं.**— इस आदेश में जब तक कि संदर्भ में अन्यथा अपेक्षित न हों :—

(क) “अधिनियम” का अर्थ है भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63);

(ख) “उपयुक्त प्राधिकारी” का अर्थ किसी ऐसे अधिकारी से है जो औद्योगिक नीति और संवर्धन विभाग में अवर सचिव अथवा जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, भारत सरकार में अवर सचिव से नीचे के रैंक का न हो अथवा किसी राज्य सरकार अथवा संघ शासित प्रदेश सरकार के जिला उद्योग केन्द्र में महाप्रबंधक (जनरल मैनेजर) से नीचे के रैंक का न हो;

(ग) “ब्यूरो” का अर्थ है भारतीय मानक ब्यूरो;

(घ) “आटोमेटिव व्हीकल्स के लिए न्यूमेटिक टायर तथा ट्यूब” का अर्थ है अनुसूची के कॉलम (2) में विनिर्दिष्ट मर्दे,

(ङ) न्यूमेटिक टायरों में “न्यूमेटिक ट्यूब” भी सम्मिलित हैं।

(च) “अनुसूची” का अर्थ है इस आदेश के साथ संलग्न अनुसूची

(छ) न्यूमेटिक टायर से संबंधित “डीलर” का अर्थ ऐसे व्यक्ति, अथवा फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों को खरीदने, बेचने, आपूर्ति करने अथवा वितरण करने का कारोबार प्रत्यक्ष अथवा किसी अन्य रूप से चला रहा हो चाहे वह कैश में अथवा आस्थगित भुगतान अथवा दलाली के लिए अथवा क्षतिपूर्ति अथवा अन्य महत्वपूर्ण मुद्दों के लिए हो;

(ज) “आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों के संबंध में “विनिर्माता” का अर्थ किसी ऐसे व्यक्ति अथवा एक फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का उत्पादन करती है, बनाती है अथवा विनिर्माण करती है तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता हो कि आटोमोटिव वाहनों के लिए उत्पादित, बनाये गये अथवा विनिर्मित ऐसे न्यूमेटिक टायर किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती द्वारा किया गया है, जैसा भी मामला हो।

(झ) आटोमोटिव व्हीकलों के लिए न्यूमेटिक टायरों के संबंध में मूल उपकरण विनिर्माता (औइएम) का अर्थ किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती से है जो आटोमोटिव वाहनों का उत्पादन करती हैं, बनाती है अथवा विनिर्माण करती हैं तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता है कि ऐसे आटोमोटिव वाहन ऐसे किसी अन्य किसी कानूनी हस्ती द्वारा उत्पादित किये गये, बनाये गये अथवा विनिर्मित किये गये हैं, जैसा भी मामला हो;

(ञ) “विनिर्दिष्ट मानदंड” का अर्थ अनुसूची के कॉलम (3) में संगत प्रविष्टि में यथा विनिर्दिष्ट भारतीय मानक से है।

(ट) “राज्य सरकार” में संघ शासित प्रशासन भी सम्मिलित होता है;

(ठ) “मानक चिन्ह” का अर्थ है एक विशेष भारतीय मानक का प्रतिनिधित्व करने के लिए ब्यूरो द्वारा विनिर्दिष्ट भारतीय मानक ब्यूरो का प्रमाणन चिन्ह।

(ड) “आयातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो विदेश से भारत के सीमा शुल्क क्षेत्र में न्यूमेटिक टायरों का आयात करते हैं अथवा इसके आयात का कारण बनते हैं।

(ढ़) “निर्यातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो भारत से दूसरे देश को न्यूमेटिक टायरों का निर्यात करते हैं।

(ण) इस आदेश में प्रयोग किये गये परन्तु परिभाषित नहीं किये गये सभी अन्य शब्द व अभिव्यक्तियों का अर्थ क्रमशः उक्त अधिनियम में उन्हें दिया गया अर्थ होगा।

3. विनिर्माण, बिक्री, वितरण आदि के बारे में निषेध :- (1) कोई भी व्यक्ति न तो स्वयं अथवा उसकी ओर से कोई व्यक्ति आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का विनिर्माण, आयात अथवा बिक्री, बेचने तथा वितरण के लिए भंडारण नहीं करेगा जो विनिर्दिष्ट मानकों के अनुरूप नहीं हैं और जिन पर प्रमाणन चिन्ह लाइसेंस प्राप्त करने पर ब्यूरो का मानक चिन्ह नहीं हो।

बशर्ते, इस आदेश में दी गई कोई भी बात न्यूमेटिक टायरों पर निम्नलिखित के लिए लागू नहीं होगी :

(क) भारत में निर्यात के लिए विनिर्मित न्यूमेटिक टायर;

(ख) वाहनों पर लगाने के लिए अथवा बिक्री पश्चात, निर्यात के लिए बने मूल उपकरण विनिर्माताओं (ओईएम) द्वारा तथा/अथवा उनकी प्राधिकृत कंपनियों द्वारा आयात किये गये न्यूमेटिक टायर।

नोट:

(1) दोनों मामलों में निर्यात या तो सीधे अलग-अलग संघटक के रूप में या ऐसे वाहन के हिस्से के तौर पर हो सकता है जो पूरा बना हो, या ड्राइव अवे चेसिस रूप में हो या पूरी तरह नॉकड डाउन (सीकेडी) अथवा सेमी नॉकड डाउन (एसकेडी) फार्म में हो।

(2) बशर्ते कि निर्यात के लिए अपेक्षित न्यूमेटिक टायरों के निर्यात के संबंध में इस आदेश में कुछ लागू नहीं होगा जो विदेशी खरीददार द्वारा अपेक्षित किसी भी विनिर्देशन के अनुरूप हो।

(ग) पूर्ण निर्मित यूनिट (सीबीयू) के भाग के तौर पर आयातित न्यूमेटिक टायर, चाहे सीबीयू का मान कुछ भी हो, बशर्ते ऐसे टायर बीआईएस विनिर्देशन पूरे करें। ऐसे मामलों में, वाहन नियमपुस्तिका में सीबीयू विनिर्माताओं द्वारा स्व-घोषणा ही पर्याप्त होगी कि वाहनों में लगाये गये टायर भारतीय मानक ब्यूरो की जरूरतों को पूरा करते हैं और वे केन्द्रीय मोटर वाहन नियमावली, (सीएमवीआर), 1989 के अन्तर्गत जरूरतों का अनुपालन करते हों, यदि भारत में होमोलोगेशन हेतु वाहन पहले ही डीजीएफटी अधिसूचना द्वारा मुक्त हैं, तो टायरों के लिए स्व-घोषणा की आवश्यकता नहीं होगी।

(घ) अनुसंधान और विकास उद्देश्यों हेतु आयातित अथवा विनिर्मित न्यूमेटिक टायर।

(ङ) घरेलू बाजार के लिए भारत में विनिर्मित वाहनों पर फिट किए जाने हेतु मूल उपकरण विनिर्माताओं (ओईएम) द्वारा आयात किए जाने वाले न्यूमेटिक टायर (पूर्ण निर्मित या ड्राइव अवे चेसिस रूप में) ऐसे मामलों में, ओईएम द्वारा नियम पुस्तिका में

यह स्वघोषणा ही पर्याप्त होगी कि वाहन में लगाए गए टायर बीआईएस की अपेक्षाओं को पूरा करते हैं और यह पर्याप्त होगा कि वे केन्द्रीय मोटर वाहन नियमावली (सीएमवीआर), 1989 के अन्तर्गत जरूरतों को पूरा करते हैं।

(च) ऐसे टायर जो घरेलू तौर पर नहीं बनाए गए हों और मूल उपकरण विनिर्माताओं (ओईएम) या विनिर्माताओं द्वारा प्रतिस्थापन बाजार में अपने प्राधिकृत डीलरों के जरिये बिक्री हेतु आयात किए गए हों। घरेलू तौर पर विनिर्मित न किए गए तथा आयतित न्यूमेटिक टायरों की सूची की एक समिति द्वारा हर 3 माह बाद समीक्षा की जाएगी जिसके अध्यक्ष औद्योगिक नीति और संवर्धन विभाग के एक अधिकारी होंगे तथा जिसमें इन पार्टियों के सदस्य होंगे—जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, केन्द्रीय सड़क परिवहन संस्थान (सीआईआरटी) भारतीय आटोमोटिव अनुसंधान एसोसिएशन (एआरएआई) आटोमोबाइल टायर विनिर्माता एसोसिएशन, (एटीएमए) भारतीय आटोमोबाइल विनिर्माता सोसायटी (एसआईएम) तथा भारतीय मानक ब्यूरो (बीआईएस), यह समिति संबद्ध पक्षों के सामने आ रहे मुद्दों/समस्याओं पर विचार करेगी, छूट दिए जाने वाले न्यूमेटिक टायरों की सूची को अंतिम रूप देगी तथा उपयुक्त सिफारिशें करेगी।

4. प्रमाणन हेतु दायित्व :-

- (1) यदि पहले ही प्राप्त नहीं किया गया हो, तो इस आदेश के जारी होने से 45 दिन के भीतर मानक चिन्ह के उपयोग हेतु लाइसेंस प्राप्त करने के लिए सभी न्यूमेटिक टायर एवं ट्यूबों के विनिर्माताओं द्वारा ब्यूरो में आवेदन दिया जाएगा।
- (2) ब्यूरो द्वारा मानक चिन्ह के उपयोग हेतु लाइसेंस प्रदानगी, अधिनियम के उपबंधों तथा उसके तहत नियमों व विनियमों के अनुसार की जाएगी।
- (3) जब कोई व्यक्ति स्वयं या अपनी ओर से किसी अन्य व्यक्ति के जरिये आटोमोटिव वाहनों के न्यूमेटिक टायरों के विनिर्माण का प्रस्ताव करेगा, तो वह मानक चिन्ह के उपयोग हेतु ब्यूरो से वैध लाइसेंस प्राप्त कर लेने के पश्चात ही उत्पादन आरंभ करेगा।
- (4) न्यूमेटिक टायरों हेतु लाइसेंस की अवधि बीत जाने या रद्द किए जाने संबंधी सूचना उचित प्राधिकरण को दी जाएगी अथवा बीआईएस की वेबसाइट पर प्रदर्शित की जाएगी।

5. सूचना, आदि मंगाने का अधिकार: इस आदेश का अनुपालन सुनिश्चित करने के दृष्टिगत, उचित प्राधिकरण को अधिकार है कि वह :

- (1) न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति से किसी ऐसी सूचना की मांग कर सकता है जिसे वह न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण के संबंध में आवश्यक समझता हो या किसी भी ऐसे व्यक्ति से ऐसे न्यूमेटिक टायरों के नमूने प्रस्तुत करने की मांग कर सकता है;

- (2) ऐसे न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति द्वारा रखे गए, या उससे संबंधित या उसके कब्जे में या नियंत्रण वाले किसी भी पुस्तक या अन्य दस्तावेज या आटोमोटिव वाहनों के न्यूमेटिक टायरों का निरीक्षण कर सकता है अथवा करवा सकता है।
6. नमूनों का परीक्षण :- मानक चिन्ह वाले आटोमोटिव वाहनों के न्यूमेटिक टायर नमूने अथवा ओईएम द्वारा आयातित मानक चिन्ह के बिना और स्वघोषित अनुपालन के साथ जो उपयुक्त प्राधिकरण द्वारा यह तय करने हेतु लिए जाएंगे कि क्या वे विनिर्दिष्ट मानकों को पूरा करते हैं, उन्हें ब्यूरो अथवा उपयुक्त प्राधिकरण द्वारा अनुमोदित प्रयोगशाला में जांचा जाएगा।
7. विनिर्माताओं और डीलरों को निर्देश जारी करने के अधिकार :- उपयुक्त प्राधिकरण, अधिनियम अथवा इस आदेश के अनुरूप विनिर्माताओं और डीलरों को निर्देश जारी कर सकता है, जो इस आदेश के उद्देश्यों को पूरा करने हेतु आवश्यक हों।
8. निर्देशों का अनुपालन:- न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में लगा हर व्यक्ति जिसे इस आदेश के तहत कोई भी निर्देश दिया जाएगा, ऐसे निर्देशों का पालन करेगा।
9. सूचना उपलब्ध कराने का दायित्व :- कोई भी विनिर्माता, आयातक या डीलर इस आदेश के उपबंधों से बचने के आशय से, खंड 5 के तहत उससे कानूनी रूप से मांगी गई किसी भी सूचना को देने से न तो मना करेगा, न उसे छिपाएगा, नष्ट, विकृत करेगा और न ही ऐसे व्यक्ति द्वारा रखे या उसके कब्जे अथवा नियंत्रण में किसी न्यूमेटिक टायर को बिगाड़ेगा।

अनुसूची

(खंड 2 च देखें)

क्र.सं. (1)	मद (2)	भारतीय मानक (3)
1	आटोमोटिव वाहन — दुपहिया और तिपहिया मोटर वाहनों के न्यूमेटिक टायर-विनिर्देशन	आईएस 15627
2	आटोमोटिव वाहन — सवारी कार वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15633
3	आटोमोटिव वाहन — वाणिज्यिक वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15636
4	आटोमोटिव वाहन — न्यूमेटिक टायरों की ट्यूबें - विनिर्देशन	आईएस 13098

MINISTRY OF COMMERCE AND INDUSTRY**(Department of Industrial Policy and Promotion)****ORDER**

New Delhi, the 19th November, 2009

S.O. 2953(E).— In exercise of the powers conferred by section 14 of the Bureau of Indian Standards Act, 1986 (63 of 1986), the Central Government after consulting the Bureau of Indian Standards, hereby makes the following Order, namely:-

1. Short Title and commencement: - (1) This Order may be called the Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009.

(2) It shall come into force immediately on completion of 180 days of its publication in the Official Gazette.

2. Definitions:- In this Order, unless the context otherwise requires:-

- (a) "Act" means the Bureau of Indian Standards Act, 1986 (63 of 1986);
- (b) "Appropriate Authority" means an officer not below the rank of an Under Secretary in the Department of Industrial Policy and Promotion (DIPP) or an Under Secretary in the Ministry of Shipping, Road Transport and Highways, Government of India or an officer not below the rank of a General Manager, District Industries Centre of a State or Union Territory Government;
- (c) "Bureau" means the Bureau of Indian Standards;
- (d) "Pneumatic Tyres and Tubes for Automotive Vehicles" mean the items specified in column (2) of the Schedule;
- (e) "Pneumatic Tyres" includes "Pneumatic Tubes" also;
- (f) "Schedule" means the Schedule annexed to this Order;

- (g) “dealer” in relation to Pneumatic Tyres means a person who, or a firm or any other legal entity which carries on, direct or otherwise, the business of buying, selling, supplying or distributing Pneumatic Tyres whether in cash or for deferred payment or for commission, remuneration or other valuable consideration;
- (h) “manufacturer” in relation to Pneumatic Tyres for Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Pneumatic Tyres for Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Pneumatic Tyres for Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (i) “Original Equipment Manufacturer (OEM)” in relation to Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (j) “Specified Standard” means the Indian Standards as specified in the corresponding entry in column(3) of the Schedule;
- (k) “State Government”, includes a Union Territory Administration also;
- (l) “Standard Mark” means the Bureau of Indian Standards Certification Mark specified by the Bureau to represent a particular Indian Standard;
- (m) “Importer” means a person, a firm or any other legal entity that imports pneumatic tyres or causes its imports from a foreign country into customs territory of India;
- (n) “Exporter” means a person, a firm or any other legal entity that exports pneumatic tyres from India to another country;
- (o) All other words and expressions used but not defined in this Order shall have the meanings respectively assigned to them in the Act.
3. Prohibition regarding manufacture, sale, distribution etc:- (1) No person shall by himself or through any person on his behalf, manufacture, import, store for sale, sell or distribute Pneumatic Tyres which do not conform to the Specified Standard and which do not bear the Standard Mark of the Bureau on obtaining Certification marks licence;

4209 48/09-23

Provided that nothing in this Order shall apply in relation to Pneumatic Tyres for the following:

- (a) Pneumatic tyres manufactured in India for exports ;
- (b) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) and/or their authorized companies for fitment on vehicles or after sales, meant for exports;

Note:

- (1) In both cases, exports may be either directly as individual components or as part of a vehicle completely built or in drive away chassis form or in Completely Knocked Down (CKD) or Semi-Knocked Down (SKD) condition.
 - (2) Provided that nothing in this Order shall apply in relation to export of pneumatic tyres required for export, which conforms to any specification required by the foreign buyer.
- (c) Pneumatic tyres imported as part of Completely Built Unit (CBU), irrespective of the value of the CBU, so long as such pneumatic tyres meet the requirements of specified standard. In such cases self-declaration by CBU manufacturers in the vehicle manual to the effect that the tyres fitted in the vehicles meet the requirements of the BIS and they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice. If vehicles are already exempted by Director General of Foreign Trade (DGFT) notifications for homologation in India, self-declaration will not be required;
 - (d) Pneumatic Tyres imported or manufactured for research and development purposes;
 - (e) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) for fitment on vehicles manufactured in India for domestic market (completely built or drive away chassis form). In such cases, self-declaration by the OEM in the vehicle manual to the effect that tyres fitted in the vehicles meet the requirements of BIS and that they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice;
 - (f) Pneumatic tyres not manufactured domestically and imported by Original Equipment Manufacturers (OEM) or manufacturers for selling in replacement market through their authorized dealers. The list of pneumatic tyres not manufactured domestically and imported would be reviewed every three months by a Committee chaired by an officer of the Department of Industrial Policy and Promotion and having members from Ministry of Shipping, Road Transport and Highways, Central Institute of

Road Transport (CIRT), Automotive Research Association of India (ARAI), Automotive Tyre Manufacturers Association (ATMA), Society of Indian Automobile Manufacturers (SIAM) and Bureau of Indian Standards (BIS). The Committee will consider the issues/problems faced by the stakeholders, finalize the list of pneumatic tyres to be exempted and make suitable recommendations.

4. **Obligation for Certification:-** (1) All manufacturers of Pneumatic Tyres and Tubes shall make an application to the Bureau for obtaining licence within 45 days of the issue of this Order, for use of the Standard Mark if not already obtained.
 - (2) The grant of licence by the Bureau for use of the Standard Mark shall be as per provisions of the Act and the rules and regulations made there under.
 - (3) When any person by himself or through any other person on his behalf proposes to manufacture Pneumatic Tyres, he shall commence production only after obtaining a valid licence from the Bureau for the use of Standard Mark.
 - (4) Information relating to expiry or cancellation of any licence by the Bureau for Pneumatic Tyres shall be intimated to the appropriate authority and displayed on BIS website.
5. **Power to call for information etc:-** The Appropriate Authority may, with a view to secure compliance with this Order:
 - (1) require any person engaged in the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres to give such information as it deems necessary relating to the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres or require any such person to furnish to it samples of such Pneumatic Tyres;
 - (2) inspect or cause to be inspected any book or other document or Pneumatic Tyres for Automotive Vehicles kept by or belonging to or in possession or under the control of any person engaged in the manufacture, import, storage for sale, sell or distribution of such Pneumatic Tyres.
6. **Testing of samples:-** Samples of Pneumatic Tyres bearing the Standard Mark or without standard mark imported by the OEM and with self declared conformation and drawn by the Appropriate Authority for ascertaining whether they are of the Specified Standard, shall be tested in the laboratory approved by the Bureau or Appropriate Authority.

7. Power to issue directions to manufacturers and dealers:- The Appropriate Authority may issue such directions to manufacturers and dealers consistent with the provisions of the Act or this Order, as may be necessary for carrying out the purposes of this Order.
8. Compliance of directions: - Every person engaged in the manufacture, import, storage for sale, sell or distribution of any Pneumatic Tyre to whom any direction is issued under this Order, shall comply with such direction.
9. Obligation to furnish information:- No manufacturer or dealer or importer shall, with intent to evade the provisions of this Order, refuse to give any information lawfully demanded from him under clause 5 or conceal, destroy, mutilate or deface any book or document or any Pneumatic Tyres kept by, or in the possession or control of such person.

SCHEDULE
(See clause 2 (f))

Sl. No. (1)	Item (2)	Indian Standard (3)
1	Automotive vehicles - Pneumatic tyres for two and three-wheeled motor vehicles - Specification	IS 15627
2	Automotive vehicles - Pneumatic tyres for passenger car vehicles - Diagonal and radial ply - Specification	IS 15633
3	Automotive vehicles - Pneumatic tyres for commercial vehicles - Diagonal and radial ply - Specification	IS 15636
4	Automotive vehicles - Tubes For Pneumatic Tyres - Specification	IS 13098

[F. No. 16(72)/2005-LR]

RENU SHARMA, Jt. Secy.

LIST OF 829 TYRE SIZES WHICH ARE NOT MANUFACTURED DOMESTICALLY w.e.f March 2025

Revised Exemption list of 829 (850-2-246+27) Tyre sizes

S.No. (A)	S. No. (B)	Tyre Size & Type (C)	REMARKS (D)
1	23	100/90-19 57M	
2	24	100/90-19 57T Tubeless/Tubetype	
3	25	100/90-19 M/C 57V M+S TL	
4	27	120/70-15 M/C 56P	
5	28	120/70-15 MC 56P	
6	29	120/80R14 58S TL	
7	30	130/80-17 65T Tubeless/Tubetype	
8	31	140/80-18 70R Tubeless/Tubetype	
9	32	140/80-18 70S Tubeless/Tubetype	
10	33	140/80B18 70T Tubeless/Tubetype	
11	34	150/70R14 66S TL	
12	35	150/80-16 77H	
13	36	80/100-21 51M	
14	37	90/90-21 54T Tubeless/Tubetype	
15	38	90/90-21 M/C 54V M+S	
16	39	MT90B16	
17	40	MU85B16	
18	41	120/80-14 58S	
19	42	150/70-14 66S	
20	43	110/80R18 M/C 58H TL	
21	44	120/600R17 RADIAL	
22	45	120/60ZR17 M/C (55W) TL	
23	59	150/80R16 Whitewall	
24	63	170/60R17 M/C 72V M+S TL	
25	67	180/60ZR17 M/C (75W) TL	
26	68	180/70R16 Whitewall	
27	75	200/55ZR17 M/C (78W) TL	
28	77	200/55 R16 M/C 77H	
29	79	200/60ZR17 M/C (78W) TL	
30	81	240/45ZR17 M/C (82W) TL	
31	83	90/580R17 RADIAL	
32	84	110/80 R19 M/C 59 V	
33	86	115/75 R17	
34	87	120/70R19 60W	
35	88	120/95 R17 TL	
36	89	130/80 R17 65Q Tubeless/Tubetype	
37	90	130/80R17 65H	
38	91	140/80R17 M/C 69V M+S TL	
39	92	150/70 R18 M/C 70V M+S	
40	94	160/70R17 M/C 73V	
41	95	200/50R18 76V	
42	96	240/40R18 79V	
43	97	90/580R17 TL	
44	98	90/80R17	
45	99	95/70R17	
46	100	130/80 R17 M/C 65V	
47	101	180/55 ZR17 M/C 73W	
48	102	110 / 80-R19 59H	
49	103	180/55 ZR17 M/C (73W)	
50	105	150/70 R18 M/C 70H	
51	106	110/70 R17 M/C 54H	Exemption till 31.03.2026
52	107	150/60 R17 M/C 66H	Exemption till 31.03.2026

53	110	180/60-17 93P	
54	114	195/75-18 106P	
55	116	T125/70D15 95M T/L	
56	121	T155/80D19 114M	
57	126	T135/80 D17 103M	
58	127	T135/90 D17 104M	
59	128	T125/80 D16 97M	
60	129	T195/70-20 116P	
61	134	T125/70R17 98M	
62	136	T125/70R19 100M	
63	140	T135/70R19 105M	
64	141	T135/80 R17 102M	
65	142	T135/80R17 103M	
66	143	T135/80R18 104M	
67	144	T135/90R16 102M	
68	145	T135/90R17 104M	
69	150	T145/80R19	
70	151	T145/80R19 110M	
71	152	T145/85R18 103M	
72	157	T155/80R19 114M	
73	161	T115/40R15 90M	
74	162	T115/95R17 95M	
75	163	T125/70R17 98M	
76	164	T135/70R19 105M	
77	165	T135/80R17 102M	
78	166	T135/80R17 102W	
79	167	T135/80R18 104M	
80	168	T135/90R17 104M	
81	169	T155/80R19 114M	
82	170	T155/90R18 113M	
83	171	T165/70D20 119M	
84	172	T165/80D17 104M	
85	173	T165/90D18 107M	
86	174	T145/65R20 105M	
87	175	T195/75R18 106 P	
88	176	T145/80 R19 110M	
89	177	T145/70R17 106M	
90	178	110/90B19 62H	
91	181	125/70R19 100M	
92	185	135/80R18 104M	
93	192	155/80R19 114M	
94	195	160/60R18 70V	
95	196	165-15 8PR 89P	
96	206	205/50R17 93H XL M+S	
97	211	215/40ZR18 89W 'EXTRA LOAD' or 'REINFORCED'	
98	214	215/45R16 90V XL	
99	215	215/45R20 95W	
100	216	215/50ZR17 95W'EXTRA LOAD' or 'REINFORCED'	
101	220	225/35R19 88Y'EXTRA LOAD' or 'REINFORCED'	
102	221	225/40R16 92H (M+S)	
103	223	225/40R18 92W XL	
104	227	225/40ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
105	228	225/40ZR19 93Y XL	
106	231	225/45ZR17 91Y	
107	233	225/45ZR18 95Y XL	
108	235	225/50R16 92W	

109	238	225/55R17 101H 'EXTRA LOAD' or 'REINFORCED'	
110	241	225/60R16 98W	
111	245	225/75R16 108S (M+S)	
112	246	225/75R16 110/107R	
113	249	235/35ZR19 87Y XL	
114	250	235/35ZR19 91Y	
115	251	235/35ZR19 91Y'EXTRA LOAD' or 'REINFORCED'	
116	252	235/35ZR20 (88Y)	
117	253	235/40R18 95H (M+S) 'EXTRA LOAD' or 'REINFORCED'	
118	254	235/40R18 95H XL M+S	
119	255	235/40ZR19 92Y	
120	256	235/45R17 93H M+S	
121	257	235/45R17 94H (M+S)	
122	260	235/45R19 99Y XL	
123	261	235/45ZR19 99Y XL	
124	262	235/50R18 97H	
125	263	235/50ZR18 101Y XL	
126	266	235/55R18 104Y 'EXTRA LOAD' or 'REINFORCED'	
127	267	235/55R19 101Y	
128	268	235/60R16 100V	
129	269	235/65 R18 106 V	
130	271	235/65R19 109V XL	
131	272	235-700R450A 114H	
132	273	245/30ZR20 90Y	
133	275	245/35R18 92Y'EXTRA LOAD' or 'REINFORCED'	
134	276	245/35R19 93Y'EXTRA LOAD' or 'REINFORCED'	
135	278	245/35R21 96Y	
136	279	245/35R21 96Y'EXTRA LOAD' or 'REINFORCED'	
137	282	245/35ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
138	283	245/35ZR19 93Y XL	
139	284	245/35ZR19 93Y	
140	285	245/35ZR20 91Y	
141	286	245/35ZR20 95Y	
142	287	245/35ZR21 96Y	
143	288	245/35ZR21 96Y XL	
144	289	245/40 ZR19 98Y	
145	291	245/40R18 97V'EXTRA LOAD' or 'REINFORCED'	
146	294	245/40R19 98Y'EXTRA LOAD' or 'REINFORCED'	
147	296	245/40R20 99V	
148	297	245/40R20 99W	
149	298	245/40R20 99Y'EXTRA LOAD' or 'REINFORCED'	
150	299	245/40ZR 17 91Y	
151	302	245/40ZR19 98Y'EXTRA LOAD' or 'REINFORCED'	
152	303	245/40ZR20 99Y'EXTRA LOAD' or 'REINFORCED'	
153	306	245/45R18 100H 'EXTRA LOAD' or 'REINFORCED'	
154	307	245/45R18 100V M+S 'EXTRA LOAD' or 'REINFORCED'	
155	309	245/45R19 102V 'EXTRA LOAD' or 'REINFORCED'	
156	310	245/45R19 98Y	
157	312	245/45ZR19 102Y 'EXTRA LOAD' or 'REINFORCED'	
158	313	245/45ZR19 98Y	
159	316	245/50ZR18 100Y	
160	317	245/50ZR18 104Y XL	
161	325	245-700R470A 116H	
162	326	245-700R470A 121Q	
163	327	245-700R470AC 116H	
164	328	245-710R490AC 117T	

165	329	255/30ZR20 92Y	
166	330	255/30R19 91Y'EXTRA LOAD' or 'REINFORCED'	
167	331	255/30ZR19 XL	
168	332	255/30ZR20 92Y	
169	336	255/35R18 94Y'EXTRA LOAD' or 'REINFORCED'	
170	339	255/35R19 96V (M+S)	
171	340	255/35R19 96V M+S 'EXTRA LOAD' or 'REINFORCED'	
172	341	255/35R19 96V XL	
173	342	255/35R19 96V XL (M+S)	
174	343	255/35R19 96Y	
175	344	255/35R19 96Y XL or'EXTRA LOAD' or 'REINFORCED'	
176	345	255/35ZR18 94Y	
177	346	255/35ZR18 94Y 'EXTRA LOAD' or 'REINFORCED'	
178	348	255/35ZR19 96Y	
179	349	255/35ZR19 96Y 'EXTRA LOAD' or 'REINFORCED'	
180	350	255/35ZR20 97Y 'EXTRA LOAD' or 'REINFORCED'	
181	353	255/40R18 95V (M+S)	
182	355	255/40R18 99V XL (M+S)	
183	356	255/40R19 100V XL (M+S)	
184	357	255/40R19 100Y	
185	358	255/40R19 100Y'EXTRA LOAD' or 'REINFORCED'	
186	359	255/40R19 96W	
187	360	255/40R19 96Y	
188	361	255/40ZR18 95Y	
189	362	255/40ZR18 99Y'EXTRA LOAD' or 'REINFORCED'	
190	363	255/40ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
191	364	255/40ZR19	
192	365	255/40ZR20 101Y XL	
193	366	255/45 ZR19 104Y XL	
194	367	255/45R17 98V (M+S)	
195	370	255/45R18 99V (M+S)	
196	372	255/45R19 104Y	
197	373	255/45R19 104Y 'EXTRA LOAD' or 'REINFORCED'	
198	374	255/45R20 105V XL (M+S)	
199	376	255/45ZR19 100Y	
200	377	255/50R20 109W	
201	378	255/50R19 103V	
202	379	255/50R19 103W	
203	380	255/50R19 107V'EXTRA LOAD' or 'REINFORCED'	
204	381	255/50R19 107W 'EXTRA LOAD' or 'REINFORCED'	
205	382	255/50R20 109W	
206	383	255/50R20 109Y 'EXTRA LOAD' or 'REINFORCED'	
207	385	255/50ZR20 109Y 'EXTRA LOAD' or 'REINFORCED'	
208	389	255/55R18 109H 'EXTRA LOAD' or 'REINFORCED'	
209	390	255/55R18 109W 'EXTRA LOAD' or 'REINFORCED'	
210	391	255/55R19 111V 'EXTRA LOAD' or 'REINFORCED'	
211	392	255/55R19 111Y XL	
212	393	255/55R20 110W XL	
213	394	255/55R20 110Y XL	
214	395	255/55ZR19 111Y EXTRA LOAD	
215	398	255/60R18 112W	
216	399	255/60R19 113V	
217	401	255/70R18 113T	
218	402	255-720 R490 AH	
219	403	255-720R490AC 117H	
220	404	265/35R18 97Y'EXTRA LOAD' or 'REINFORCED'	

221	406	265/35ZR18 93Y	
222	407	265/35ZR18 95Y 'EXTRA LOAD' or 'REINFORCED'	
223	409	265/35ZR19 98Y XL or 'EXTRA LOAD' or 'REINFORCED'	
224	410	265/35ZR20	
225	411	265/35ZR20 95Y	
226	412	265/40R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
227	415	265/40R20 104Y	
228	416	265/40R21 101Y	
229	417	265/40R21 105Y	
230	418	265/40R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
231	419	265/40ZR18 101Y XL	
232	421	265/40ZR21 105Y 'EXTRA LOAD' or 'REINFORCED'	
233	423	265/45R20 108Y XL	
234	424	265/45ZR19 105Y Extra Load	
235	425	265/45ZR20 104Y	
236	426	265/45ZR20 108Y 'EXTRA LOAD' or 'REINFORCED'	
237	427	265/45ZR20 108Y XL(M+S)	
238	428	265/50R19 110Y	
239	429	265/50R19 110Y 'EXTRA LOAD' or 'REINFORCED'	
240	430	265/50R20 107V	
241	432	265/50R20 111V	
242	433	265/55R19 109H (M+S)	
243	436	275/30R19 96Y XL	
244	438	275/30R20 97Y	
245	440	275/30R21 98Y	
246	444	275/35R20 102Y 'EXTRA LOAD' or 'REINFORCED'	
247	447	275/35ZR18 95Y	
248	448	275/35ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
249	449	275/35ZR19 96Y	
250	450	275/35ZR20 102Y 'EXTRA LOAD' or 'REINFORCED'	
251	451	275/35ZR21 103Y 'EXTRA LOAD' or 'REINFORCED'	
252	453	275/40R18 99Y	
253	454	275/40R19 101V (M+S)	
254	455	275/40R19 101Y	
255	456	275/40R19 101Y XL	
256	458	275/40R20 106W 'EXTRA LOAD' or 'REINFORCED'	
257	459	275/40R20 106Y XL or 'EXTRA LOAD' or 'REINFORCED'	
258	460	275/40R22 108Y XL	
259	461	275/40ZR18 99Y	
260	462	275/40ZR19 101Y	
261	463	275/40ZR19 105Y 'EXTRA LOAD' or 'REINFORCED'	
262	464	275/40ZR20 106Y 'EXTRA LOAD' or 'REINFORCED'	
263	468	275/45R20 110V XL (M+S)	
264	469	275/45R20 110Y	
265	470	275/45R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
266	471	275/45R21 107Y	
267	472	275/45R21 110W XL	
268	473	275/45ZR18 103Y	
269	474	275/45ZR18 107Y XL	
270	475	275/45ZR19 108Y XL	
271	476	275/45ZR20 110Y 'EXTRA LOAD' or 'REINFORCED'	
272	478	275/50R19 112W 'EXTRA LOAD' or 'REINFORCED'	
273	479	275/50R19 112W XL (M+S)	
274	480	275/50R20 109W	
275	482	275/50R20 113W XL	
276	483	275/50ZR19 112Y EXTRA LOAD	

277	485	275/55R17 109V	
278	486	275/55R19 111V	
279	487	275/55R19 111V(M+S)	
280	488	275/55R19 111W	
281	489	285/30R19 98Y XL or 'EXTRA LOAD' or 'REINFORCED'	
282	490	285/30R21 100Y 'EXTRA LOAD' or 'REINFORCED'	
283	491	285/30ZR19 98Y	
284	492	285/30ZR19 98Y 'EXTRA LOAD' or 'REINFORCED'	
285	493	285/30ZR20 99Y 'EXTRA LOAD' or 'REINFORCED'	
286	494	285/30ZR21 100Y XL	
287	495	285/35ZR23 107Y	
288	497	285/35R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
289	499	285/35R18 97Y	
290	500	285/35R21 105W 'EXTRA LOAD' or 'REINFORCED'	
291	501	285/35R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
292	502	285/35ZR18 101Y XL	
293	503	285/35ZR19 103Y XL	
294	504	285/35ZR19	
295	505	285/35ZR20 100Y	
296	506	285/35ZR20 104Y XL	
297	507	285/35ZR22 106Y EXTRA LOAD	
298	508	285/40R22 110Y	
299	509	285/40ZR19 103Y	
300	510	285/40ZR19 107Y XL	
301	511	285/40ZR21 109Y EXTRA LOAD	
302	512	285/40ZR22 110Y	
303	513	285/45ZR21 113Y	
304	517	285/45R19 111V 'EXTRA LOAD' or 'REINFORCED'	
305	518	285/45R19 111W 'EXTRA LOAD' or 'REINFORCED'	
306	519	285/45R20 112Y XL	
307	520	285/50R20 112 V	
308	523	285/60R18 116V	
309	525	295/30R20 101W M+S 'EXTRA LOAD' or 'REINFORCED'	
310	527	295/30ZR19 100Y	
311	528	295/30ZR19 100Y XL	
312	530	295/30ZR20	
313	531	295/30ZR20 101Y XL or 'EXTRA LOAD' or 'REINFORCED'	
314	533	295/35R21 103Y	
315	534	295/35R21 107Y XL	
316	535	295/35ZR20 100Y XL	
317	538	295/35ZR20 105Y XL	
318	539	295/35ZR21 107Y XL (M+S)	
319	540	295/40R21 111W XL	
320	541	295/40ZR21 110Y XL	
321	543	295/40R20 110Y	
322	544	295/40R20 110Y XL	
323	545	295/40ZR19 108Y Extra Load	
324	546	295/40ZR21 111Y	
325	547	295/40ZR21 111Y XL	
326	549	295/45ZR20 110Y	
327	551	305/30ZR19 102Y XL	
328	552	305/30ZR20 103Y	
329	553	305/30ZR20 103Y XL	
330	554	305/35ZR19 102Y	
331	555	305/40ZR20 112Y EXTRA LOAD	
332	556	315/30ZR21 105Y EXTRA LOAD	

333	557	315/30ZR22 107Y EXTRA LOAD	
334	559	315/35R20 110W 'EXTRA LOAD' or 'REINFORCED'	
335	560	315/35R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
336	561	315/35ZR20 110Y EXTRA LOAD	
337	562	315/35ZR21 111Y EXTRA LOAD	
338	563	315/40ZR21 115Y	
339	564	315/40R21 111Y	
340	565	325/30ZR23 109Y	
341	567	325/30R21 108Y	
342	568	325/35ZR22 114Y	
343	571	335/30ZR20 104Y	
344	572	355/25ZR21 107Y	
345	573	LT315/75R16 All Terrain	
346	574	LT255/75R17 111/108Q	
347	575	LT315/70R16 121Q (M + S)	
348	576	P225/65R17 100H	
349	579	P245/65R18 110H (Temporary use spare wheel)	
350	581	175/55R20 89T	
351	582	195/50R20 89W	
352	583	195/50R20 93T	
353	584	195/50R20 93W	
354	585	205/45R17 88Y	
355	586	205/55R17 91W	
356	587	205/55R17 91W Extended Mobility Tyre	
357	588	205R16 8PR LT 110/108S AT	
358	589	215/45R20 91W	
359	590	215/45R20 95W	
360	591	215/50R18 96T XL	
361	592	215/55R17 94T	
362	593	215/65R17 99V	
363	594	225/40R20 94T XL	
364	595	225/40ZR19 93Y	
365	596	225/45R19 92T	
366	597	225/50R18 95T	
367	598	225/55 R19 103H	
368	599	225/55R17 97T	
369	600	235/35ZR19 (91Y)	
370	601	235/40R18 103V	
371	602	235/45R18 98W	
372	603	235/45ZR19 99Y XL	
373	604	235/50R19 103V	
374	605	235/50R19 99V	
375	606	235/50R19 99W Extended Mobility Tyre	
376	607	235/50R20 100T	
377	608	235/50R20 100W	
378	609	235/50ZR19 99Y	
379	610	235/55R18 100W Extended Mobility Tyre	
380	611	235/55R18 104T XL	
381	612	235/55R19 101T	
382	613	235/55R19 105W XL	
383	614	235/60R19 107V XL	
384	615	235/60R20 108H	
385	616	235/60R20 108H XL	
386	617	245/30ZR20 (90Y)	
387	618	245/35R20 95Y	
388	619	245/35ZR18 (88Y)	

389	620	245/35ZR18 (92Y)	
390	621	245/35ZR19 (93Y)	
391	622	245/35ZR19 93Y XL	
392	623	245/40R20 95W	
393	624	245/40R20 99W	
394	625	245/40R20 99Y XL	
395	626	245/40ZR19 98Y XL	
396	627	245/45R20 103Y	
397	628	245/45R20 99Y	
398	629	245-700 R470A C 116H	
399	630	245-700 R470A C 121Q	
400	631	255/30ZR20 (92Y)	
401	632	255/35R18 95Y XL	
402	633	255/35ZR18 94Y XL	
403	634	255/35ZR19 (96Y)	
404	635	255/35ZR19 92Y	
405	636	255/35ZR19 96Y	
406	637	255/35ZR19 96Y XL	
407	638	255/40R19 100W	
408	639	255/40R20 101Y XL	
409	640	255/40R21 102Y	
410	641	255/40ZR18 95Y	
411	642	255/40ZR18 99Y XL	
412	643	255/40ZR19 101Y XL	
413	644	255/40ZR21 102Y	
414	645	255/45R18 93Y	
415	646	255/45R19 100V	
416	647	255/45R19 104V	
417	648	255/45R20 101T	
418	649	255/45R20 101W	
419	650	255/45R20 105H XL	
420	651	255/45R20 105W	
421	652	255/45R20 105Y	
422	653	255/45ZR19 104YXL	
423	654	255/45ZR20 105Y	
424	655	255/50R19 103T	
425	656	255/50R20 109H XL	
426	657	255/50R21 109Y	
427	658	255/50R21 109Y XL	
428	659	255/55R19 111H XL	
429	660	255/60R20 113H	
430	661	255/65R19 114V XL	
431	662	255/720R490 117H	
432	663	255-720R490-C 117H	
433	664	255-720R490-C 119T	
434	665	265/30ZR20 94Y	
435	666	265/35R19 98Y XL	
436	667	265/35R20 99Y XL	
437	668	265/35ZR19 98Y XL	
438	669	265/35ZR20 95Y	
439	670	265/35ZR20 99Y	
440	671	265/35ZR20 99Y XL	
441	672	265/40R20 104Y	
442	673	265/40R21 105Y XL	
443	674	265/40R22 106Y XL	
444	675	265/40ZR19 102Y	

445	676	265/40ZR20 104Y XL	
446	677	265/40ZR21 105Y	
447	678	265/45R20 108Y	
448	679	265/45ZR20 108Y	
449	680	265/45ZR20 108Y XL	
450	681	265/45ZR21 108Y XL	
451	682	265/55R19 113Y XL	
452	683	275/30R20 97Y XL	
453	684	275/35R20 102Y XL	
454	685	275/35R23 108Y	
455	686	275/35ZR19 100Y	
456	687	275/35ZR19 100Y XL	
457	688	275/35ZR20 102Y	
458	689	275/35ZR21 103Y XL	
459	690	275/40R18 99Y	
460	691	275/40R20 106Y	
461	692	275/40R21 107Y	
462	693	275/40R22 107Y	
463	694	275/40R22 107Y XL	
464	695	275/40ZR18 99Y	
465	696	275/40ZR19 105Y	
466	697	275/40ZR19 105Y XL	
467	698	275/45R21 107H S	
468	699	275/45R21 107Y	
469	700	275/45R21 110H XL S	
470	701	275/45ZR21 107Y	
471	702	275/45ZR21 110Y XL	
472	703	275/50R20 113W	
473	704	275/50R21 113Y XL	
474	705	275/55R19 111W	
475	706	285/30ZR19 98Y XL	
476	707	285/30ZR22 101Y XL	
477	708	285/35R18 97W	
478	709	285/35R20 104Y XL	
479	710	285/35ZR18 101Y XL	
480	711	285/35ZR20 104Y	
481	712	285/35ZR21 105Y	
482	713	285/35ZR23 (107Y)	
483	714	285/40R20 104Y	
484	715	285/40R20 108Y	
485	716	285/40R23 107Y	
486	717	285/40R23 111Y XL	
487	718	285/40ZR19 107Y	
488	719	285/40ZR19 107Y XL	
489	720	285/40ZR20 108Y XL	
490	721	285/40ZR22 (110W)	
491	722	285/40ZR22 (110Y)	
492	723	285/40ZR22 110Y XL	
493	724	285/45R21 113W	
494	725	285/45R21 113Y XL	
495	726	285/45R22 114Y	
496	727	285/45R22 114Y XL	
497	728	285/45ZR21 (113W)	
498	729	285/45ZR21 (113Y)	
499	730	295/30R20 101Y XL	
500	731	295/30ZR19 (100Y)	

501	732	295/30ZR20 101Y	
502	733	295/30ZR20 101Y XL	
503	734	295/35R22 108Y XL	
504	735	295/35ZR19 104Y	
505	736	295/35ZR19 104Y XL	
506	737	295/35ZR20 105Y XL	
507	738	295/35ZR21 107Y XL	
508	739	295/35ZR23 108Y XL	
509	740	295/40R22 112W XL	
510	741	305/30ZR20 (103Y)	
511	742	305/35ZR19 (102Y)	
512	743	315/30R23 111Y	
513	744	315/30ZR22 107Y XL	
514	745	315/35R22 111Y	
515	746	315/35ZR21 111Y	
516	747	315/35ZR21 111Y XL	
517	748	315/40R21 111Y	
518	749	315/40ZR21 (115W)	
519	750	315/40ZR21 (115Y)	
520	751	315/40ZR21 115Y XL	
521	752	325/30ZR20 106Y XL	
522	753	325/30ZR21 108Y	
523	754	325/30ZR23 (109Y)	
524	755	325/35R20 108Y	
525	756	325/35R23 111Y	
526	757	325/35ZR22 (114W)	
527	758	325/35ZR22 (114Y)	
528	759	325/35ZR22 114Y XL	
529	760	325/40R22 114Y	
530	761	335/30ZR18 (102Y)	
531	762	335/30ZR20 (104Y)	
532	763	355/25ZR21 (107Y)	
533	764	225/55 R18 102Y XL	
534	765	235/50 R19 103T XL EXTENDED MOBILITY TIRE	
535	766	225/45 R18 95Y XL EXTENDED MOBILITY TIRE	
536	767	245/40 R18 97Y XL EXTENDED MOBILITY TIRE	
537	768	235/55 R18 100W	
538	769	235/50 R19 99W	
539	770	265/35 ZR20 102Y XL	
540	771	275/35 ZR20 102Y XL	
541	772	255/40 R21 105Y HL	
542	773	285/35 R21 108 Y HL	
543	774	265/40 ZR21 105Y XL	
544	775	295/35 ZR21 107Y	
545	776	295/40 ZR20 110Y	
546	777	235/55 R18 104T	
547	778	275/35 R19 100Y XL	
548	779	235/45 R21	
549	780	235/55 R19 105V	
550	781	265/45 R21 108V	
551	782	295/40 R21 111V	
552	783	235/45R19 95H	
553	784	245/40 R18 97Y XL	Exemption till 31.03.2026
554	785	245/45 R19 102Y XL	Exemption till 31.03.2026
555	786	225/45 R18 95Y XL	Exemption till 31.03.2026
556	787	255/60 R18 108S	Exemption till 31.03.2026

557	803	215/70R17.5	
558	804	285/40R23 115Y HL	
559	805	T155/85R18 115M	
560	806	275/50R 21 113Y XL	
561	807	T125/80R18 100M	
562	808	T125/70R19 101M	
563	809	225/55R18 102Y XL	
564	810	235/40 RF19 (96W) and Run Flat	
565	811	285/40 RF19 (107W) and RFT	
566	812	315/40 R21 (115H) and Studded	
567	813	285/45 R21 (113H) and Studded	
568	814	265/35 RF20 (99Y) and Run Flat	
569	815	265/30 RF21 (96Y) and Run Flat	
570	816	345/30 RF21 (111Y) and Run Flat	
571	817	355/25 RF22 (108Y) and Run Flat	
572	818	235/45 R18 98Y XL and RFT	
573	819	245/45 R19 102Y XL and RFT	
574	820	235/60 R18 107W XL and RFT	
575	821	275/50 R20 113Y XL and RFT	
576	822	T135/80D18 104M	
577	823	275/50R20 113V	
578	826	100/90-19 54V	
579	827	130/80R17 65V	
580	828	245/45R20 XL 103V	
581	829	165/65 R15 81H	
582	830	110/80R19 59H	
583	831	120/80-14 58S	
584	832	235/50R19 103T XL	
585	833	285/45R21 113W XL	
586	834	265/50R20 111V XL	
587	835	275/40R20 113V XL	
588	836	205/65R17 100Y XL	
589	837	215/40R18 89Y XL	
590	838	215/45R17 91Y XL	
591	839	265/50R21 111Y XL	
592	840	275/45R22 112Y XL	
593	841	295/45R21 115Y XL	
594	842	315/40R22 116Y XL	
595	843	285/40ZR20 111Y	
596	844	295/35ZR21 110Y	
597	845	T145/85R19 112M	
598	846	245/40 RF21 96Y RFT	
599	847	275/35RF21 99Y RFT	
600	848	265/55R20 112V Tubeless	
601	849	235/55R18100V	Exemption till 31.08.2026
602	850	235/60R18103H	Exemption till 31.08.2026
603	PV	265/35 ZR20 99 Y XL	
604	PV	295/30 ZR20 101 Y XL	
605	PV	255/45 R20 105 W XL	
606	PV	285/40 R20 108 W XL	
607	PV	255/40 R18 99 WXL	
608	PV	T125/85 R18 101M	
609	PV	T155/75 R20 115M	
610	PV	285/45 ZR21 113Y	
611	PV	315/40 ZR21 115Y	
612	PV	285/40 ZR22 110Y	

613	PV	325/35 ZR22 114Y	
614	PV	285/35 ZR23 107Y	
615	PV	325/30 ZR23 109Y	
616	PV	285/40 ZR22 110W	
617	PV	325/35 ZR22 114W	
618	PV	305/35 ZR21 109Y	
619	PV	285/40ZR23 111Y	
620	PV	325/35ZR23 115Y	
621	PV	305/35R21- 109Y XL	
622	PV	315/30 R23 108Y XL	
623	PV	265/35R22 102 W	
624	PV	275/35 ZR22 104Y	
625	PV	305/35/R23 114Y XL	
626	PV	275/35R23 104Y XL	
627	PV	305/30/R22 105W	
628	PV	235/55R19 101V	
629	PV	235/45R21 101W	

List of Run Flat Tyres in the Exemption Listⁱ

(not covered under the QCO, vide DPIIT's O.M. No. 16 (72)/2005-LR dated 13 Dec 2011)

Sl. No. (running)	Type S. No. (B)	Tyre Size & Type (C)	Remarks
1.	5.516	195/55R16 87H and Run Flat	
2.	5.517	195/55R16 87V and Run Flat	
3.	5.518	195/55R16 87W and Run Flat	
4.	5.519	205/40R18 86W and Run Flat	
5.	5.520	205/45R17 84V and Run Flat	
6.	5.521	205/45R17 84W and Run Flat	
7.	5.522	205/45R17 88W and Run Flat	
8.	5.524	205/55R16 91V and Run Flat	
9.	5.525	205/55R16 91W and Run Flat	
10.	5.526	205/55R17 91V and Run Flat	
11.	5.529	205/60R16 92W and Run Flat	
12.	5.530	205/60R16 96W and Run Flat	
13.	5.537	225/35R20 90Y and Run Flat	
14.	5.538	225/40R18 88W and Run Flat	
15.	5.539	225/40R18 88Y and Run Flat	
16.	5.540	225/40R18 92Y and Run Flat	
17.	5.541	225/40R18 95Y and Run Flat	
18.	5.542	225/40R18 99Y and Run Flat	
19.	5.543	225/40R19 89Y and Run Flat	
20.	5.544	225/40R19 93Y and Run Flat	
21.	5.547	225/45R17 91H and Run Flat	
22.	5.548	225/45R17 91V and Run Flat	
23.	5.549	225/45R17 91W and Run Flat	
24.	5.550	225/45R17 94Y and Run Flat	
25.	5.551	225/45R18 91V and Run Flat	
26.	5.552	225/45R18 91Y and Run Flat	
27.	5.553	225/45R18 95Y and Run Flat	
28.	5.554	225/45R18 99W and Run Flat	
29.	5.556	225/45ZR18 95Y and Run Flat	
30.	5.557	225/50R16 92V and Run Flat	
31.	5.558	225/50R17 94H and Run Flat	
32.	5.559	225/50R17 94V and Run Flat	
33.	5.560	225/50R17 94W and Run Flat	
34.	5.561	225/50R17 94Y and Run Flat	
35.	5.562	225/50R17 98Y and Run Flat	

36.	5.564	225/50R18 95W and Run Flat	
37.	5.565	225/50R18 99W and Run Flat	
38.	5.566	225/50R19 107W and Run Flat	
39.	5.567	225/50ZR18 99Y and Run Flat	
40.	5.569	225/55R16 95W and Run Flat	
41.	5.570	225/55R17 101Y and Run Flat	
42.	5.572	225/55R17 97W and Run Flat	
43.	5.573	225/55R17 97Y and Run Flat	
44.	5.574	225/60R17 99V and Run Flat	
45.	5.575	225/60R18 104W and Run Flat	
46.	5.580	235/50R18 97H and Run Flat	
47.	5.587	235/55R17 99H and Run Flat	
48.	5.596	245/35R18 88Y and Run Flat	
49.	5.597	245/35R19 93Y and Run Flat	
50.	5.599	245/35R20 95Y and Run Flat	
51.	5.603	245/35ZR19 93Y and Run Flat	
52.	5.605	245/40R18 93Y and Run Flat	
53.	5.606	245/40R19 94W and Run Flat	
54.	5.607	245/40R19 94Y and Run Flat	
55.	5.608	245/40R19 98Y and Run Flat	
56.	5.609	245/40R20 106W and Run Flat	
57.	5.612	245/40R20 99Y and Run Flat	
58.	5.615	245/45 R20 106Y and Run Flat	
59.	5.616	245/45R17 95Y and Run Flat	
60.	5.617	245/45R18 100Y and Run Flat	
61.	5.618	245/45R18 96W and Run Flat	
62.	5.619	245/45R18 96Y and Run Flat	
63.	5.620	245/45R19 98Y and Run Flat	
64.	5.621	245/45R20 103 and Run Flat	
65.	5.622	245/45R20 103W and Run Flat	
66.	5.624	245/45R20 106W and Run Flat	
67.	5.626	245/50R18 100W and Run Flat	
68.	5.627	245/50R18 100Y and Run Flat	
69.	5.628	245/50R19 105W and Run Flat	
70.	5.629	245/50R19 105Y and Run Flat	
71.	5.630	245/60R18 104W and Run Flat	
72.	5.633	255/30R19 91Y and Run Flat	
73.	5.634	255/30R20 92Y and Run Flat	
74.	5.636	255/35R18 90W and Run Flat	
75.	5.637	255/35R18 90Y and Run Flat	

76.	5.639	255/35R19 92Y and Run Flat	
77.	5.640	255/35R19 96Y and Run Flat	
78.	5.641	255/35R20 100Y and Run Flat	
79.	5.646	255/35ZR19 96Y and Run Flat	
80.	5.648	255/40R17 94V and Run Flat	
81.	5.649	255/40R18 95Y and Run Flat	
82.	5.650	255/40R18 99Y and Run Flat	
83.	5.652	255/40R19 100Y and Run Flat	
84.	5.656	255/40ZR18 99Y and Run Flat	
85.	5.660	255/45R17 98W and Run Flat	
86.	5.661	255/45R18 103Y and Run Flat	
87.	5.663	255/45R18 99W and Run Flat	
88.	5.674	255/50R19 107V and Run Flat	
89.	5.675	255/50R19 107W and Run Flat	
90.	5.679	255/55R18 109H and Run Flat	
91.	5.680	255/55R18 109V and Run Flat	
92.	5.687	265/30R20 94Y and Run Flat	
93.	5.691	265/35ZR19 98Y and Run Flat	
94.	5.696	265/40R18 97Y and Run Flat	
95.	5.707	265/50R19 110W and Run Flat	
96.	5.709	275/30R20 97Y and Run Flat	
97.	5.711	275/35R19 100Y and Run Flat	
98.	5.712	275/35R20 102Y and Run Flat	
99.	5.714	275/35R20 98Y and Run Flat	
100.	5.715	275/35R22 104Y and Run Flat	
101.	5.721	275/40R18 103Y and Run Flat	
102.	5.723	275/40R18 99Y and Run Flat	
103.	5.724	275/40R19 101Y and Run Flat	
104.	5.725	275/40R20 106W and Run Flat	
105.	5.727	275/40R20 106Y and Run Flat	
106.	5.729	275/40R21 107Y and Run Flat	
107.	5.730	275/40R21 107Y XL and Run Flat	
108.	5.732	275/40R22 107Y and Run Flat	
109.	5.737	275/45R18 99Y and Run Flat	
110.	5.738	275/45R20 110Y and Run Flat	
111.	5.745	275/50R20 113W and Run Flat	
112.	5.748	285/30R20 99Y and Run Flat	
113.	5.752	285/35R19 99Y and Run Flat	
114.	5.754	285/35R21 105Y and Run Flat	
115.	5.769	285/45R19 111W and Run Flat	

116.	5.771	285/45R21 113Y and Run Flat	
117.	5.777	295/30R20 101Y and Run Flat	
118.	5.786	295/35ZR21 107Y and Run Flat	
119.	5.792	305/40R20 112Y and Run Flat	
120.	5.793	315/30R22 107Y and Run Flat	
121.	5.795	315/30ZR22 107Y and Run Flat	
122.	5.797	315/35R20 110W and Run Flat	
123.	5.798	315/35R20 110Y and Run Flat	
124.	5.799	315/35R21 111Y and Run Flat	
125.	5.801	315/35R22 111Y and Run Flat	
126.	5.808	325/30R21 108Y and Run Flat	
05 RFT tyres added in the exemption list			
127.	PV	235/60 R18 107W XL run flat	Exempted upto 31.03.2026
128.	PV	225/55 R18 102Y XL run flat	Exempted upto 31.03.2026
129.	PV	235/45 R18 98Y XL run flat	Exempted upto 31.03.2026
130.	PV	245/45 R19 102Y XL run flat	Exempted upto 31.03.2026
131.	PV	275/50 R20 113Y XL run flat	Exempted upto 31.03.2026

ⁱTyre Size marked RF or RFT or Run Flat and / or carrying the symbol  are exempted from QCO requirements till the time such Tyre sizes are not manufactured domestically"