

File No.P.39012/5/2018-L&R
Government of India
Ministry of Commerce and Industry
Department for Promotion of Industry and Internal Trade
(L&R Section)

Udyog Bhawan, New Delhi
Dated the 26th September, 2024

OFFICE MEMORANDUM

Subject: Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009 –Regarding

The undersigned is directed to refer to Minutes of IMC Meeting held on 23.08.2024 at Vanijya Bhawan, New Delhi to discuss exclusion of Pneumatic Tyres and Tubes from QCO 2009 (**Copy Enclosed**) and to say that w.r.t Para 8 of said Minutes, it is further stated that as per provisions contained under sub-clause (a) to (f) of Clause 3 of the "Pneumatic Tyres and Tubes for Automotive (Quality Control) Order, 2009" (**Copy Enclosed**), certain categories of Tyres have been exempted from the application of the provisions of the said Quality Control Order, 2009. In pursuance of the Sub-Clause (f) of Clause 3 of said Order, 2009, a Committee was constituted to review the list of Tyres not manufactured domestically and Imported by the Original Equipment Manufacturers (OEMs) for selling in replacement market through their authorized dealers.

2. The said Committee has reviewed and finalized the lists as under:

- i. **Annexure-I:** The exemption list will now contain 850 tyres by adding 48 tyres (46+2) to the existing list of 802 tyres.
- ii. **Annexure-II:** The list of 70 tyre sizes validated until February 28, 2025 remains unchanged.
- iii. **Annexure-III:** The list of 131 run-flat tyres (with BIS text noted as a footnote) will remain unchanged.

A Copy of the list of Tyres can also be obtained from the website of this Department <https://dipp.gov.in>.

3. This issue with the approval of the Competent Authority.



(Rajesh Rawat)
Under Secretary to the Govt. of India
e.mail: rajesh.rawat@nic.in

Encl: as above

To

1. Central Board of Indirect Taxes and Customs(CBIC)(Kind Attention: Shri Anupam Prakash, Joint Secretary (Customs), Department of Revenue, North Block, New Delhi 110 001. (email: js.cus@nic.in)
2. Bureau of Indian Standards (Kind Attention: Shri P.K. Tiwari, Director General (DG), Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Dehi-110 002. (e.mail: **dg@bis.gov.in**).
3. Director General of Foreign Trade, (Kind Attention: Ms. Shubra, Additional Director General of Foreign Trade), Department of Commerce, Udyog Bhawan, New Delhi -110 0011 shubhra.ag@nic.in.
4. Society of Indian Automobile Manufacturers (SIAM), (Kind Attention: Shri Rajesh Menon, Director General) Core 4-B, 5th Floor, India Habitat Centre, Lodi Road, New Delhi-110 003. email: siam@siam.in
5. Automotive Tyre Manufacturers' Association (ATMA), (Kind Attention: Shri Rajiv Budhreja, Director General), PHD House 4th Floor Apposite Asian Games Village, Siri Fort Institutional Area, New Delhi-110 016.
6. Dr. K. Rajkumar, Director, Indian Rubber Manufacturers Research Association (IRMRA), Plot No.254/1B Road No.16V, Wagle Industrial Estate Thane(W), Pin400604. e-mail: info@irmra.org

Copy to NIC, DPIIT for uploading on the Website of Department.

Revised Exemption list of 850 (802+46+2) Tyre sizes

LIST OF 850 TYRE SIZES WHICH ARE NOT MANUFACTURED DOMESTICALLY w.e.f Sept' 24

S. No. (A)	Type S. No. (B)	Tyre Size & Type (C)	REMARKS (D)
	1	Motorcycle Tyres - Bias	
1	1.1	80/90-21 54H	
2	1.2	90/90-19 52H	
3	1.14	130/60B19 61H	
4	1.15	130/60B21 63H	
5	1.19	130/90B16 67H	
6	1.2	130/90B16 73H	
7	1.21	140/70-14 (82P)	
8	1.23	140/70-14 68P Tubeless Diagonal	
9	1.25	150/80B16 77H	
10	1.26	160/70-17 73V	
11	1.27	160/70B17 73H	
12	1.28	160/70B17 73V	
13	1.29	180/55B18 80H	
14	1.3	180/60-17 93P	
15	1.31	180/60B17 75V	
16	1.32	180/65B16 81H	
17	1.33	180/70B16 77H	
18	1.34	AT24X10-11 M978	
19	1.35	AT24X8-12 M977	
20	1.36	MH90-21 54H	
21	1.37	MT90B16 72H	
22	1.38	MU85B16 77H	
23	1.39	100/90-19 57M	
24	1.40	100/90-19 57T Tubeless/Tubetype	
25	1.41	100/90-19 M/C 57V M+S TL	
26	1.42	110/90B19 62H	
27	1.43	120/70-15 M/C 56P	
28	1.44	120/70-15 MC 56P	
29	1.45	120/80R14 58S TL	
30	1.46	130/80-17 65T Tubeless/Tubetype	
31	1.47	140/80-18 70R Tubeless/Tubetype	
32	1.48	140/80-18 70S Tubeless/Tubetype	
33	1.49	140/80B18 70T Tubeless/Tubetype	
34	1.50	150/70R14 66S TL	
35	1.51	150/80-16 77H	
36	1.52	80/100-21 51M	
37	1.53	90/90-21 54T Tubeless/Tubetype	

38	1.54	90/90-21 M/C 54V M+S	
39	1.55	MT90B16	
40	1.56	MU85B16	
41	1.57	120/80-14 58S	
42	1.58	150/70-14 66S	
	2	Motorcycle Tyres - Radial	
43	2.3	110/80R18 M/C 58H TL	
44	2.6	120/600R17 RADIAL	
45	2.7	120/60ZR17 M/C (55W) TL	
46	2.8	120/70R19	
47	2.9	120/70R19 60V	
48	2.11	120/70ZR18 59W	
49	2.12	120/70ZR19 60W	
50	2.13	130/70R18 63H	
51	2.14	130/70R18 M/C 63V	
52	2.15	130/80R17	
53	2.16	130/90R16 M/C 67H	
54	2.18	140/75R17 67V	
55	2.22	150/70R18 70H	
56	2.23	150/70R18 M/C 70V	
57	2.25	150/70ZR18 M/C 70H	
58	2.26	150/80R16	
59	2.27	150/80R16 Whitewall	
60	2.28	150/80R17	
61	2.32	160/70R17 69H	
62	2.33	160/70R17 73V	
63	2.34	170/60R17 M/C 72V M+S TL	
64	2.35	170/60R17 72V	
65	2.36	170/80R15 M/C 77H	
66	2.39	180/60R16 74H	
67	2.40	180/60ZR17 M/C (75W) TL	
68	2.41	180/70R16 Whitewall	
69	2.42	180/70R16 77V	
70	2.43	190/50ZR17 M/C 73W	
71	2.44	190/50ZR17 M/C 75W	
72	2.45	190/55ZR17 M/C 75W	
73	2.46	200/50R17	
74	2.47	200/50R18 M/C 76H	
75	2.48	200/55ZR17 M/C (78W) TL	
76	2.49	200/55R16 M/C 74H	
77	2.50	200/55 R16 M/C 77H	
78	2.51	200/55R17 78V	
79	2.52	200/60ZR17 M/C (78W) TL	
80	2.53	240/40R18 M/C 79V	
81	2.54	240/45ZR17 M/C (82W) TL	
82	2.55	240/50R16	
83	2.56	90/580R17 RADIAL	
84	2.57	110/80 R19 M/C 59 V	

85	2.58	110/80R19 59H TL	
86	2.59	115/75 R17	
87	2.60	120/70R19 60W	
88	2.61	120/95 R17 TL	
89	2.62	130/80 R17 65Q Tubeless/Tubetype	
90	2.63	130/80R17 65H	
91	2.64	140/80R17 M/C 69V M+S TL	
92	2.65	150/70 R18 M/C 70V M+S	
93	2.66	160/60R18 70V	
94	2.67	160/70R17 M/C 73V	
95	2.68	200/50R18 76V	
96	2.69	240/40R18 79V	
97	2.70	90/580R17 TL	
98	2.71	90/80R17	
99	2.72	95/70R17	
100	2.73	130/80 R17 M/C 65V	
101	2.74	180/55 ZR17 M/C 73W	
102	2.75	110 / 80-R19 59H	
103	2.76	180/55 ZR17 M/C (73W)	
104	2.77	200/55-ZR17 M/C (78W)	
105	2.78	150/70 R18 M/C 70H	
106	2.79	110/70 R17 M/C 54H	Exemption till 31.03.2026
107	2.80	150/60 R17 M/C 66H	Exemption till 31.03.2026
	3	Passenger Temporary use spare tyre - Bias	
108	3.1	175/50-19 97P	
109	3.2	175/55-18 95P	
110	3.3	180/60-17 93P	
111	3.4	185/55-20 100P	
112	3.5	185/60-18 93P	
113	3.6	195/65-20 108P	
114	3.7	195/75-18 106P	
115	3.8	T125/70-18 99M	
116	3.9	T125/70D15 95M T/L	
117	3.10	T135/80-17 103M	
118	3.11	T135/90-16 102M	
119	3.12	T155/60-18 107M	
120	3.13	T155/70-17 110M	
121	3.14	T155/80D19 114M	
122	3.15	T155/90D16 110M	
123	3.16	T155/90D17 101M	
124	3.17	T155/90D18 113M	
125	3.18	T165/90D19 119M	
126	3.19	T135/80 D17 103M	
127	3.20	T135/90 D17 104M	
128	3.21	T125/80 D16 97M	
129	3.22	T195/70-20 116P	
	4	Passenger Temporary use spare tyres - Radial	
130	4.1	T115/85R18 96M	

131	4.2	T115/70R16	
132	4.3	T125/70R15 95M	
133	4.4	T125/70R16 96M	
134	4.5	T125/70R17 98M	
135	4.6	T125/70R18 99M	
136	4.7	T125/70R19 100M	
137	4.8	T125/70R19 100W	
138	4.9	T125/80R17 99M	
139	4.10	T125/90R16 98M	
140	4.11	T135/70R19 105M	
141	4.12	T135/80 R17 102M	
142	4.13	T135/80R17 103M	
143	4.14	T135/80R18 104M	
144	4.15	T135/90R16 102M	
145	4.16	T135/90R17 104M	
146	4.17	T145/60R20 105M	
147	4.18	T145/80R18	
148	4.19	T145/80R18 109M	
149	4.20	T145/80R18 99M	
150	4.21	T145/80R19	
151	4.22	T145/80R19 110M	
152	4.23	T145/85R18 103M	
153	4.24	T145/90R16 106M	
154	4.25	T155/60R18 107M	
155	4.26	T155/70R17 110M	
156	4.27	T155/70R19 113M	
157	4.28	T155/80R19 114M	
158	4.29	T155/85R18 115M	
159	4.30	T155/90R18 113M	
160	4.31	T165/90R19 119M	
161	4.32	T115/40R15 90M	
162	4.33	T115/95R17 95M	
163	4.34	T125/70R17 98M	
164	4.35	T135/70R19 105M	
165	4.36	T135/80R17 102M	
166	4.37	T135/80R17 102W	
167	4.38	T135/80R18 104M	
168	4.39	T135/90R17 104M	
169	4.40	T155/80R19 114M	
170	4.41	T155/90R18 113M	
171	4.42	T165/70D20 119M	
172	4.43	T165/80D17 104M	
173	4.44	T165/90D18 107M	
174	4.45	T145/65R20 105M	
175	4.46	T195/75R18 106 P	
176	4.47	T145/80 R19 110M	
177	4.48	T145/70R17 106M	
	5	Passenger Tyres	

178	5.1	110/90B19 62H	
179	5.2	115/70R15 90M	
180	5.3	125/60R18 94M	
181	5.4	125/70R19 100M	
182	5.5	125/80R17 99M	
183	5.6	135/70R19 105M	
184	5.7	135/80R17 102M	
185	5.8	135/80R18 104M	
186	5.9	135/90R17 104M	
187	5.10	145/60R20 105M	
188	5.11	145/70-12 92P	
189	5.12	145/70-17 92P	
190	5.13	145/80R18 99M	
191	5.14	155/70R15 78T	
192	5.15	155/80R19 114M	
193	5.16	155/90R16 110M	
194	5.17	155/90R18 113M	
195	5.18	160/60R18 70V	
196	5.19	165-15 8PR 89P	
197	5.20	185/55R15 81T	
198	5.21	195/45R16 84H	
199	5.23	195/45ZR16 84W	
200	5.24	195/50R15 82T	
201	5.25	195/50R16 84H	
202	5.26	195/50R20 93W	
203	5.33	205/45R16 83H	
204	5.34	205/45R16 83W	
205	5.35	205/45R18 86Y	
206	5.38	205/50R17 93H XL M+S	
207	5.43	205/65R16 99H 'EXTRA LOAD' or 'REINFORCED'	
208	5.45	205/70R15 96T	
209	5.46	215/40R18 85Y	
210	5.47	215/40ZR18 89W	
211	5.48	215/40ZR18 89W 'EXTRA LOAD' or 'REINFORCED'	
212	5.49	215/45R16 86H	
213	5.50	215/45R16 87V	
214	5.51	215/45R16 90V XL	
215	5.53	215/45R20 95W	
216	5.55	215/50ZR17 95W'EXTRA LOAD' or 'REINFORCED'	
217	5.60	215/65R15 102T	
218	5.61	215/65R15 96V	
219	5.66	215/75R16 103H	
220	5.67	225/35R19 88Y'EXTRA LOAD' or 'REINFORCED'	
221	5.68	225/40R16 92H (M+S)	
222	5.69	225/40R18 88Y	
223	5.70	225/40R18 92W XL	
224	5.72	225/40R19 89W	
225	5.73	225/40R19 93V	

226	5.74	225/40ZR18 91Y	
227	5.75	225/40ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
228	5.76	225/40ZR19 93Y XL	
229	5.78	225/45R17 91H (M+S)	
230	5.85	225/45ZR16 89W	
231	5.86	225/45ZR17 91Y	
232	5.87	225/45ZR17 93W	
233	5.89	225/45ZR18 95Y XL	
234	5.9	225/50R16 92V	
235	5.91	225/50R16 92W	
236	5.96	225/50ZR19 107Y	
237	5.102	225/55R17 101H	
238	5.103	225/55R17 101H 'EXTRA LOAD' or 'REINFORCED'	
239	5.106	225/55R17 91Y	
240	5.107	225/55R17 94Y	
241	5.113	225/60R16 98W	
242	5.114	225/60R16C 103/101H	
243	5.117	225/75R16 104H	
244	5.118	225/75R16 104T	
245	5.119	225/75R16 108S (M+S)	
246	5.120	225/75R16 110/107R	
247	5.121	225/75R16 121N	
248	5.123	235/35ZR19 87Y	
249	5.124	235/35ZR19 87Y XL	
250	5.125	235/35ZR19 91Y	
251	5.126	235/35ZR19 91Y'EXTRA LOAD' or 'REINFORCED'	
252	5.127	235/35ZR20 (88Y)	
253	5.129	235/40R18 95H (M+S) 'EXTRA LOAD' or 'REINFORCED'	
254	5.13	235/40R18 95H XL M+S	
255	5.133	235/40ZR19 92Y	
256	5.134	235/45R17 93H M+S	
257	5.135	235/45R17 94H (M+S)	
258	5.139	235/45R19 95V	
259	5.140	235/45R19 95W	
260	5.141	235/45R19 99Y XL	
261	5.142	235/45ZR19 99Y XL	
262	5.143	235/50R18 97H	
263	5.145	235/50ZR18 101Y XL	
264	5.146	235/50ZR18 97Y	
265	5.148	235/55R17 99H M+S	
266	5.153	235/55R18 104Y 'EXTRA LOAD' or 'REINFORCED'	
267	5.156	235/55R19 101Y	
268	5.159	235/60R16 100V	
269	5.163	235/65 R18 106 V	
270	5.165	235/65R17 104W	
271	5.167	235/65R19 109V XL	
272	5.168	235-700R450A 114H	
273	5.169	245/30ZR20 90Y	

274	5.17	245/35R18 88Y	
275	5.171	245/35R18 92Y'EXTRA LOAD' or 'REINFORCED'	
276	5.172	245/35R19 93Y'EXTRA LOAD' or 'REINFORCED'	
277	5.173	245/35R20 91Y	
278	5.174	245/35R21 96Y	
279	5.175	245/35R21 96Y'EXTRA LOAD' or 'REINFORCED'	
280	5.176	245/35ZR18 88Y	
281	5.177	245/35ZR18 92Y	
282	5.178	245/35ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
283	5.179	245/35ZR19 93Y XL	
284	5.180	245/35ZR19 93Y	
285	5.181	245/35ZR20 91Y	
286	5.182	245/35ZR20 95Y	
287	5.183	245/35ZR21 96Y	
288	5.184	245/35ZR21 96Y XL	
289	5.185	245/40 ZR19 98Y	
290	5.187	245/40R17 91Y	
291	5.189	245/40R18 97V'EXTRA LOAD' or 'REINFORCED'	
292	5.190	245/40R19 94W	
293	5.191	245/40R19 94Y	
294	5.192	245/40R19 98Y'EXTRA LOAD' or 'REINFORCED'	
295	5.193	245/40R20 95Y	
296	5.194	245/40R20 99V	
297	5.195	245/40R20 99W	
298	5.196	245/40R20 99Y'EXTRA LOAD' or 'REINFORCED'	
299	5.197	245/40ZR 17 91Y	
300	5.198	245/40ZR17 93W	
301	5.200	245/40ZR19 94Y	
302	5.201	245/40ZR19 98Y'EXTRA LOAD' or 'REINFORCED'	
303	5.202	245/40ZR20 99Y'EXTRA LOAD' or 'REINFORCED'	
304	5.203	245/45R17 95H	
305	5.21	245/45R18 100H	
306	5.211	245/45R18 100H 'EXTRA LOAD' or 'REINFORCED'	
307	5.212	245/45R18 100V M+S 'EXTRA LOAD' or 'REINFORCED'	
308	5.218	245/45R19 101Y	
309	5.219	245/45R19 102V 'EXTRA LOAD' or 'REINFORCED'	
310	5.222	245/45R19 98Y	
311	5.223	245/45ZR17 95W	
312	5.224	245/45ZR19 102Y 'EXTRA LOAD' or 'REINFORCED'	
313	5.225	245/45ZR19 98Y	
314	5.227	245/50R17 99W	
315	5.229	245/50R18 104Y	
316	5.230	245/50ZR18 100Y	
317	5.231	245/50ZR18 104Y XL	
318	5.232	245/55R16 100W	
319	5.233	245/55R17 102W	
320	5.234	245/60R16 108H	
321	5.235	245/710R490 AC	

322	5.236	245/710R490A 111H	
323	5.237	245/710R490A 111T	
324	5.238	245/75R16 120/116Q	
325	5.239	245-700R470A 116H	
326	5.240	245-700R470A 121Q	
327	5.241	245-700R470AC 116H	
328	5.242	245-710R490AC 117T	
329	5.243	255/30ZR20 92Y	
330	5.244	255/30R19 91Y'EXTRA LOAD' or 'REINFORCED'	
331	5.245	255/30ZR19 XL	
332	5.246	255/30ZR20 92Y	
333	5.247	255/30ZR20 98Y	
334	5.248	255/35R18 90W	
335	5.249	255/35R18 90Y	
336	5.250	255/35R18 94Y'EXTRA LOAD' or 'REINFORCED'	
337	5.251	255/35R19 92W	
338	5.252	255/35R19 92Y	
339	5.253	255/35R19 96V (M+S)	
340	5.254	255/35R19 96V M+S 'EXTRA LOAD' or 'REINFORCED'	
341	5.255	255/35R19 96V XL	
342	5.256	255/35R19 96V XL (M+S)	
343	5.257	255/35R19 96Y	
344	5.258	255/35R19 96Y XL or'EXTRA LOAD' or 'REINFORCED'	
345	5.259	255/35ZR18 94Y	
346	5.260	255/35ZR18 94Y 'EXTRA LOAD' or 'REINFORCED'	
347	5.261	255/35ZR19 92Y	
348	5.262	255/35ZR19 96Y	
349	5.263	255/35ZR19 96Y 'EXTRA LOAD' or 'REINFORCED'	
350	5.264	255/35ZR20 97Y 'EXTRA LOAD' or 'REINFORCED'	
351	5.265	255/40R17 94V	
352	5.266	255/40R17 94W	
353	5.267	255/40R18 95V (M+S)	
354	5.268	255/40R18 95W	
355	5.270	255/40R18 99V XL (M+S)	
356	5.272	255/40R19 100V XL (M+S)	
357	5.273	255/40R19 100Y	
358	5.274	255/40R19 100Y'EXTRA LOAD' or 'REINFORCED'	
359	5.275	255/40R19 96W	
360	5.276	255/40R19 96Y	
361	5.277	255/40ZR18 95Y	
362	5.278	255/40ZR18 99Y'EXTRA LOAD' or 'REINFORCED'	
363	5.279	255/40ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
364	5.280	255/40ZR19	
365	5.281	255/40ZR20 101Y XL	
366	5.282	255/45 ZR19 104Y XL	
367	5.283	255/45R17 98V (M+S)	
368	5.284	255/45R17 98W	
369	5.285	255/45R17 98Y	

370	5.286	255/45R18 99V (M+S)	
371	5.287	255/45R18 99Y	
372	5.288	255/45R19 104Y	
373	5.289	255/45R19 104Y 'EXTRA LOAD' or 'REINFORCED'	
374	5.290	255/45R20 105V XL (M+S)	
375	5.291	255/45ZR18 99Y	
376	5.292	255/45ZR19 100Y	
377	5.293	255/50R20 109W	
378	5.294	255/50R19 103V	
379	5.295	255/50R19 103W	
380	5.298	255/50R19 107V'EXTRA LOAD' or 'REINFORCED'	
381	5.299	255/50R19 107W 'EXTRA LOAD' or 'REINFORCED'	
382	5.301	255/50R20 109W	
383	5.302	255/50R20 109Y 'EXTRA LOAD' or 'REINFORCED'	
384	5.303	255/50ZR18 91Y	
385	5.304	255/50ZR20 109Y 'EXTRA LOAD' or 'REINFORCED'	
386	5.306	255/55R18 103W	
387	5.307	255/55R18 105H	
388	5.308	255/55R18 105V	
389	5.310	255/55R18 109H 'EXTRA LOAD' or 'REINFORCED'	
390	5.311	255/55R18 109W 'EXTRA LOAD' or 'REINFORCED'	
391	5.314	255/55R19 111V 'EXTRA LOAD' or 'REINFORCED'	
392	5.316	255/55R19 111Y XL	
393	5.317	255/55R20 110W XL	
394	5.318	255/55R20 110Y XL	
395	5.319	255/55ZR19 111Y EXTRA LOAD	
396	5.320	255/60R16 109H	
397	5.322	255/60R18 108Y	
398	5.324	255/60R18 112W	
399	5.325	255/60R19 113V	
400	5.326	255/70R16 111H	
401	5.327	255/70R18 113T	
402	5.328	255-720 R490 AH	
403	5.329	255-720R490AC 117H	
404	5.330	265/35R18 97Y'EXTRA LOAD' or 'REINFORCED'	
405	5.331	265/35R19 98Y	
406	5.332	265/35ZR18 93Y	
407	5.333	265/35ZR18 95Y 'EXTRA LOAD' or 'REINFORCED'	
408	5.334	265/35ZR19 94Y	
409	5.335	265/35ZR19 98Y XL or 'EXTRA LOAD' or 'REINFORCED'	
410	5.336	265/35ZR20	
411	5.337	265/35ZR20 95Y	
412	5.338	265/40R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
413	5.339	265/40R18 97Y	
414	5.340	265/40R19 102Y	
415	5.341	265/40R20 104Y	
416	5.342	265/40R21 101Y	
417	5.343	265/40R21 105Y	

418	5.344	265/40R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
419	5.345	265/40ZR18 101Y XL	
420	5.346	265/40ZR18 97Y	
421	5.347	265/40ZR21 105Y 'EXTRA LOAD' or 'REINFORCED'	
422	5.348	265/45R20 104Y	
423	5.349	265/45R20 108Y XL	
424	5.350	265/45ZR19 105Y Extra Load	
425	5.351	265/45ZR20 104Y	
426	5.352	265/45ZR20 108Y 'EXTRA LOAD' or 'REINFORCED'	
427	5.353	265/45ZR20 108Y XL(M+S)	
428	5.354	265/50R19 110Y	
429	5.355	265/50R19 110Y 'EXTRA LOAD' or 'REINFORCED'	
430	5.356	265/50R20 107V	
431	5.357	265/50R20 110V	
432	5.358	265/50R20 111V	
433	5.359	265/55R19 109H (M+S)	
434	5.360	265/60R18 109H	
435	5.364	275/30R19 96Y	
436	5.365	275/30R19 96Y XL	
437	5.366	275/30R20 93Y	
438	5.367	275/30R20 97Y	
439	5.368	275/30R21 98W	
440	5.369	275/30R21 98Y	
441	5.370	275/35R18 95W	
442	5.371	275/35R18 95Y	
443	5.372	275/35R19 96W	
444	5.373	275/35R20 102Y 'EXTRA LOAD' or 'REINFORCED'	
445	5.374	275/35R20 98Y	
446	5.375	275/35R21 103Y	
447	5.376	275/35ZR18 95Y	
448	5.377	275/35ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
449	5.378	275/35ZR19 96Y	
450	5.379	275/35ZR20 102Y 'EXTRA LOAD' or 'REINFORCED'	
451	5.380	275/35ZR21 103Y 'EXTRA LOAD' or 'REINFORCED'	
452	5.381	275/40R18 99W	
453	5.382	275/40R18 99Y	
454	5.383	275/40R19 101V (M+S)	
455	5.384	275/40R19 101Y	
456	5.385	275/40R19 101Y XL	
457	5.387	275/40R20 102W	
458	5.388	275/40R20 106W 'EXTRA LOAD' or 'REINFORCED'	
459	5.389	275/40R20 106Y XL or 'EXTRA LOAD' or 'REINFORCED'	
460	5.39	275/40R22 108Y XL	
461	5.391	275/40ZR18 99Y	
462	5.392	275/40ZR19 101Y	
463	5.393	275/40ZR19 105Y 'EXTRA LOAD' or 'REINFORCED'	
464	5.394	275/40ZR20 106Y 'EXTRA LOAD' or 'REINFORCED'	
465	5.395	275/45R18 103W	

466	5.396	275/45R18 103Y	
467	5.397	275/45R18 107Y	
468	5.398	275/45R20 110V XL (M+S)	
469	5.399	275/45R20 110Y	
470	5.400	275/45R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
471	5.401	275/45R21 107Y	
472	5.402	275/45R21 110W XL	
473	5.403	275/45ZR18 103Y	
474	5.404	275/45ZR18 107Y XL	
475	5.405	275/45ZR19 108Y XL	
476	5.406	275/45ZR20 110Y 'EXTRA LOAD' or 'REINFORCED'	
477	5.407	275/50R19 112W	
478	5.408	275/50R19 112W 'EXTRA LOAD' or 'REINFORCED'	
479	5.409	275/50R19 112W XL (M+S)	
480	5.41	275/50R20 109W	
481	5.411	275/50R20 111V	
482	5.412	275/50R20 113W XL	
483	5.413	275/50ZR19 112Y EXTRA LOAD	
484	5.414	275/55R17 109H	
485	5.415	275/55R17 109V	
486	5.416	275/55R19 111V	
487	5.417	275/55R19 111V(M+S)	
488	5.418	275/55R19 111W	
489	5.419	285/30R19 98Y XL or'EXTRA LOAD' or 'REINFORCED'	
490	5.42	285/30R21 100Y 'EXTRA LOAD' or 'REINFORCED'	
491	5.421	285/30ZR19 98Y	
492	5.422	285/30ZR19 98Y'EXTRA LOAD' or 'REINFORCED'	
493	5.423	285/30ZR20 99Y'EXTRA LOAD' or 'REINFORCED'	
494	5.424	285/30ZR21 100Y XL	
495	5.425	285/35ZR23 107Y	
496	5.426	285/35R18 101Y	
497	5.427	285/35R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
498	5.428	285/35R18 97W	
499	5.429	285/35R18 97Y	
500	5.43	285/35R21 105W 'EXTRA LOAD' or 'REINFORCED'	
501	5.431	285/35R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
502	5.432	285/35ZR18 101Y XL	
503	5.433	285/35ZR19 103Y XL	
504	5.434	285/35ZR19	
505	5.435	285/35ZR20 100Y	
506	5.436	285/35ZR20 104Y XL	
507	5.437	285/35ZR22 106Y EXTRA LOAD	
508	5.438	285/40R22 110Y	
509	5.439	285/40ZR19 103Y	
510	5.44	285/40ZR19 107Y XL	
511	5.441	285/40ZR21 109Y EXTRA LOAD	
512	5.442	285/40ZR22 110Y	
513	5.443	285/45ZR21 113Y	

514	5.444	285/45R19 103W	
515	5.445	285/45R19 107V	
516	5.446	285/45R19 107W	
517	5.447	285/45R19 111V 'EXTRA LOAD' or 'REINFORCED'	
518	5.448	285/45R19 111W 'EXTRA LOAD' or 'REINFORCED'	
519	5.449	285/45R20 112Y XL	
520	5.45	285/50R20 112 V	
521	5.451	285/50R18 109W	
522	5.452	285/55R18 113V	
523	5.453	285/60R18 116V	
524	5.454	295/30R19 100Y	
525	5.455	295/30R20 101W M+S 'EXTRA LOAD' or 'REINFORCED'	
526	5.456	295/30R20 101Y	
527	5.457	295/30ZR19 100Y	
528	5.458	295/30ZR19 100Y XL	
529	5.459	295/30ZR19 109W	
530	5.46	295/30ZR20	
531	5.461	295/30ZR20 101Y XL or 'EXTRA LOAD' or 'REINFORCED'	
532	5.462	295/35R19 104Y	
533	5.463	295/35R21 103Y	
534	5.464	295/35R21 107Y XL	
535	5.465	295/35ZR20 100Y XL	
536	5.466	295/35ZR18 99Y	
537	5.467	295/35ZR19	
538	5.468	295/35ZR20 105Y XL	
539	5.469	295/35ZR21 107Y XL (M+S)	
540	5.47	295/40R21 111W XL	
541	5.471	295/40ZR21 110Y XL	
542	5.472	295/40R20 106Y	
543	5.473	295/40R20 110Y	
544	5.474	295/40R20 110Y XL	
545	5.475	295/40ZR19 108Y Extra Load	
546	5.476	295/40ZR21 111Y	
547	5.477	295/40ZR21 111Y XL	
548	5.478	295/45ZR20 110W	
549	5.479	295/45ZR20 110Y	
550	5.48	305/30R19 102Y	
551	5.481	305/30ZR19 102Y XL	
552	5.482	305/30ZR20 103Y	
553	5.483	305/30ZR20 103Y XL	
554	5.484	305/35ZR19 102Y	
555	5.485	305/40ZR20 112Y EXTRA LOAD	
556	5.486	315/30ZR21 105Y EXTRA LOAD	
557	5.487	315/30ZR22 107Y EXTRA LOAD	
558	5.488	315/35R20 106W	
559	5.489	315/35R20 110W 'EXTRA LOAD' or 'REINFORCED'	
560	5.49	315/35R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
561	5.491	315/35ZR20 110Y EXTRA LOAD	

562	5.492	315/35ZR21 111Y EXTRA LOAD	
563	5.493	315/40ZR21 115Y	
564	5.494	315/40R21 111Y	
565	5.495	325/30ZR23 109Y	
566	5.496	325/30R21 108W	
567	5.497	325/30R21 108Y	
568	5.498	325/35ZR22 114Y	
569	5.499	335/25ZR21 107Y	
570	5.500	335/30ZR18 102Y	
571	5.501	335/30ZR20 104Y	
572	5.502	355/25ZR21 107Y	
573	5.503	LT315/75R16 All Terrain	
574	5.504	LT255/75R17 111/108Q	
575	5.505	LT315/70R16 121Q (M + S)	
576	5.506	P225/65R17 100H	
577	5.507	P225/70R16 101H	
578	5.508	P235/60R16 100H	
579	5.509	P245/65R18 110H (Temporary use spare wheel)	
580	5.510	P245/75R17 110T	
581	5.512	175/55R20 89T	
582	5.513	195/50R20 89W	
583	5.514	195/50R20 93T	
584	5.515	195/50R20 93W	
585	5.523	205/45R17 88Y	
586	5.527	205/55R17 91W	
587	5.528	205/55R17 91W Extended Mobility Tyre	
588	5.531	205R16 8PR LT 110/108S AT	
589	5.532	215/45R20 91W	
590	5.533	215/45R20 95W	
591	5.534	215/50R18 96T XL	
592	5.535	215/55R17 94T	
593	5.536	215/65R17 99V	
594	5.545	225/40R20 94T XL	
595	5.546	225/40ZR19 93Y	
596	5.555	225/45R19 92T	
597	5.563	225/50R18 95T	
598	5.568	225/55 R19 103H	
599	5.571	225/55R17 97T	
600	5.576	235/35ZR19 (91Y)	
601	5.577	235/40R18 103V	
602	5.578	235/45R18 98W	
603	5.579	235/45ZR19 99Y XL	
604	5.581	235/50R19 103V	
605	5.582	235/50R19 99V	
606	5.583	235/50R19 99W Extended Mobility Tyre	
607	5.584	235/50R20 100T	
608	5.585	235/50R20 100W	
609	5.586	235/50ZR19 99Y	

610	5.588	235/55R18 100W Extended Mobility Tyre	
611	5.589	235/55R18 104T XL	
612	5.590	235/55R19 101T	
613	5.591	235/55R19 105W XL	
614	5.592	235/60R19 107V XL	
615	5.593	235/60R20 108H	
616	5.594	235/60R20 108H XL	
617	5.595	245/30ZR20 (90Y)	
618	5.598	245/35R20 95Y	
619	5.600	245/35ZR18 (88Y)	
620	5.601	245/35ZR18 (92Y)	
621	5.602	245/35ZR19 (93Y)	
622	5.604	245/35ZR19 93Y XL	
623	5.610	245/40R20 95W	
624	5.611	245/40R20 99W	
625	5.613	245/40R20 99Y XL	
626	5.614	245/40ZR19 98Y XL	
627	5.623	245/45R20 103Y	
628	5.625	245/45R20 99Y	
629	5.631	245-700 R470A C 116H	
630	5.632	245-700 R470A C 121Q	
631	5.635	255/30ZR20 (92Y)	
632	5.638	255/35R18 95Y XL	
633	5.642	255/35ZR18 94Y XL	
634	5.643	255/35ZR19 (96Y)	
635	5.644	255/35ZR19 92Y	
636	5.645	255/35ZR19 96Y	
637	5.647	255/35ZR19 96Y XL	
638	5.651	255/40R19 100W	
639	5.653	255/40R20 101Y XL	
640	5.654	255/40R21 102Y	
641	5.655	255/40ZR18 95Y	
642	5.657	255/40ZR18 99Y XL	
643	5.658	255/40ZR19 101Y XL	
644	5.659	255/40ZR21 102Y	
645	5.662	255/45R18 93Y	
646	5.664	255/45R19 100V	
647	5.665	255/45R19 104V	
648	5.666	255/45R20 101T	
649	5.667	255/45R20 101W	
650	5.668	255/45R20 105H XL	
651	5.669	255/45R20 105W	
652	5.670	255/45R20 105Y	
653	5.671	255/45ZR19 104YXL	
654	5.672	255/45ZR20 105Y	
655	5.673	255/50R19 103T	
656	5.676	255/50R20 109H XL	
657	5.677	255/50R21 109Y	

658	5.678	255/50R21 109Y XL	
659	5.681	255/55R19 111H XL	
660	5.682	255/60R20 113H	
661	5.683	255/65R19 114V XL	
662	5.684	255/720R490 117H	
663	5.685	255-720R490-C 117H	
664	5.686	255-720R490-C 119T	
665	5.688	265/30ZR20 94Y	
666	5.689	265/35R19 98Y XL	
667	5.690	265/35R20 99Y XL	
668	5.692	265/35ZR19 98Y XL	
669	5.693	265/35ZR20 95Y	
670	5.694	265/35ZR20 99Y	
671	5.695	265/35ZR20 99Y XL	
672	5.697	265/40R20 104Y	
673	5.698	265/40R21 105Y XL	
674	5.699	265/40R22 106Y XL	
675	5.700	265/40ZR19 102Y	
676	5.701	265/40ZR20 104Y XL	
677	5.702	265/40ZR21 105Y	
678	5.703	265/45R20 108Y	
679	5.704	265/45ZR20 108Y	
680	5.705	265/45ZR20 108Y XL	
681	5.706	265/45ZR21 108Y XL	
682	5.708	265/55R19 113Y XL	
683	5.710	275/30R20 97Y XL	
684	5.713	275/35R20 102Y XL	
685	5.716	275/35R23 108Y	
686	5.717	275/35ZR19 100Y	
687	5.718	275/35ZR19 100Y XL	
688	5.719	275/35ZR20 102Y	
689	5.720	275/35ZR21 103Y XL	
690	5.722	275/40R18 99Y	
691	5.726	275/40R20 106Y	
692	5.728	275/40R21 107Y	
693	5.731	275/40R22 107Y	
694	5.733	275/40R22 107Y XL	
695	5.734	275/40ZR18 99Y	
696	5.735	275/40ZR19 105Y	
697	5.736	275/40ZR19 105Y XL	
698	5.739	275/45R21 107H S	
699	5.740	275/45R21 107Y	
700	5.741	275/45R21 110H XL S	
701	5.742	275/45ZR21 107Y	
702	5.743	275/45ZR21 110Y XL	
703	5.744	275/50R20 113W	
704	5.746	275/50R21 113Y XL	
705	5.747	275/55R19 111W	

706	5.749	285/30ZR19 98Y XL	
707	5.750	285/30ZR22 101Y XL	
708	5.751	285/35R18 97W	
709	5.753	285/35R20 104Y XL	
710	5.755	285/35ZR18 101Y XL	
711	5.756	285/35ZR20 104Y	
712	5.757	285/35ZR21 105Y	
713	5.758	285/35ZR23 (107Y)	
714	5.759	285/40R20 104Y	
715	5.760	285/40R20 108Y	
716	5.761	285/40R23 107Y	
717	5.762	285/40R23 111Y XL	
718	5.763	285/40ZR19 107Y	
719	5.764	285/40ZR19 107Y XL	
720	5.765	285/40ZR20 108Y XL	
721	5.766	285/40ZR22 (110W)	
722	5.767	285/40ZR22 (110Y)	
723	5.768	285/40ZR22 110Y XL	
724	5.770	285/45R21 113W	
725	5.772	285/45R21 113Y XL	
726	5.773	285/45R22 114Y	
727	5.774	285/45R22 114Y XL	
728	5.775	285/45ZR21 (113W)	
729	5.776	285/45ZR21 (113Y)	
730	5.778	295/30R20 101Y XL	
731	5.779	295/30ZR19 (100Y)	
732	5.780	295/30ZR20 101Y	
733	5.781	295/30ZR20 101Y XL	
734	5.782	295/35R22 108Y XL	
735	5.783	295/35ZR19 104Y	
736	5.784	295/35ZR19 104Y XL	
737	5.785	295/35ZR20 105Y XL	
738	5.787	295/35ZR21 107Y XL	
739	5.788	295/35ZR23 108Y XL	
740	5.789	295/40R22 112W XL	
741	5.790	305/30ZR20 (103Y)	
742	5.791	305/35ZR19 (102Y)	
743	5.794	315/30R23 111Y	
744	5.796	315/30ZR22 107Y XL	
745	5.800	315/35R22 111Y	
746	5.802	315/35ZR21 111Y	
747	5.803	315/35ZR21 111Y XL	
748	5.804	315/40R21 111Y	
749	5.805	315/40ZR21 (115W)	
750	5.806	315/40ZR21 (115Y)	
751	5.807	315/40ZR21 115Y XL	
752	5.809	325/30ZR20 106Y XL	
753	5.810	325/30ZR21 108Y	

754	5.811	325/30ZR23 (109Y)	
755	5.812	325/35R20 108Y	
756	5.813	325/35R23 111Y	
757	5.814	325/35ZR22 (114W)	
758	5.815	325/35ZR22 (114Y)	
759	5.816	325/35ZR22 114Y XL	
760	5.817	325/40R22 114Y	
761	5.818	335/30ZR18 (102Y)	
762	5.819	335/30ZR20 (104Y)	
763	5.820	355/25ZR21 (107Y)	
764	5.821	225/55 R18 102Y XL	
765	5.822	235/50 R19 103T XL EXTENDED MOBILITY TIRE	
766	5.823	225/45 R18 95Y XL EXTENDED MOBILITY TIRE	
767	5.824	245/40 R18 97Y XL EXTENDED MOBILITY TIRE	
768	5.825	235/55 R18 100W	
769	5.826	235/50 R19 99W	
770	5.827	265/35 ZR20 102Y XL	
771	5.828	275/35 ZR20 102Y XL	
772	5.829	255/40 R21 105Y HL	
773	5.830	285/35 R21 108 Y HL	
774	5.831	265/40 ZR21 105Y XL	
775	5.832	295/35 ZR21 107Y	
776	5.833	295/40 ZR20 110Y	
777	5.834	235/55 R18 104T	
778	5.835	275/35 R19 100Y XL	
779	5.836	235/45 R21	
780	5.837	235/55 R19 105V	
781	5.838	265/45 R21 108V	
782	5.839	295/40 R21 111V	
783	5.840	235/45R19 95H	
784	5.841	245/40 R18 97Y XL	Exemption till 31.03.2026
785	5.842	245/45 R19 102Y XL	Exemption till 31.03.2026
786	5.843	225/45 R18 95Y XL	Exemption till 31.03.2026
787	5.844	255/60 R18 108S	Exemption till 31.03.2026
	6	Truck/Bus/LCV Tyres	
788	6.1	8.25R15 18PR	
789	6.2	115R13 LT 90Q	
790	6.3	175R16C 98Q	
791	6.4	185/60R15C 88T	
792	6.5	205/65R16C 99H	
793	6.6	205/75R17.5 14PR 124/122 M	
794	6.7	195/75R16C 107/105R	
795	6.8	225/75R16C 110S (M+S)	
796	6.9	225/75R16C 113/110N (M+S)	
797	6.10	255/75R15C 104/102R	
798	6.11	255/75R15C 104S (M+S)	
799	6.12	255/75R15C 110/108N	
800	6.13	18x8.5 -8 6PR	

801	6.14	18x6.5 -8 6PR	
802	6.15	20.5x8 -10 8PR	
803	CV	215/70R17.5	
804	PV	285/40R23 115Y HL	
805	PV	T155/85R18 115M	
806	PV	275/50R 21 113Y XL	
807	PV	T125/80R18 100M	
808	PV	T125/70R19 101M	
809	PV	225/55R18 102Y XL	
810	PV	235/40 RF19 (96W) and Run Flat	
811	PV	285/40 RF19 (107W) and RFT	
812	PV	315/40 R21 (115H) and Studded	
813	PV	285/45 R21 (113H) and Studded	
814	PV	265/35 RF20 (99Y) and Run Flat	
815	PV	265/30 RF21 (96Y) and Run Flat	
816	PV	345/30 RF21 (111Y) and Run Flat	
817	PV	355/25 RF22 (108Y) and Run Flat	
818	PV	235/45 R18 98Y XL and RFT	
819	PV	245/45 R19 102Y XL and RFT	
820	PV	235/60 R18 107W XL and RFT	
821	PV	275/50 R20 113Y XL and RFT	
822	PV	T135/80D18 104M	
823	PV	275/50R20 113V	
824	2W	110/70ZR17 54W	
825	2W	150/60ZR17 66W	
826	2W	100/90-19 54V	
827	2W	130/80R17 65V	
828	PV	245/45R20 XL 103V	
829	PV	165/65 R15 81H	
830	2W	110/80R19 59H	
831	2W	120/80-14 58S	
832	PV	235/50R19 103T XL	
833	PV	285/45R21 113W XL	
834	PV	265/50R20 111V XL	
835	PV	275/40R20 113V XL	
836	PV	205/65R17 100Y XL	
837	PV	215/40R18 89Y XL	
838	PV	215/45R17 91Y XL	
839	PV	265/50R21 111Y XL	
840	PV	275/45R22 112Y XL	
841	PV	295/45R21 115Y XL	
842	PV	315/40R22 116Y XL	
843	PV	285/40ZR20 111Y	
844	PV	295/35ZR21 110Y	
845	PV	T145/85R19 112M	
846	PV	245/40 RF21 96Y RFT	
847	PV	275/35RF21 99Y RFT	
848	PV	265/55R20 112V Tubeless	
849	PV	235/55R18100V	Exemption till 31.08.2026
850	PV	235/60R18103H	Exemption till 31.08.2026

List of tyres valid till 28.02.2025			
	S. No. (A)	Type S. No. (B)	Tyre Size & Type (C)
1	3	1.4	90/90-21 M/C 54H
2	4	1.7	100/90B19 57H
3	5	1.8	110/70-17 57H Tubeless Radial type
4	6	1.12	120/70-12 51P Tubeless Diagonal
5	9	1.16	130/70-17 M/C 62S
6	10	1.17	130/70B18 63H
7	11	1.18	130/80B17 65H
8	15	1.22	140/70-14 M/C 62P Tubeless
9	17	1.24	150/80B16 71H
10	50	2.2	110/70ZR17 57W
11	52	2.4	110/80R19
12	53	2.5	110/80R19 59H
13	65	2.21	150/70R17
14	72	2.29	160/60R17 69W
15	73	2.30	160/60R17 M/C 69H
16	79	2.37	180/55R17 M/C 73H TL
17	205	5.27	195/55R15 85T
18	206	5.28	195/55R16 87T
19	210	5.37	205/50R17 89W
20	212	5.39	205/55R16 89H
21	213	5.41	205/60R16 92W
22	215	5.44	205/65R16 99H
23	223	5.52	215/45R17 87V
24	226	5.56	215/55R16 93H
25	227	5.57	215/55R16 93W
26	228	5.58	215/55R17 93V
27	231	5.65	215/70R16 100T
28	242	5.77	225/45R17 91H
29	244	5.79	225/45R17 91V
30	245	5.80	225/45R17 91Y
31	246	5.81	225/45R18 91V
32	247	5.82	225/45R18 91W
33	248	5.83	225/45R18 95V
34	252	5.88	225/45ZR17 94Y'EXTRA LOAD' or 'REINFORCED'
35	256	5.92	225/50R17 94H
36	257	5.93	225/50R17 94W
37	258	5.95	225/50R18 95W
38	260	5.97	225/55R16 99H
39	261	5.99	225/55R16 99W'EXTRA LOAD' or 'REINFORCED'
40	262	5.101	225/55R17 100W

41	267	5.108	225/55R17 97W
42	268	5.110	225/60R17 99T
43	269	5.111	225/60R18 100H
44	270	5.112	225/60R16 98H
45	273	5.116	225/65R17 106V
46	284	5.128	235/40R18 91Y
47	287	5.132	235/40ZR18 91Y
48	291	5.137	235/45R17 94Y
49	292	5.138	235/45R18 94W
50	300	5.147	235/55R17 99H
51	303	5.155	235/55R19 101W
52	306	5.162	235/60R18 103W
53	308	5.164	235/65R17 104V
54	340	5.199	245/40ZR18 93Y
55	345	5.206	245/45R17 99V
56	346	5.208	245/45R17 99W
57	350	5.213	245/45R18 100W 'EXTRA LOAD' or 'REINFORCED'
58	351	5.215	245/45R18 94Y
59	358	5.226	245/505R18 100Y
60	401	5.271	255/40R18 99Y XL
61	426	5.296	255/50R19 103Y
62	427	5.297	255/50R19 107H'EXTRA LOAD' or 'REINFORCED'
63	430	5.3	255/50R19 107Y 'EXTRA LOAD' or 'REINFORCED'
64	435	5.305	255/55R19 111W
65	439	5.309	255/55R18 105W
66	448	5.321	255/60R17 106H (M+S)
67	450	5.323	255/60R18 112V 'EXTRA LOAD' or 'REINFORCED'
68	488	5.362	265/60R18 110V
69	511	5.386	275/40R19 105Y 'EXTRA LOAD' or 'REINFORCED'
70	636	5.511	P265/60R18 109T

List of Run Flat Tyres in the Exemption Listⁱ

(not covered under the QCO, vide DPIIT's O.M. No. 16 (72)/2005-LR dated 13 Dec 2011)

Sl. No. (running)	Type S. No. (B)	Tyre Size & Type (C)	Remarks
1.	5.516	195/55R16 87H and Run Flat	
2.	5.517	195/55R16 87V and Run Flat	
3.	5.518	195/55R16 87W and Run Flat	
4.	5.519	205/40R18 86W and Run Flat	
5.	5.520	205/45R17 84V and Run Flat	
6.	5.521	205/45R17 84W and Run Flat	
7.	5.522	205/45R17 88W and Run Flat	
8.	5.524	205/55R16 91V and Run Flat	
9.	5.525	205/55R16 91W and Run Flat	
10.	5.526	205/55R17 91V and Run Flat	
11.	5.529	205/60R16 92W and Run Flat	
12.	5.530	205/60R16 96W and Run Flat	
13.	5.537	225/35R20 90Y and Run Flat	
14.	5.538	225/40R18 88W and Run Flat	
15.	5.539	225/40R18 88Y and Run Flat	
16.	5.540	225/40R18 92Y and Run Flat	
17.	5.541	225/40R18 95Y and Run Flat	
18.	5.542	225/40R18 99Y and Run Flat	
19.	5.543	225/40R19 89Y and Run Flat	
20.	5.544	225/40R19 93Y and Run Flat	
21.	5.547	225/45R17 91H and Run Flat	
22.	5.548	225/45R17 91V and Run Flat	
23.	5.549	225/45R17 91W and Run Flat	
24.	5.550	225/45R17 94Y and Run Flat	
25.	5.551	225/45R18 91V and Run Flat	
26.	5.552	225/45R18 91Y and Run Flat	
27.	5.553	225/45R18 95Y and Run Flat	
28.	5.554	225/45R18 99W and Run Flat	
29.	5.556	225/45ZR18 95Y and Run Flat	
30.	5.557	225/50R16 92V and Run Flat	
31.	5.558	225/50R17 94H and Run Flat	
32.	5.559	225/50R17 94V and Run Flat	
33.	5.560	225/50R17 94W and Run Flat	
34.	5.561	225/50R17 94Y and Run Flat	
35.	5.562	225/50R17 98Y and Run Flat	

36.	5.564	225/50R18 95W and Run Flat	
37.	5.565	225/50R18 99W and Run Flat	
38.	5.566	225/50R19 107W and Run Flat	
39.	5.567	225/50ZR18 99Y and Run Flat	
40.	5.569	225/55R16 95W and Run Flat	
41.	5.570	225/55R17 101Y and Run Flat	
42.	5.572	225/55R17 97W and Run Flat	
43.	5.573	225/55R17 97Y and Run Flat	
44.	5.574	225/60R17 99V and Run Flat	
45.	5.575	225/60R18 104W and Run Flat	
46.	5.580	235/50R18 97H and Run Flat	
47.	5.587	235/55R17 99H and Run Flat	
48.	5.596	245/35R18 88Y and Run Flat	
49.	5.597	245/35R19 93Y and Run Flat	
50.	5.599	245/35R20 95Y and Run Flat	
51.	5.603	245/35ZR19 93Y and Run Flat	
52.	5.605	245/40R18 93Y and Run Flat	
53.	5.606	245/40R19 94W and Run Flat	
54.	5.607	245/40R19 94Y and Run Flat	
55.	5.608	245/40R19 98Y and Run Flat	
56.	5.609	245/40R20 106W and Run Flat	
57.	5.612	245/40R20 99Y and Run Flat	
58.	5.615	245/45 R20 106Y and Run Flat	
59.	5.616	245/45R17 95Y and Run Flat	
60.	5.617	245/45R18 100Y and Run Flat	
61.	5.618	245/45R18 96W and Run Flat	
62.	5.619	245/45R18 96Y and Run Flat	
63.	5.620	245/45R19 98Y and Run Flat	
64.	5.621	245/45R20 103 and Run Flat	
65.	5.622	245/45R20 103W and Run Flat	
66.	5.624	245/45R20 106W and Run Flat	
67.	5.626	245/50R18 100W and Run Flat	
68.	5.627	245/50R18 100Y and Run Flat	
69.	5.628	245/50R19 105W and Run Flat	
70.	5.629	245/50R19 105Y and Run Flat	
71.	5.630	245/60R18 104W and Run Flat	
72.	5.633	255/30R19 91Y and Run Flat	
73.	5.634	255/30R20 92Y and Run Flat	
74.	5.636	255/35R18 90W and Run Flat	
75.	5.637	255/35R18 90Y and Run Flat	

76.	5.639	255/35R19 92Y and Run Flat	
77.	5.640	255/35R19 96Y and Run Flat	
78.	5.641	255/35R20 100Y and Run Flat	
79.	5.646	255/35ZR19 96Y and Run Flat	
80.	5.648	255/40R17 94V and Run Flat	
81.	5.649	255/40R18 95Y and Run Flat	
82.	5.650	255/40R18 99Y and Run Flat	
83.	5.652	255/40R19 100Y and Run Flat	
84.	5.656	255/40ZR18 99Y and Run Flat	
85.	5.660	255/45R17 98W and Run Flat	
86.	5.661	255/45R18 103Y and Run Flat	
87.	5.663	255/45R18 99W and Run Flat	
88.	5.674	255/50R19 107V and Run Flat	
89.	5.675	255/50R19 107W and Run Flat	
90.	5.679	255/55R18 109H and Run Flat	
91.	5.680	255/55R18 109V and Run Flat	
92.	5.687	265/30R20 94Y and Run Flat	
93.	5.691	265/35ZR19 98Y and Run Flat	
94.	5.696	265/40R18 97Y and Run Flat	
95.	5.707	265/50R19 110W and Run Flat	
96.	5.709	275/30R20 97Y and Run Flat	
97.	5.711	275/35R19 100Y and Run Flat	
98.	5.712	275/35R20 102Y and Run Flat	
99.	5.714	275/35R20 98Y and Run Flat	
100.	5.715	275/35R22 104Y and Run Flat	
101.	5.721	275/40R18 103Y and Run Flat	
102.	5.723	275/40R18 99Y and Run Flat	
103.	5.724	275/40R19 101Y and Run Flat	
104.	5.725	275/40R20 106W and Run Flat	
105.	5.727	275/40R20 106Y and Run Flat	
106.	5.729	275/40R21 107Y and Run Flat	
107.	5.730	275/40R21 107Y XL and Run Flat	
108.	5.732	275/40R22 107Y and Run Flat	
109.	5.737	275/45R18 99Y and Run Flat	
110.	5.738	275/45R20 110Y and Run Flat	
111.	5.745	275/50R20 113W and Run Flat	
112.	5.748	285/30R20 99Y and Run Flat	
113.	5.752	285/35R19 99Y and Run Flat	
114.	5.754	285/35R21 105Y and Run Flat	
115.	5.769	285/45R19 111W and Run Flat	

116.	5.771	285/45R21 113Y and Run Flat	
117.	5.777	295/30R20 101Y and Run Flat	
118.	5.786	295/35ZR21 107Y and Run Flat	
119.	5.792	305/40R20 112Y and Run Flat	
120.	5.793	315/30R22 107Y and Run Flat	
121.	5.795	315/30ZR22 107Y and Run Flat	
122.	5.797	315/35R20 110W and Run Flat	
123.	5.798	315/35R20 110Y and Run Flat	
124.	5.799	315/35R21 111Y and Run Flat	
125.	5.801	315/35R22 111Y and Run Flat	
126.	5.808	325/30R21 108Y and Run Flat	
05 RFT tyres added in the exemption list			
127.	PV	235/60 R18 107W XL run flat	Exempted upto 31.03.2026
128.	PV	225/55 R18 102Y XL run flat	Exempted upto 31.03.2026
129.	PV	235/45 R18 98Y XL run flat	Exempted upto 31.03.2026
130.	PV	245/45 R19 102Y XL run flat	Exempted upto 31.03.2026
131.	PV	275/50 R20 113Y XL run flat	Exempted upto 31.03.2026

ⁱTyre Size marked RF or RFT or Run Flat and / or carrying the symbol  are exempted from QCO requirements till the time such Tyre sizes are not manufactured domesticall



सत्यमेव जयते

भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1905]

नई दिल्ली, बृहस्पतिवार, नवम्बर 19, 2009/कार्तिक 28, 1931

No. 1905]

NEW DELHI, THURSDAY, NOVEMBER 19, 2009/KARTIKA 28, 1931

वाणिज्य और उद्योग मंत्रालय

(औद्योगिक नीति और संवर्धन विभाग)

आदेश

नई दिल्ली, 19 नवम्बर, 2009

का.आ. 2953(अ).—भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63) का धारा 14 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केंद्र सरकार भारतीय मानक ब्यूरो से विचार विमर्श के बाद एतद्वारा निम्नलिखित आदेश बनाती है। नामतः :—

1. **संक्षिप्त शीर्षक तथा प्रारंभ.**—(1) इस आदेश को आटोमेटिव व्हीकलों के लिए न्यूमेटिक टायर तथा ट्यूब (गुणवत्ता नियंत्रण) आदेश, 2009 कहा जाएगा।

(2) यह सरकारी राजपत्र में इसके प्रकाशन के 180 दिन पूरा हो जाने पर तुरन्त प्रभाव में आ जाएगा।

2. **परिभाषाएं.**— इस आदेश में जब तक कि संदर्भ में अन्यथा अपेक्षित न हों :—

(क) “अधिनियम” का अर्थ है भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63);

(ख) “उपयुक्त प्राधिकारी” का अर्थ किसी ऐसे अधिकारी से है जो औद्योगिक नीति और संवर्धन विभाग में अवर सचिव अथवा जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, भारत सरकार में अवर सचिव से नीचे के रैंक का न हो अथवा किसी राज्य सरकार अथवा संघ शासित प्रदेश सरकार के जिला उद्योग केंद्र में महाप्रबंधक (जनरल मैनेजर) से नीचे के रैंक का न हो;

(ग) “ब्यूरो” का अर्थ है भारतीय मानक ब्यूरो;

(घ) “आटोमेटिव व्हीकल्स के लिए न्यूमेटिक टायर तथा ट्यूब” का अर्थ है अनुसूची के कॉलम (2) में विनिर्दिष्ट मर्दे,

(ङ) “न्यूमेटिक टायरों में “न्यूमेटिक ट्यूब” भी सम्मिलित हैं।

(च) “अनुसूची” का अर्थ है इस आदेश के साथ संलग्न अनुसूची

(छ) न्यूमेटिक टायर से संबंधित “डीलर” का अर्थ ऐसे व्यक्ति, अथवा फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों को खरीदने, बेचने, आपूर्ति करने अथवा वितरण करने का कारोबार प्रत्यक्ष अथवा किसी अन्य रूप से चला रहा हो चाहे वह कैश में अथवा आस्थगित भुगतान अथवा दलाली के लिए अथवा क्षतिपूर्ति अथवा अन्य महत्वपूर्ण मुद्दों के लिए हो;

(ज) “आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों के संबंध में “विनिर्माता” का अर्थ किसी ऐसे व्यक्ति अथवा एक फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का उत्पादन करती है, बनाती है अथवा विनिर्माण करती है तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता हो कि आटोमोटिव वाहनों के लिए उत्पादित, बनाये गये अथवा विनिर्मित ऐसे न्यूमेटिक टायर किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती द्वारा किया गया है, जैसा भी मामला हो।

(झ) आटोमोटिव व्हीकलों के लिए न्यूमेटिक टायरों के संबंध में मूल उपकरण विनिर्माता (ओईएम) का अर्थ किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती से है जो आटोमोटिव वाहनों का उत्पादन करती हैं, बनाती है अथवा विनिर्माण करती हैं तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता है कि ऐसे आटोमोटिव वाहन ऐसे किसी अन्य किसी कानूनी हस्ती द्वारा उत्पादित किये गये, बनाये गये अथवा विनिर्मित किये गये हैं, जैसा भी मामला हो;

(ञ) “विनिर्दिष्ट मानदंड” का अर्थ अनुसूची के कॉलम (3) में संगत प्रविष्टि में यथा विनिर्दिष्ट भारतीय मानक से है।

(ट) “राज्य सरकार” में संघ शासित प्रशासन भी सम्मिलित होता है;

(ठ) “मानक चिन्ह” का अर्थ है एक विशेष भारतीय मानक का प्रतिनिधित्व करने के लिए ब्यूरो द्वारा विनिर्दिष्ट भारतीय मानक ब्यूरो का प्रमाणन चिन्ह।

(ड) “आयातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो विदेश से भारत के सीमा शुल्क क्षेत्र में न्यूमेटिक टायरों का आयात करते हैं अथवा इसके आयात का कारण बनते हैं।

(ढ) “निर्यातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो भारत से दूसरे देश को न्यूमेटिक टायरों का निर्यात करते हैं।

(ण) इस आदेश में प्रयोग किये गये परन्तु परिभाषित नहीं किये गये सभी अन्य शब्द व अभिव्यक्तियों का अर्थ क्रमशः उक्त अधिनियम में उन्हें दिया गया अर्थ होगा।

3. विनिर्माण, बिक्री, वितरण आदि के बारे में निषेध :- (1) कोई भी व्यक्ति न तो स्वयं अथवा उसकी ओर से कोई व्यक्ति आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का विनिर्माण, आयात अथवा बिक्री, बेचने तथा वितरण के लिए भंडारण नहीं करेगा जो विनिर्दिष्ट मानकों के अनुरूप नहीं है और जिन पर प्रमाणन चिन्ह लाइसेंस प्राप्त कर लेने पर ब्यूरो का मानक चिन्ह नहीं हो।

बशर्ते, इस आदेश में दी गई कोई भी बात न्यूमेटिक टायरों पर निम्नलिखित के लिए लागू नहीं होगी :

(क) भारत में निर्यात के लिए विनिर्मित न्यूमेटिक टायर;

(ख) वाहनों पर लगाने के लिए अथवा बिक्री पश्चात, निर्यात के लिए बने मूल उपकरण विनिर्माताओं (ओईएम) द्वारा तथा/अथवा उनकी प्राधिकृत कंपनियों द्वारा आयात किये गये न्यूमेटिक टायर।

नोट:

(1) दोनों मामलों में निर्यात या तो सीधे अलग-अलग संघटक के रूप में या ऐसे वाहन के हिस्से के तौर पर हो सकता है जो पूरा बना हो, या ड्राइव अवे चेसिस रूप में हो या पूरी तरह नॉकड डाउन (सीकेडी) अथवा सेमी नॉकड डाउन (एसकेडी) फार्म में हो।

(2) बशर्ते कि निर्यात के लिए अपेक्षित न्यूमेटिक टायरों के निर्यात के संबंध में इस आदेश में कुछ लागू नहीं होगा जो विदेशी खरीददार द्वारा अपेक्षित किसी भी विनिर्देशन के अनुरूप हो।

(ग) पूर्ण निर्मित यूनिट (सीबीयू) के भाग के तौर पर आयातित न्यूमेटिक टायर, चाहे सीबीयू का मान कुछ भी हो, बशर्ते ऐसे टायर बीआईएस विनिर्देशन पूरे करें। ऐसे मामलों में, वाहन नियमपुस्तिका में सीबीयू विनिर्माताओं द्वारा स्व-घोषणा ही पर्याप्त होगी कि वाहनों में लगाये गये टायर भारतीय मानक ब्यूरो की जरूरतों को पूरा करते हैं और वे केन्द्रीय मोटर वाहन नियमावली, (सीएमवीआर), 1989 के अन्तर्गत जरूरतों का अनुपालन करते हों, यदि भारत में होमोलोगेशन हेतु वाहन पहले ही डीजीएफटी अधिसूचना द्वारा मुक्त हैं, तो टायरों के लिए स्व-घोषणा की आवश्यकता नहीं होगी।

(घ) अनुसंधान और विकास उद्देश्यों हेतु आयातित अथवा विनिर्मित न्यूमेटिक टायर।

(ङ) घरेलू बाजार के लिए भारत में विनिर्मित वाहनों पर फिट किए जाने हेतु मूल उपकरण विनिर्माताओं (ओईएम) द्वारा आयात किए जाने वाले न्यूमेटिक टायर (पूर्ण निर्मित या ड्राइव अवे चेसिस रूप में) ऐसे मामलों में, ओईएम द्वारा नियम पुस्तिका में

यह स्वघोषणा ही पर्याप्त होगी कि वाहन में लगाए गए टायर बीआईएस की अपेक्षाओं को पूरा करते हैं और यह पर्याप्त होगा कि वे केन्द्रीय मोटर वाहन नियमावली (सीएमवीआर), 1989 के अन्तर्गत जरूरतों को पूरा करते हैं।

(च) ऐसे टायर जो घरेलू तौर पर नहीं बनाए गए हों और मूल उपकरण विनिर्माताओं (ओईएम) या विनिर्माताओं द्वारा प्रतिस्थापन बाजार में अपने प्राधिकृत डीलरों के जरिये बिक्री हेतु आयात किए गए हों। घरेलू तौर पर विनिर्मित न किए गए तथा आयतित न्यूमेटिक टायरों की सूची की एक समिति द्वारा हर 3 माह बाद समीक्षा की जाएगी जिसके अध्यक्ष औद्योगिक नीति और संवर्धन विभाग के एक अधिकारी होंगे तथा जिसमें इन पार्टियों के सदस्य होंगे—जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, केन्द्रीय सड़क परिवहन संस्थान (सीआईआरटी) भारतीय आटोमोटिव अनुसंधान एसोसिएशन (एआरएआई) आटोमोबाइल टायर विनिर्माता एसोसिएशन, (एटीएमए) भारतीय आटोमोबाइल विनिर्माता सोसायटी (एसआईएम) तथा भारतीय मानक ब्यूरो (बीआईएस), यह समिति संबद्ध पक्षों के सामने आ रहे मुद्दों/समस्याओं पर विचार करेगी, छूट दिए जाने वाले न्यूमेटिक टायरों की सूची को अंतिम रूप देगी तथा उपयुक्त सिफारिशें करेगी।

4. प्रमाणन हेतु दायित्व :-

- (1) यदि पहले ही प्राप्त नहीं किया गया हो, तो इस आदेश के जारी होने से 45 दिन के भीतर मानक चिन्ह के उपयोग हेतु लाइसेंस प्राप्त करने के लिए सभी न्यूमेटिक टायर एवं ट्यूबों के विनिर्माताओं द्वारा ब्यूरो में आवेदन दिया जाएगा।
- (2) ब्यूरो द्वारा मानक चिन्ह के उपयोग हेतु लाइसेंस प्रदानगी, अधिनियम के उपबंधों तथा उसके तहत नियमों व विनियमों के अनुसार की जाएगी।
- (3) जब कोई व्यक्ति स्वयं या अपनी ओर से किसी अन्य व्यक्ति के जरिये आटोमोटिव वाहनों के न्यूमेटिक टायरों के विनिर्माण का प्रस्ताव करेगा, तो वह मानक चिन्ह के उपयोग हेतु ब्यूरो से वैध लाइसेंस प्राप्त कर लेने के पश्चात ही उत्पादन आरंभ करेगा।
- (4) न्यूमेटिक टायरों हेतु लाइसेंस की अवधि बीत जाने या रद्द किए जाने संबंधी सूचना उचित प्राधिकरण को दी जाएगी अथवा बीआईएस की वेबसाइट पर प्रदर्शित की जाएगी।

5. सूचना, आदि मंगाने का अधिकार: इस आदेश का अनुपालन सुनिश्चित करने के दृष्टिगत, उचित प्राधिकरण को अधिकार है कि वह :

- (1) न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति से किसी ऐसी सूचना की मांग कर सकता है जिसे वह न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण के संबंध में आवश्यक समझता हो या किसी भी ऐसे व्यक्ति से ऐसे न्यूमेटिक टायरों के नमूने प्रस्तुत करने की मांग कर सकता है;

- (2) ऐसे न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति द्वारा रखे गए, या उससे संबंधित या उसके कब्जे में या नियंत्रण वाले किसी भी पुस्तक या अन्य दस्तावेज या आटोमोटिव वाहनों के न्यूमेटिक टायरों का निरीक्षण कर सकता है अथवा करवा सकता है।
6. नमूनों का परीक्षण :- मानक चिन्ह वाले आटोमोटिव वाहनों के न्यूमेटिक टायर नमूने अथवा ओईएम द्वारा आयातित मानक चिन्ह के बिना और स्वघोषित अनुपालन के साथ जो उपयुक्त प्राधिकरण द्वारा यह तय करने हेतु लिए जाएंगे कि क्या वे विनिर्दिष्ट मानकों को पूरा करते हैं, उन्हें ब्यूरो अथवा उपयुक्त प्राधिकरण द्वारा अनुमोदित प्रयोगशाला में जांचा जाएगा।
7. विनिर्माताओं और डीलरों को निर्देश जारी करने के अधिकार :- उपयुक्त प्राधिकरण, अधिनियम अथवा इस आदेश के अनुरूप विनिर्माताओं और डीलरों को निर्देश जारी कर सकता है, जो इस आदेश के उद्देश्यों को पूरा करने हेतु आवश्यक हों।
8. निर्देशों का अनुपालन:- न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में लगा हर व्यक्ति जिसे इस आदेश के तहत कोई भी निर्देश दिया जाएगा, ऐसे निर्देशों का पालन करेगा।
9. सूचना उपलब्ध कराने का दायित्व :- कोई भी विनिर्माता, आयातक या डीलर इस आदेश के उपबंधों से बचने के आशय से, खंड 5 के तहत उससे कानूनी रूप से मांगी गई किसी भी सूचना को देने से न तो मना करेगा, न उसे छिपाएगा, नष्ट, विकृत करेगा और न ही ऐसे व्यक्ति द्वारा रखे या उसके कब्जे अथवा नियंत्रण में किसी न्यूमेटिक टायर को बिगाड़ेगा।

अनुसूची

(खंड 2 च देखें)

क्र.सं. (1)	मद (2)	भारतीय मानक (3)
1	आटोमोटिव वाहन — दुपहिया और तिपहिया मोटर वाहनों के न्यूमेटिक टायर-विनिर्देशन	आईएस 15627
2	आटोमोटिव वाहन — सवारी कार वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लार्ड — विनिर्देशन	आईएस 15633
3	आटोमोटिव वाहन — वाणिज्यिक वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लार्ड — विनिर्देशन	आईएस 15636
4	आटोमोटिव वाहन — न्यूमेटिक टायरों की ट्यूबें - विनिर्देशन	आईएस 13098

MINISTRY OF COMMERCE AND INDUSTRY**(Department of Industrial Policy and Promotion)****ORDER**

New Delhi, the 19th November, 2009

S.O. 2953(E).— In exercise of the powers conferred by section 14 of the Bureau of Indian Standards Act, 1986 (63 of 1986), the Central Government after consulting the Bureau of Indian Standards, hereby makes the following Order, namely:-

1. Short Title and commencement: - (1) This Order may be called the Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009.

(2) It shall come into force immediately on completion of 180 days of its publication in the Official Gazette.

2. Definitions:- In this Order, unless the context otherwise requires:-

- (a) “Act” means the Bureau of Indian Standards Act, 1986 (63 of 1986);
- (b) “Appropriate Authority” means an officer not below the rank of an Under Secretary in the Department of Industrial Policy and Promotion (DIPP) or an Under Secretary in the Ministry of Shipping, Road Transport and Highways, Government of India or an officer not below the rank of a General Manager, District Industries Centre of a State or Union Territory Government;
- (c) “Bureau” means the Bureau of Indian Standards;
- (d) “Pneumatic Tyres and Tubes for Automotive Vehicles” mean the items specified in column (2) of the Schedule;
- (e) “Pneumatic Tyres” includes “Pneumatic Tubes” also;
- (f) “Schedule” means the Schedule annexed to this Order;

- (g) “dealer” in relation to Pneumatic Tyres means a person who, or a firm or any other legal entity which carries on, direct or otherwise, the business of buying, selling, supplying or distributing Pneumatic Tyres whether in cash or for deferred payment or for commission, remuneration or other valuable consideration;
- (h) “manufacturer” in relation to Pneumatic Tyres for Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Pneumatic Tyres for Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Pneumatic Tyres for Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (i) “Original Equipment Manufacturer (OEM)” in relation to Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (j) “Specified Standard” means the Indian Standards as specified in the corresponding entry in column(3) of the Schedule;
- (k) “State Government”, includes a Union Territory Administration also;
- (l) “Standard Mark” means the Bureau of Indian Standards Certification Mark specified by the Bureau to represent a particular Indian Standard;
- (m) “Importer” means a person, a firm or any other legal entity that imports pneumatic tyres or causes its imports from a foreign country into customs territory of India;
- (n) “Exporter” means a person, a firm or any other legal entity that exports pneumatic tyres from India to another country;
- (o) All other words and expressions used but not defined in this Order shall have the meanings respectively assigned to them in the Act.
3. Prohibition regarding manufacture, sale, distribution etc:- (1) No person shall by himself or through any person on his behalf, manufacture, import, store for sale, sell or distribute Pneumatic Tyres which do not conform to the Specified Standard and which do not bear the Standard Mark of the Bureau on obtaining Certification marks licence;

4209 48/09-3

Provided that nothing in this Order shall apply in relation to Pneumatic Tyres for the following:

- (a) Pneumatic tyres manufactured in India for exports ;
- (b) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) and/or their authorized companies for fitment on vehicles or after sales, meant for exports;

Note:

- (1) In both cases, exports may be either directly as individual components or as part of a vehicle completely built or in drive away chassis form or in Completely Knocked Down (CKD) or Semi-Knocked Down (SKD) condition.
 - (2) Provided that nothing in this Order shall apply in relation to export of pneumatic tyres required for export, which conforms to any specification required by the foreign buyer.
- (c) Pneumatic tyres imported as part of Completely Built Unit (CBU), irrespective of the value of the CBU, so long as such pneumatic tyres meet the requirements of specified standard. In such cases self-declaration by CBU manufacturers in the vehicle manual to the effect that the tyres fitted in the vehicles meet the requirements of the BIS and they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice. If vehicles are already exempted by Director General of Foreign Trade (DGFT) notifications for homologation in India, self-declaration will not be required;
 - (d) Pneumatic Tyres imported or manufactured for research and development purposes;
 - (e) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) for fitment on vehicles manufactured in India for domestic market (completely built or drive away chassis form). In such cases, self-declaration by the OEM in the vehicle manual to the effect that tyres fitted in the vehicles meet the requirements of BIS and that they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice;
 - (f) Pneumatic tyres not manufactured domestically and imported by Original Equipment Manufacturers (OEM) or manufacturers for selling in replacement market through their authorized dealers. The list of pneumatic tyres not manufactured domestically and imported would be reviewed every three months by a Committee chaired by an officer of the Department of Industrial Policy and Promotion and having members from Ministry of Shipping, Road Transport and Highways, Central Institute of

Road Transport (CIRT), Automotive Research Association of India (ARAI), Automotive Tyre Manufacturers Association (ATMA), Society of Indian Automobile Manufacturers (SIAM) and Bureau of Indian Standards (BIS). The Committee will consider the issues/problems faced by the stakeholders, finalize the list of pneumatic tyres to be exempted and make suitable recommendations.

4. **Obligation for Certification:-** (1) All manufacturers of Pneumatic Tyres and Tubes shall make an application to the Bureau for obtaining licence within 45 days of the issue of this Order, for use of the Standard Mark if not already obtained.
 - (2) The grant of licence by the Bureau for use of the Standard Mark shall be as per provisions of the Act and the rules and regulations made there under.
 - (3) When any person by himself or through any other person on his behalf proposes to manufacture Pneumatic Tyres, he shall commence production only after obtaining a valid licence from the Bureau for the use of Standard Mark.
 - (4) Information relating to expiry or cancellation of any licence by the Bureau for Pneumatic Tyres shall be intimated to the appropriate authority and displayed on BIS website.
5. **Power to call for information etc:-** The Appropriate Authority may, with a view to secure compliance with this Order:
 - (1) require any person engaged in the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres to give such information as it deems necessary relating to the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres or require any such person to furnish to it samples of such Pneumatic Tyres;
 - (2) inspect or cause to be inspected any book or other document or Pneumatic Tyres for Automotive Vehicles kept by or belonging to or in possession or under the control of any person engaged in the manufacture, import, storage for sale, sell or distribution of such Pneumatic Tyres.
6. **Testing of samples:-** Samples of Pneumatic Tyres bearing the Standard Mark or without standard mark imported by the OEM and with self declared conformation and drawn by the Appropriate Authority for ascertaining whether they are of the Specified Standard, shall be tested in the laboratory approved by the Bureau or Appropriate Authority.

7. Power to issue directions to manufacturers and dealers:- The Appropriate Authority may issue such directions to manufacturers and dealers consistent with the provisions of the Act or this Order, as may be necessary for carrying out the purposes of this Order.
8. Compliance of directions: - Every person engaged in the manufacture, import, storage for sale, sell or distribution of any Pneumatic Tyre to whom any direction is issued under this Order, shall comply with such direction.
9. Obligation to furnish information:- No manufacturer or dealer or importer shall, with intent to evade the provisions of this Order, refuse to give any information lawfully demanded from him under clause 5 or conceal, destroy, mutilate or deface any book or document or any Pneumatic Tyres kept by, or in the possession or control of such person.

SCHEDULE
(See clause 2 (f))

Sl. No.	Item	Indian Standard
(1)	(2)	(3)
1	Automotive vehicles – Pneumatic tyres for two and three-wheeled motor vehicles - Specification	IS 15627
2	Automotive vehicles – Pneumatic tyres for passenger car vehicles – Diagonal and radial ply – Specification	IS 15633
3	Automotive vehicles – Pneumatic tyres for commercial vehicles – Diagonal and radial ply – Specification	IS 15636
4	Automotive vehicles – Tubes For Pneumatic Tyres - Specification	IS 13098

[F. No. 16(72)/2005-LR]

RENU SHARMA, Jt. Secy.