File No.P.39012/5/2018-L&R
Government of India
Ministry of Commerce and Industry
Department for Promotion of Industry and Internal Trade
(L&R Section)

Udyog Bhawan, New Delhi
Dated the 08th February 2024

OFFICE MEMORANDUM

Subject: Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009 –Regarding

The undersigned is directed to refer to the Minutes of IMC Meeting held on 04.01.2024 to discuss the exclusion of Pneumatic Tyres and Tubes from QCO 2009 and to say that w.r.t Para 8 of said Minutes, it is stated that as per provisions contained under sub-clause (a) to (f) of Clause 3 of the "Pneumatic Tyres and Tubes for Automotive (Quality Control) Order, 2009" (**Copy Enclosed**), certain categories of Tyres have been exempted from the application of the provisions of the said Quality Control Order, 2009. In pursuance of the Sub-Clause (f) of Clause 3 of said Order, 2009, a Committee was constituted to review the list of Tyres not manufactured domestically and Imported by the Original Equipment Manufacturers (OEMs) for selling in the replacement market through their authorized dealers.

2. The said Committee has reviewed and finalized a list of 960 tyre sizes and types in its meeting held on 04.01.2024. Accordingly, an updated list of 960 tyres (by making modifications from the previous List of 600 Tyres sizes/Types--issued on 25th January 2023) is being issued herewith. Out of these 960, 70 tyre sizes shall remain in the exemption list of QCO, 2009 until February 28, 2025, a list of which may be seen in Annexure I. The list of the remaining 890 tyres which are **not** being domestically manufactured and are imported from overseas is in Annexure II.

3. This issue with the approval of the Competent Authority.

R. Rawat

(Rajesh Rawat)
Under Secretary to the Govt. of India
e.mail: rajesh.rawat@nic.in

Encl: as above

1. Central Board of Indirect Taxes and Customs(CBIC)(Kind Attention: Shri Anupam Prakash, Joint Secretary (Customs), Department of Revenue, North Block, New Delhi 110001. (email: jscus@nic.in)(Tel: 23092978)

2. Bureau of Indian Standards (Kind Attention: Shri P.K. Tiwari, Director General (DG), Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Dehi-110 002. (e.mail: **dg@bis.**gov.in).

3. Director General of Foreign Trade, (Kind Attention: Shri S.B.S. Reddy, Additional Director General of Foreign Trade), Department of Commerce, Udyog Bhawan, New Delhi -110 0011.(email:sbsreddy@nic.in)

4. Society of Indian Automobile Manufacturers (SIAM), (Kind Attention: Shri Rajesh Menon, Director General) Core 4-B, 5th Floor, India Habitat Centre, Lodi Road, New Delhi-110 003. email: siam@siam.in

5. Automotive Tyre Manufacturers Association (ATMA), (Kind Attention: Shri Rajiv Budhraja, Director General), PHD House 4th Floor Apposite Asian Games Village, Siri Fort Institutional Area, New Delhi-110 016.(email: rajiv@atmaindia@org.in)

6. Dr. K. Rajkumar, Director, Indian Rubber Manufacturers Research Association (IRMRA), Plot No.254/1B Road No.16V, Wagle Industrial Estate Thane(W), Pin400604. e-mail: infor@irmra.org

Copy to NIC, DPIIT for uploading on the Website of Department.

		Annexure I
List of tyres valid till 28.02.2025		
S.No. (A)	**Type S. No. (B)**	Tyre Size & Type (C)
1	1.4	90/90-21 M/C 54H
2	1.7	100/90B19 57H
3	1.8	110/70-17 57H Tubeless Radial type
4	1.12	120/70-12 51P Tubeless Diagonal
5	1.16	130/70-17 M/C 62S
6	1.17	130/70B18 63H
7	1.18	130/80B17 65H
8	1.22	140/70-14 M/C 62P Tubeless
9	1.24	150/80B16 71H
10	2.2	110/70ZR17 57W
11	2.4	110/80R19
12	2.5	110/80R19 59H
13	2.21	150/70R17
14	2.29	160/60R17 69W
15	2.30	160/60R17 M/C 69H
16	2.37	180/55R17 M/C 73H TL
17	5.27	195/55R15 85T
18	5.28	195/55R16 87T
19	5.37	205/50R17 89W
20	5.39	205/55R16 89H
21	5.41	205/60R16 92W
22	5.44	205/65R16 99H
23	5.52	215/45R17 87V
24	5.56	215/55R16 93H
25	5.57	215/55R16 93W
26	5.58	215/55R17 93V
27	5.65	215/70R16 100T
28	5.77	225/45R17 91H
29	5.79	225/45R17 91V
30	5.80	225/45R17 91Y
31	5.81	225/45R18 91V
32	5.82	225/45R18 91W
33	5.83	225/45R18 95V
34	5.88	225/45ZR17 94Y'EXTRA LOAD' or 'REINFORCED'
35	5.92	225/50R17 94H
36	5.93	225/50R17 94W
37	5.95	225/50R18 95W
38	5.97	225/55R16 99H
39	5.99	225/55R16 99W'EXTRA LOAD' or 'REINFORCED'
40	5.101	225/55R17 100W
41	5.108	225/55R17 97W

42	5.110	225/60R17 99T
43	5.111	225/60R18 100H
44	5.112	225/60R16 98H
45	5.116	225/65R17 106V
46	5.128	235/40R18 91Y
47	5.132	235/40ZR18 91Y
48	5.137	235/45R17 94Y
49	5.138	235/45R18 94W
50	5.147	235/55R17 99H
51	5.155	235/55R19 101W
52	5.162	235/60R18 103W
53	5.164	235/65R17 104V
54	5.199	245/40ZR18 93Y
55	5.206	245/45R17 99V
56	5.208	245/45R17 99W
57	5.213	245/45R18 100W 'EXTRA LOAD' or 'REINFORCED'
58	5.215	245/45R18 94Y
59	5.226	245/505R18 100Y
60	5.271	255/40R18 99Y XL
61	5.296	255/50R19 103Y
62	5.297	255/50R19 107H'EXTRA LOAD' or 'REINFORCED'
63	5.300	255/50R19 107Y 'EXTRA LOAD' or 'REINFORCED'
64	5.305	255/55R19 111W
65	5.309	255/55R18 105W
66	5.321	255/60R17 106H (M+S)
67	5.323	255/60R18 112V 'EXTRA LOAD' or 'REINFORCED'
68	5.362	265/60R18 110V
69	5.386	275/40R19 105Y 'EXTRA LOAD' or 'REINFORCED'
70	5.511	P265/60R18 109T

Annexure II

LIST OF 890 TYRE SIZES WHICH ARE NOT MANUFACTURED DOMESTICALLY w.e.f Jan.'24		
	Type S. No. (B)	Tyre Size & Type (C)
	1	**Motorcycle Tyres - Bias**
1	1.1	80/90-21 54H
2	1.2	90/90-19 52H
3	1.14	130/60B19 61H
4	1.15	130/60B21 63H
5	1.19	130/90B16 67H
6	1.20	130/90B16 73H
7	1.21	140/70-14 (82P)
8	1.23	140/70-14 68P Tubeless Diagonal
9	1.25	150/80B16 77H
10	1.26	160/70-17 73V
11	1.27	160/70B17 73H
12	1.28	160/70B17 73V
13	1.29	180/55B18 80H
14	1.30	180/60-17 93P
15	1.31	180/60B17 75V
16	1.32	180/65B16 81H
17	1.33	180/70B16 77H
18	1.34	AT24X10-11 M978
19	1.35	AT24X8-12 M977
20	1.36	MH90-21 54H
21	1.37	MT90B16 72H
22	1.38	MU85B16 77H
23	1.39	100/90-19 57M
24	1.40	100/90-19 57T Tubeless/Tubetype
25	1.41	100/90-19 M/C 57V M+S TL
26	1.42	110/90B19 62H
27	1.43	120/70-15 M/C 56P
28	1.44	120/70-15 MC 56P
29	1.45	120/80R14 58S TL
30	1.46	130/80-17 65T Tubeless/Tubetype
31	1.47	140/80-18 70R Tubeless/Tubetype
32	1.48	140/80-18 70S Tubeless/Tubetype
33	1.49	140/80B18 70T Tubeless/Tubetype
34	1.50	150/70R14 66S TL

35	1.51	150/80-16 77H
36	1.52	80/100-21 51M
37	1.53	90/90-21 54T Tubeless/Tubetype
38	1.54	90/90-21 M/C 54V M+S
39	1.55	MT90B16
40	1.56	MU85B16
	2	**Motorcycle Tyres - Radial**
41	2.3	110/80R18 M/C 58H TL
42	2.6	120/600R17 RADIAL
43	2.7	120/60ZR17 M/C (55W) TL
44	2.8	120/70R19
45	2.9	120/70R19 60V
46	2.11	120/70ZR18 59W
47	2.12	120/70ZR19 60W
48	2.13	130/70R18 63H
49	2.14	130/70R18 M/C 63V
50	2.15	130/80R17
51	2.16	130/90R16 M/C 67H
52	2.18	140/75R17 67V
53	2.22	150/70R18 70H
54	2.23	150/70R18 M/C 70V
55	2.25	150/70ZR18 M/C 70H
56	2.26	150/80R16
57	2.27	150/80R16 Whitewall
58	2.28	150/80R17
59	2.32	160/70R17 69H
60	2.33	160/70R17 73V
61	2.34	170/60R17 M/C 72V M+S TL
62	2.35	170/60R17 72V
63	2.36	170/80R15 M/C 77H
64	2.39	180/60R16 74H
65	2.40	180/60ZR17 M/C (75W) TL
66	2.41	180/70R16 Whitewall
67	2.42	180/70R16 77V
68	2.43	190/50ZR17 M/C 73W
69	2.44	190/50ZR17 M/C 75W
70	2.45	190/55ZR17 M/C 75W
71	2.46	200/50R17
72	2.47	200/50R18 M/C 76H

73	2.48	200/55ZR17 M/C (78W) TL
74	2.49	200/55R16 M/C 74H
75	2.50	200/55 R16 M/C 77H
76	2.51	200/55R17 78V
77	2.52	200/60ZR17 M/C (78W) TL
78	2.53	240/40R18 M/C 79V
79	2.54	240/45ZR17 M/C (82W) TL
80	2.55	240/50R16
81	2.56	90/580R17 RADIAL
82	2.57	110/80 R19 M/C 59 V
83	2.58	110/80R19 59H TL
84	2.59	115/75 R17
85	2.60	120/70R19 60W
86	2.61	120/95 R17 TL
87	2.62	130/80 R17 65Q Tubeless/Tubetype
88	2.63	130/80R17 65H
89	2.64	140/80R17 M/C 69V M+S TL
90	2.65	150/70 R18 M/C 70V M+S
91	2.66	160/60R18 70V
92	2.67	160/70R17 M/C 73V
93	2.68	200/50R18 76V
94	2.69	240/40R18 79V
95	2.70	90/580R17 TL
96	2.71	90/80R17
97	2.72	95/70R17
	3	**Passenger Temporary use spare tyre - Bias**
98	3.1	175/50-19 97P
99	3.2	175/55-18 95P
100	3.3	180/60-17 93P
101	3.4	185/55-20 100P
102	3.5	185/60-18 93P
103	3.6	195/65-20 108P
104	3.7	195/75-18 106P
105	3.8	T125/70-18 99M
106	3.9	T125/70D15 95M T/L
107	3.10	T135/80-17 103M
108	3.11	T135/90-16 102M
109	3.12	T155/60-18 107M
110	3.13	T155/70-17 110M

111	3.14	T155/80D19 114M
112	3.15	T155/90D16 110M
113	3.16	T155/90D17 101M
114	3.17	T155/90D18 113M
115	3.18	T165/90D19 119M
116	3.19	T135/80 D17 103M
117	3.20	T135/90 D17 104M
	4	**Passenger Temporary use spare tyres - Radial**
118	4.1	T115/85R18 96M
119	4.2	T115/70R16
120	4.3	T125/70R15 95M
121	4.4	T125/70R16 96M
122	4.5	T125/70R17 98M
123	4.6	T125/70R18 99M
124	4.7	T125/70R19 100M
125	4.8	T125/70R19 100W
126	4.9	T125/80R17 99M
127	4.10	T125/90R16 98M
128	4.11	T135/70R19 105M
129	4.12	T135/80 R17 102M
130	4.13	T135/80R17 103M
131	4.14	T135/80R18 104M
132	4.15	T135/90R16 102M
133	4.16	T135/90R17 104M
134	4.17	T145/60R20 105M
135	4.18	T145/80R18
136	4.19	T145/80R18 109M
137	4.20	T145/80R18 99M
138	4.21	T145/80R19
139	4.22	T145/80R19 110M
140	4.23	T145/85R18 103M
141	4.24	T145/90R16 106M
142	4.25	T155/60R18 107M
143	4.26	T155/70R17 110M
144	4.27	T155/70R19 113M
145	4.28	T155/80R19 114M
146	4.29	T155/85R18 115M
147	4.30	T155/90R18 113M
148	4.31	T165/90R19 119M

149	4.32	T115/40R15 90M
150	4.33	T115/95R17 95M
151	4.34	T125/70R17 98M
152	4.35	T135/70R19 105M
153	4.36	T135/80R17 102M
154	4.37	T135/80R17 102W
155	4.38	T135/80R18 104M
156	4.39	T135/90R17 104M
157	4.40	T155/80R19 114M
158	4.41	T155/90R18 113M
159	4.42	T165/70D20 119M
160	4.43	T165/80D17 104M
161	4.44	T165/90D18 107M
162	4.45	T145/65R20 105M
163	4.46	T195/75R18 106 P
	5	**Passenger Tyres**
164	5.1	110/90B19 62H
165	5.2	115/70R15 90M
166	5.3	125/60R18 94M
167	5.4	125/70R19 100M
168	5.5	125/80R17 99M
169	5.6	135/70R19 105M
170	5.7	135/80R17 102M
171	5.8	135/80R18 104M
172	5.9	135/90R17 104M
173	5.10	145/60R20 105M
174	5.11	145/70-12 92P
175	5.12	145/70-17 92P
176	5.13	145/80R18 99M
177	5.14	155/70R15 78T
178	5.15	155/80R19 114M
179	5.16	155/90R16 110M
180	5.17	155/90R18 113M
181	5.18	160/60R18 70V
182	5.19	165-15 8PR 89P
183	5.20	185/55R15 81T
184	5.21	195/45R16 84H
185	5.23	195/45ZR16 84W
186	5.24	195/50R15 82T

187	5.25	195/50R16 84H
188	5.26	195/50R20 93W
189	5.33	205/45R16 83H
190	5.34	205/45R16 83W
191	5.35	205/45R18 86Y
192	5.38	205/50R17 93H XL M+S
193	5.43	205/65R16 99H 'EXTRA LOAD' or 'REINFORCED'
194	5.45	205/70R15 96T
195	5.46	215/40R18 85Y
196	5.47	215/40ZR18 89W
197	5.48	215/40ZR18 89W 'EXTRA LOAD' or 'REINFORCED'
198	5.49	215/45R16 86H
199	5.50	215/45R16 87V
200	5.51	215/45R16 90V XL
201	5.53	215/45R20 95W
202	5.55	215/50ZR17 95W'EXTRA LOAD' or 'REINFORCED'
203	5.60	215/65R15 102T
204	5.61	215/65R15 96V
205	5.66	215/75R16 103H
206	5.67	225/35R19 88Y'EXTRA LOAD' or 'REINFORCED'
207	5.68	225/40R16 92H (M+S)
208	5.69	225/40R18 88Y
209	5.70	225/40R18 92W XL
210	5.72	225/40R19 89W
211	5.73	225/40R19 93V
212	5.74	225/40ZR18 91Y
213	5.75	225/40ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'
214	5.76	225/40ZR19 93Y XL
215	5.78	225/45R17 91H (M+S)
216	5.85	225/45ZR16 89W
217	5.86	225/45ZR17 91Y
218	5.87	225/45ZR17 93W
219	5.89	225/45ZR18 95Y XL
220	5.90	225/50R16 92V
221	5.91	225/50R16 92W
222	5.96	225/50ZR19 107Y
223	5.102	225/55R17 101H
224	5.103	225/55R17 101H 'EXTRA LOAD' or 'REINFORCED'
225	5.106	225/55R17 91Y

226	5.107	225/55R17 94Y
227	5.113	225/60R16 98W
228	5.114	225/60R16C 103/101H
229	5.117	225/75R16 104H
230	5.118	225/75R16 104T
231	5.119	225/75R16 108S (M+S)
232	5.120	225/75R16 110/107R
233	5.121	225/75R16 121N
234	5.123	235/35ZR19 87Y
235	5.124	235/35ZR19 87Y XL
236	5.125	235/35ZR19 91Y
237	5.126	235/35ZR19 91Y'EXTRA LOAD' or 'REINFORCED'
238	5.127	235/35ZR20 (88Y)
239	5.129	235/40R18 95H (M+S) 'EXTRA LOAD' or 'REINFORCED'
240	5.130	235/40R18 95H XL M+S
241	5.133	235/40ZR19 92Y
242	5.134	235/45R17 93H M+S
243	5.135	235/45R17 94H (M+S)
244	5.139	235/45R19 95V
245	5.140	235/45R19 95W
246	5.141	235/45R19 99Y XL
247	5.142	235/45ZR19 99Y XL
248	5.143	235/50R18 97H
249	5.145	235/50ZR18 101Y XL
250	5.146	235/50ZR18 97Y
251	5.148	235/55R17 99H M+S
252	5.153	235/55R18 104Y 'EXTRA LOAD' or 'REINFORCED'
253	5.156	235/55R19 101Y
254	5.159	235/60R16 100V
255	5.163	235/65 R18 106 V
256	5.165	235/65R17 104W
257	5.167	235/65R19 109V XL
258	5.168	235-700R450A 114H
259	5.169	245/30ZR20 90Y
260	5.170	245/35R18 88Y
261	5.171	245/35R18 92Y'EXTRA LOAD' or 'REINFORCED'
262	5.172	245/35R19 93Y'EXTRA LOAD' or 'REINFORCED'
263	5.173	245/35R20 91Y
264	5.174	245/35R21 96Y

265	5.175	245/35R21 96Y'EXTRA LOAD' or 'REINFORCED'
266	5.176	245/35ZR18 88Y
267	5.177	245/35ZR18 92Y
268	5.178	245/35ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'
269	5.179	245/35ZR19 93Y XL
270	5.180	245/35ZR19 93Y
271	5.181	245/35ZR20 91Y
272	5.182	245/35ZR20 95Y
273	5.183	245/35ZR21 96Y
274	5.184	245/35ZR21 96Y XL
275	5.185	245/40 ZR19 98Y
276	5.187	245/40R17 91Y
277	5.189	245/40R18 97V'EXTRA LOAD' or 'REINFORCED'
278	5.190	245/40R19 94W
279	5.191	245/40R19 94Y
280	5.192	245/40R19 98Y'EXTRA LOAD' or 'REINFORCED'
281	5.193	245/40R20 95Y
282	5.194	245/40R20 99V
283	5.195	245/40R20 99W
284	5.196	245/40R20 99Y'EXTRA LOAD' or 'REINFORCED'
285	5.197	245/40ZR 17 91Y
286	5.198	245/40ZR17 93W
287	5.200	245/40ZR19 94Y
288	5.201	245/40ZR19 98Y'EXTRA LOAD' or 'REINFORCED'
289	5.202	245/40ZR20 99Y'EXTRA LOAD' or 'REINFORCED'
290	5.203	245/45R17 95H
291	5.210	245/45R18 100H
292	5.211	245/45R18 100H 'EXTRA LOAD' or 'REINFORCED'
293	5.212	245/45R18 100V M+S 'EXTRA LOAD' or 'REINFORCED'
294	5.218	245/45R19 101Y
295	5.219	245/45R19 102V 'EXTRA LOAD' or 'REINFORCED'
296	5.222	245/45R19 98Y
297	5.223	245/45ZR17 95W
298	5.224	245/45ZR19 102Y 'EXTRA LOAD' or 'REINFORCED'
299	5.225	245/45ZR19 98Y
300	5.227	245/50R17 99W
301	5.229	245/50R18 104Y
302	5.230	245/50ZR18 100Y
303	5.231	245/50ZR18 104Y XL

304	5.232	245/55R16 100W
305	5.233	245/55R17 102W
306	5.234	245/60R16 108H
307	5.235	245/710R490 AC
308	5.236	245/710R490A 111H
309	5.237	245/710R490A 111T
310	5.238	245/75R16 120/116Q
311	5.239	245-700R470A 116H
312	5.240	245-700R470A 121Q
313	5.241	245-700R470AC 116H
314	5.242	245-710R490AC 117T
315	5.243	255/30ZR20 92Y
316	5.244	255/30R19 91Y'EXTRA LOAD' or 'REINFORCED'
317	5.245	255/30ZR19 XL
318	5.246	255/30ZR20 92Y
319	5.247	255/30ZR20 98Y
320	5.248	255/35R18 90W
321	5.249	255/35R18 90Y
322	5.250	255/35R18 94Y'EXTRA LOAD' or 'REINFORCED'
323	5.251	255/35R19 92W
324	5.252	255/35R19 92Y
325	5.253	255/35R19 96V (M+S)
326	5.254	255/35R19 96V M+S 'EXTRA LOAD' or 'REINFORCED'
327	5.255	255/35R19 96V XL
328	5.256	255/35R19 96V XL (M+S)
329	5.257	255/35R19 96Y
330	5.258	255/35R19 96Y XL or'EXTRA LOAD' or 'REINFORCED'
331	5.259	255/35ZR18 94Y
332	5.260	255/35ZR18 94Y 'EXTRA LOAD' or 'REINFORCED'
333	5.261	255/35ZR19 92Y
334	5.262	255/35ZR19 96Y
335	5.263	255/35ZR19 96Y 'EXTRA LOAD' or 'REINFORCED'
336	5.264	255/35ZR20 97Y 'EXTRA LOAD' or 'REINFORCED'
337	5.265	255/40R17 94V
338	5.266	255/40R17 94W
339	5.267	255/40R18 95V (M+S)
340	5.268	255/40R18 95W
341	5.270	255/40R18 99V XL (M+S)
342	5.272	255/40R19 100V XL (M+S)

343	5.273	255/40R19 100Y
344	5.274	255/40R19 100Y'EXTRA LOAD' or 'REINFORCED'
345	5.275	255/40R19 96W
346	5.276	255/40R19 96Y
347	5.277	255/40ZR18 95Y
348	5.278	255/40ZR18 99Y'EXTRA LOAD' or 'REINFORCED'
349	5.279	255/40ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'
350	5.280	255/40ZR19
351	5.281	255/40ZR20 101Y XL
352	5.282	255/45 ZR19 104Y XL
353	5.283	255/45R17 98V (M+S)
354	5.284	255/45R17 98W
355	5.285	255/45R17 98Y
356	5.286	255/45R18 99V (M+S)
357	5.287	255/45R18 99Y
358	5.288	255/45R19 104Y
359	5.289	255/45R19 104Y 'EXTRA LOAD' or 'REINFORCED'
360	5.290	255/45R20 105V XL (M+S)
361	5.291	255/45ZR18 99Y
362	5.292	255/45ZR19 100Y
363	5.293	255/50R20 109W
364	5.294	255/50R19 103V
365	5.295	255/50R19 103W
366	5.298	255/50R19 107V'EXTRA LOAD' or 'REINFORCED'
367	5.299	255/50R19 107W 'EXTRA LOAD' or 'REINFORCED'
368	5.301	255/50R20 109W
369	5.302	255/50R20 109Y 'EXTRA LOAD' or 'REINFORCED'
370	5.303	255/50ZR18 91Y
371	5.304	255/50ZR20 109Y 'EXTRA LOAD' or 'REINFORCED'
372	5.306	255/55R18 103W
373	5.307	255/55R18 105H
374	5.308	255/55R18 105V
375	5.310	255/55R18 109H 'EXTRA LOAD' or 'REINFORCED'
376	5.311	255/55R18 109W 'EXTRA LOAD' or 'REINFORCED'
377	5.314	255/55R19 111V 'EXTRA LOAD' or 'REINFORCED'
378	5.316	255/55R19 111Y XL
379	5.317	255/55R20 110W XL
380	5.318	255/55R20 110Y XL
381	5.319	255/55ZR19 111Y EXTRA LOAD

382	5.320	255/60R16 109H
383	5.322	255/60R18 108Y
384	5.324	255/60R18 112W
385	5.325	255/60R19 113V
386	5.326	255/70R16 111H
387	5.327	255/70R18 113T
388	5.328	255-720 R490 AH
389	5.329	255-720R490AC 117H
390	5.330	265/35R18 97Y'EXTRA LOAD' or 'REINFORCED'
391	5.331	265/35R19 98Y
392	5.332	265/35ZR18 93Y
393	5.333	265/35ZR18 95Y 'EXTRA LOAD' or 'REINFORCED'
394	5.334	265/35ZR19 94Y
395	5.335	265/35ZR19 98Y XL or 'EXTRA LOAD' or 'REINFORCED'
396	5.336	265/35ZR20
397	5.337	265/35ZR20 95Y
398	5.338	265/40R18 101Y 'EXTRA LOAD' or 'REINFORCED'
399	5.339	265/40R18 97Y
400	5.340	265/40R19 102Y
401	5.341	265/40R20 104Y
402	5.342	265/40R21 101Y
403	5.343	265/40R21 105Y
404	5.344	265/40R21 105Y 'EXTRA LOAD' or 'REINFORCED'
405	5.345	265/40ZR18 101Y XL
406	5.346	265/40ZR18 97Y
407	5.347	265/40ZR21 105Y 'EXTRA LOAD' or 'REINFORCED'
408	5.348	265/45R20 104Y
409	5.349	265/45R20 108Y XL
410	5.350	265/45ZR19 105Y Extra Load
411	5.351	265/45ZR20 104Y
412	5.352	265/45ZR20 108Y 'EXTRA LOAD' or 'REINFORCED'
413	5.353	265/45ZR20 108Y XL(M+S)
414	5.354	265/50R19 110Y
415	5.355	265/50R19 110Y 'EXTRA LOAD' or 'REINFORCED'
416	5.356	265/50R20 107V
417	5.357	265/50R20 110V
418	5.358	265/50R20 111V
419	5.359	265/55R19 109H (M+S)
420	5.360	265/60R18 109H

421	5.364	275/30R19 96Y
422	5.365	275/30R19 96Y XL
423	5.366	275/30R20 93Y
424	5.367	275/30R20 97Y
425	5.368	275/30R21 98W
426	5.369	275/30R21 98Y
427	5.370	275/35R18 95W
428	5.371	275/35R18 95Y
429	5.372	275/35R19 96W
430	5.373	275/35R20 102Y 'EXTRA LOAD' or 'REINFORCED'
431	5.374	275/35R20 98Y
432	5.375	275/35R21 103Y
433	5.376	275/35ZR18 95Y
434	5.377	275/35ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'
435	5.378	275/35ZR19 96Y
436	5.379	275/35ZR20 102Y 'EXTRA LOAD' or 'REINFORCED'
437	5.380	275/35ZR21 103Y 'EXTRA LOAD' or 'REINFORCED'
438	5.381	275/40R18 99W
439	5.382	275/40R18 99Y
440	5.383	275/40R19 101V (M+S)
441	5.384	275/40R19 101Y
442	5.385	275/40R19 101Y XL
443	5.387	275/40R20 102W
444	5.388	275/40R20 106W 'EXTRA LOAD' or 'REINFORCED'
445	5.389	275/40R20 106Y XL or'EXTRA LOAD' or 'REINFORCED'
446	5.390	275/40R22 108Y XL
447	5.391	275/40ZR18 99Y
448	5.392	275/40ZR19 101Y
449	5.393	275/40ZR19 105Y 'EXTRA LOAD' or 'REINFORCED'
450	5.394	275/40ZR20 106Y 'EXTRA LOAD' or 'REINFORCED'
451	5.395	275/45R18 103W
452	5.396	275/45R18 103Y
453	5.397	275/45R18 107Y
454	5.398	275/45R20 110V XL (M+S)
455	5.399	275/45R20 110Y
456	5.400	275/45R20 110Y 'EXTRA LOAD' or 'REINFORCED'
457	5.401	275/45R21 107Y
458	5.402	275/45R21 110W XL
459	5.403	275/45ZR18 103Y

460	5.404	275/45ZR18 107Y XL
461	5.405	275/45ZR19 108Y XL
462	5.406	275/45ZR20 110Y 'EXTRA LOAD' or 'REINFORCED'
463	5.407	275/50R19 112W
464	5.408	275/50R19 112W 'EXTRA LOAD' or 'REINFORCED'
465	5.409	275/50R19 112W XL (M+S)
466	5.410	275/50R20 109W
467	5.411	275/50R20 111V
468	5.412	275/50R20 113W XL
469	5.413	275/50ZR19 112Y EXTRA LOAD
470	5.414	275/55R17 109H
471	5.415	275/55R17 109V
472	5.416	275/55R19 111V
473	5.417	275/55R19 111V(M+S)
474	5.418	275/55R19 111W
475	5.419	285/30R19 98Y XL or'EXTRA LOAD' or 'REINFORCED'
476	5.420	285/30R21 100Y 'EXTRA LOAD' or 'REINFORCED'
477	5.421	285/30ZR19 98Y
478	5.422	285/30ZR19 98Y'EXTRA LOAD' or 'REINFORCED'
479	5.423	285/30ZR20 99Y'EXTRA LOAD' or 'REINFORCED'
480	5.424	285/30ZR21 100Y XL
481	5.425	285/35ZR23 107Y
482	5.426	285/35R18 101Y
483	5.427	285/35R18 101Y 'EXTRA LOAD' or 'REINFORCED'
484	5.428	285/35R18 97W
485	5.429	285/35R18 97Y
486	5.430	285/35R21 105W 'EXTRA LOAD' or 'REINFORCED'
487	5.431	285/35R21 105Y 'EXTRA LOAD' or 'REINFORCED'
488	5.432	285/35ZR18 101Y XL
489	5.433	285/35ZR19 103Y XL
490	5.434	285/35ZR19
491	5.435	285/35ZR20 100Y
492	5.436	285/35ZR20 104Y XL
493	5.437	285/35ZR22 106Y EXTRA LOAD
494	5.438	285/40R22 110Y
495	5.439	285/40ZR19 103Y
496	5.440	285/40ZR19 107Y XL
497	5.441	285/40ZR21 109Y EXTRA LOAD
498	5.442	285/40ZR22 110Y

499	5.443	285/45ZR21 113Y
500	5.444	285/45R19 103W
501	5.445	285/45R19 107V
502	5.446	285/45R19 107W
503	5.447	285/45R19 111V 'EXTRA LOAD' or 'REINFORCED'
504	5.448	285/45R19 111W 'EXTRA LOAD' or 'REINFORCED'
505	5.449	285/45R20 112Y XL
506	5.450	285/50R20 112 V
507	5.451	285/50R18 109W
508	5.452	285/55R18 113V
509	5.453	285/60R18 116V
510	5.454	295/30R19 100Y
511	5.455	295/30R20 101W M+S 'EXTRA LOAD' or 'REINFORCED'
512	5.456	295/30R20 101Y
513	5.457	295/30ZR19 100Y
514	5.458	295/30ZR19 100Y XL
515	5.459	295/30ZR19 109W
516	5.460	295/30ZR20
517	5.461	295/30ZR20 101Y XL or 'EXTRA LOAD' or 'REINFORCED'
518	5.462	295/35R19 104Y
519	5.463	295/35R21 103Y
520	5.464	295/35R21 107Y XL
521	5.465	295/35ZR20 100Y XL
522	5.466	295/35ZR18 99Y
523	5.467	295/35ZR19
524	5.468	295/35ZR20 105Y XL
525	5.469	295/35ZR21 107Y XL (M+S)
526	5.470	295/40R21 111W XL
527	5.471	295/40ZR21 110Y XL
528	5.472	295/40R20 106Y
529	5.473	295/40R20 110Y
530	5.474	295/40R20 110Y XL
531	5.475	295/40ZR19 108Y Extra Load
532	5.476	295/40ZR21 111Y
533	5.477	295/40ZR21 111Y XL
534	5.478	295/45ZR20 110W
535	5.479	295/45ZR20 110Y
536	5.480	305/30R19 102Y
537	5.481	305/30ZR19 102Y XL

538	5.482	305/30ZR20 103Y
539	5.483	305/30ZR20 103Y XL
540	5.484	305/35ZR19 102Y
541	5.485	305/40ZR20 112Y EXTRA LOAD
542	5.486	315/30ZR21 105Y EXTRA LOAD
543	5.487	315/30ZR22 107Y EXTRA LOAD
544	5.488	315/35R20 106W
545	5.489	315/35R20 110W 'EXTRA LOAD' or 'REINFORCED'
546	5.490	315/35R20 110Y 'EXTRA LOAD' or 'REINFORCED'
547	5.491	315/35ZR20 110Y EXTRA LOAD
548	5.492	315/35ZR21 111Y EXTRA LOAD
549	5.493	315/40ZR21 115Y
550	5.494	315/40R21 111Y
551	5.495	325/30ZR23 109Y
552	5.496	325/30R21 108W
553	5.497	325/30R21 108Y
554	5.498	325/35ZR22 114Y
555	5.499	335/25ZR21 107Y
556	5.500	335/30ZR18 102Y
557	5.501	335/30ZR20 104Y
558	5.502	355/25ZR21 107Y
559	5.503	LT315/75R16 All Terrain
560	5.504	LT255/75R17 111/108Q
561	5.505	LT315/70R16 121Q (M + S)
562	5.506	P225/65R17 100H
563	5.507	P225/70R16 101H
564	5.508	P235/60R16 100H
565	5.509	P245/65R18 110H (Temporary use spare wheel)
566	5.510	P245/75R17 110T
567	5.512	175/55R20 89T
568	5.513	195/50R20 89W
569	5.514	195/50R20 93T
570	5.515	195/50R20 93W
571	5.516	195/55R16 87H and Run Flat
572	5.517	195/55R16 87V and Run Flat
573	5.518	195/55R16 87W and Run Flat
574	5.519	205/40R18 86W and Run Flat
575	5.520	205/45R17 84V and Run Flat
576	5.521	205/45R17 84W and Run Flat

577	5.522	205/45R17 88W and Run Flat
578	5.523	205/45R17 88Y
579	5.524	205/55R16 91V and Run Flat
580	5.525	205/55R16 91W and Run Flat
581	5.526	205/55R17 91V and Run Flat
582	5.527	205/55R17 91W
583	5.528	205/55R17 91W Extended Mobility Tyre
584	5.529	205/60R16 92W and Run Flat
585	5.530	205/60R16 96W and Run Flat
586	5.531	205R16 8PR LT 110/108S AT
587	5.532	215/45R20 91W
588	5.533	215/45R20 95W
589	5.534	215/50R18 96T XL
590	5.535	215/55R17 94T
591	5.536	215/65R17 99V
592	5.537	225/35R20 90Y and Run Flat
593	5.538	225/40R18 88W and Run Flat
594	5.539	225/40R18 88Y and Run Flat
595	5.540	225/40R18 92Y and Run Flat
596	5.541	225/40R18 95Y and Run Flat
597	5.542	225/40R18 99Y and Run Flat
598	5.543	225/40R19 89Y and Run Flat
599	5.544	225/40R19 93Y and Run Flat
600	5.545	225/40R20 94T XL
601	5.546	225/40ZR19 93Y
602	5.547	225/45R17 91H and Run Flat
603	5.548	225/45R17 91V and Run Flat
604	5.549	225/45R17 91W and Run Flat
605	5.550	225/45R17 94Y and Run Flat
606	5.551	225/45R18 91V and Run Flat
607	5.552	225/45R18 91Y and Run Flat
608	5.553	225/45R18 95Y and Run Flat
609	5.554	225/45R18 99W and Run Flat
610	5.555	225/45R19 92T
611	5.556	225/45ZR18 95Y and Run Flat
612	5.557	225/50R16 92V and Run Flat
613	5.558	225/50R17 94H and Run Flat
614	5.559	225/50R17 94V and Run Flat
615	5.560	225/50R17 94W and Run Flat

616	5.561	225/50R17 94Y and Run Flat
617	5.562	225/50R17 98Y and Run Flat
618	5.563	225/50R18 95T
619	5.564	225/50R18 95W and Run Flat
620	5.565	225/50R18 99W and Run Flat
621	5.566	225/50R19 107W and Run Flat
622	5.567	225/50ZR18 99Y and Run Flat
623	5.568	225/55 R19 103H
624	5.569	225/55R16 95W and Run Flat
625	5.570	225/55R17 101Y and Run Flat
626	5.571	225/55R17 97T
627	5.572	225/55R17 97W and Run Flat
628	5.573	225/55R17 97Y and Run Flat
629	5.574	225/60R17 99V and Run Flat
630	5.575	225/60R18 104W and Run Flat
631	5.576	235/35ZR19 (91Y)
632	5.577	235/40R18 103V
633	5.578	235/45R18 98W
634	5.579	235/45ZR19 99Y XL
635	5.580	235/50R18 97H and Run Flat
636	5.581	235/50R19 103V
637	5.582	235/50R19 99V
638	5.583	235/50R19 99W Extended Mobility Tyre
639	5.584	235/50R20 100T
640	5.585	235/50R20 100W
641	5.586	235/50ZR19 99Y
642	5.587	235/55R17 99H and Run Flat
643	5.588	235/55R18 100W Extended Mobility Tyre
644	5.589	235/55R18 104T XL
645	5.590	235/55R19 101T
646	5.591	235/55R19 105W XL
647	5.592	235/60R19 107V XL
648	5.593	235/60R20 108H
649	5.594	235/60R20 108H XL
650	5.595	245/30ZR20 (90Y)
651	5.596	245/35R18 88Y and Run Flat
652	5.597	245/35R19 93Y and Run Flat
653	5.598	245/35R20 95Y
654	5.599	245/35R20 95Y and Run Flat

655	5.600	245/35ZR18 (88Y)
656	5.601	245/35ZR18 (92Y)
657	5.602	245/35ZR19 (93Y)
658	5.603	245/35ZR19 93Y and Run Flat
659	5.604	245/35ZR19 93Y XL
660	5.605	245/40R18 93Y and Run Flat
661	5.606	245/40R19 94W and Run Flat
662	5.607	245/40R19 94Y and Run Flat
663	5.608	245/40R19 98Y and Run Flat
664	5.609	245/40R20 106W and Run Flat
665	5.610	245/40R20 95W
666	5.611	245/40R20 99W
667	5.612	245/40R20 99Y and Run Flat
668	5.613	245/40R20 99Y XL
669	5.614	245/40ZR19 98Y XL
670	5.615	245/45 R20 106Y and Run Flat
671	5.616	245/45R17 95Y and Run Flat
672	5.617	245/45R18 100Y and Run Flat
673	5.618	245/45R18 96W and Run Flat
674	5.619	245/45R18 96Y and Run Flat
675	5.620	245/45R19 98Y and Run Flat
676	5.621	245/45R20 103 and Run Flat
677	5.622	245/45R20 103W and Run Flat
678	5.623	245/45R20 103Y
679	5.624	245/45R20 106W and Run Flat
680	5.625	245/45R20 99Y
681	5.626	245/50R18 100W and Run Flat
682	5.627	245/50R18 100Y and Run Flat
683	5.628	245/50R19 105W and Run Flat
684	5.629	245/50R19 105Y and Run Flat
685	5.630	245/60R18 104W and Run Flat
686	5.631	245-700 R470A C 116H
687	5.632	245-700 R470A C 121Q
688	5.633	255/30R19 91Y and Run Flat
689	5.634	255/30R20 92Y and Run Flat
690	5.635	255/30ZR20 (92Y)
691	5.636	255/35R18 90W and Run Flat
692	5.637	255/35R18 90Y and Run Flat
693	5.638	255/35R18 95Y XL

694	5.639	255/35R19 92Y and Run Flat
695	5.640	255/35R19 96Y and Run Flat
696	5.641	255/35R20 100Y and Run Flat
697	5.642	255/35ZR18 94Y XL
698	5.643	255/35ZR19 (96Y)
699	5.644	255/35ZR19 92Y
700	5.645	255/35ZR19 96Y
701	5.646	255/35ZR19 96Y and Run Flat
702	5.647	255/35ZR19 96Y XL
703	5.648	255/40R17 94V and Run Flat
704	5.649	255/40R18 95Y and Run Flat
705	5.650	255/40R18 99Y and Run Flat
706	5.651	255/40R19 100W
707	5.652	255/40R19 100Y and Run Flat
708	5.653	255/40R20 101Y XL
709	5.654	255/40R21 102Y
710	5.655	255/40ZR18 95Y
711	5.656	255/40ZR18 99Y and Run Flat
712	5.657	255/40ZR18 99Y XL
713	5.658	255/40ZR19 101Y XL
714	5.659	255/40ZR21 102Y
715	5.660	255/45R17 98W and Run Flat
716	5.661	255/45R18 103Y and Run Flat
717	5.662	255/45R18 93Y
718	5.663	255/45R18 99W and Run Flat
719	5.664	255/45R19 100V
720	5.665	255/45R19 104V
721	5.666	255/45R20 101T
722	5.667	255/45R20 101W
723	5.668	255/45R20 105H XL
724	5.669	255/45R20 105W
725	5.670	255/45R20 105Y
726	5.671	255/45ZR19 104YXL
727	5.672	255/45ZR20 105Y
728	5.673	255/50R19 103T
729	5.674	255/50R19 107V and Run Flat
730	5.675	255/50R19 107W and Run Flat
731	5.676	255/50R20 109H XL
732	5.677	255/50R21 109Y

733	5.678	255/50R21 109Y XL
734	5.679	255/55R18 109H and Run Flat
735	5.680	255/55R18 109V and Run Flat
736	5.681	255/55R19 111H XL
737	5.682	255/60R20 113H
738	5.683	255/65R19 114V XL
739	5.684	255/720R490 117H
740	5.685	255-720R490-C 117H
741	5.686	255-720R490-C 119T
742	5.687	265/30R20 94Y and Run Flat
743	5.688	265/30ZR20 94Y
744	5.689	265/35R19 98Y XL
745	5.690	265/35R20 99Y XL
746	5.691	265/35ZR19 98Y and Run Flat
747	5.692	265/35ZR19 98Y XL
748	5.693	265/35ZR20 95Y
749	5.694	265/35ZR20 99Y
750	5.695	265/35ZR20 99Y XL
751	5.696	265/40R18 97Y and Run Flat
752	5.697	265/40R20 104Y
753	5.698	265/40R21 105Y XL
754	5.699	265/40R22 106Y XL
755	5.700	265/40ZR19 102Y
756	5.701	265/40ZR20 104Y XL
757	5.702	265/40ZR21 105Y
758	5.703	265/45R20 108Y
759	5.704	265/45ZR20 108Y
760	5.705	265/45ZR20 108Y XL
761	5.706	265/45ZR21 108Y XL
762	5.707	265/50R19 110W and Run Flat
763	5.708	265/55R19 113Y XL
764	5.709	275/30R20 97Y and Run Flat
765	5.710	275/30R20 97Y XL
766	5.711	275/35R19 100Y and Run Flat
767	5.712	275/35R20 102Y and Run Flat
768	5.713	275/35R20 102Y XL
769	5.714	275/35R20 98Y and Run Flat
770	5.715	275/35R22 104Y and Run Flat
771	5.716	275/35R23 108Y

772	5.717	275/35ZR19 100Y
773	5.718	275/35ZR19 100Y XL
774	5.719	275/35ZR20 102Y
775	5.720	275/35ZR21 103Y XL
776	5.721	275/40R18 103Y and Run Flat
777	5.722	275/40R18 99Y
778	5.723	275/40R18 99Y and Run Flat
779	5.724	275/40R19 101Y and Run Flat
780	5.725	275/40R20 106W and Run Flat
781	5.726	275/40R20 106Y
782	5.727	275/40R20 106Y and Run Flat
783	5.728	275/40R21 107Y
784	5.729	275/40R21 107Y and Run Flat
785	5.730	275/40R21 107Y XL and Run Flat
786	5.731	275/40R22 107Y
787	5.732	275/40R22 107Y and Run Flat
788	5.733	275/40R22 107Y XL
789	5.734	275/40ZR18 99Y
790	5.735	275/40ZR19 105Y
791	5.736	275/40ZR19 105Y XL
792	5.737	275/45R18 99Y and Run Flat
793	5.738	275/45R20 110Y and Run Flat
794	5.739	275/45R21 107H S
795	5.740	275/45R21 107Y
796	5.741	275/45R21 110H XL S
797	5.742	275/45ZR21 107Y
798	5.743	275/45ZR21 110Y XL
799	5.744	275/50R20 113W
800	5.745	275/50R20 113W and Run Flat
801	5.746	275/50R21 113Y XL
802	5.747	275/55R19 111W
803	5.748	285/30R20 99Y and Run Flat
804	5.749	285/30ZR19 98Y XL
805	5.750	285/30ZR22 101Y XL
806	5.751	285/35R18 97W
807	5.752	285/35R19 99Y and Run Flat
808	5.753	285/35R20 104Y XL
809	5.754	285/35R21 105Y and Run Flat
810	5.755	285/35ZR18 101Y XL

811	5.756	285/35ZR20 104Y
812	5.757	285/35ZR21 105Y
813	5.758	285/35ZR23 (107Y)
814	5.759	285/40R20 104Y
815	5.760	285/40R20 108Y
816	5.761	285/40R23 107Y
817	5.762	285/40R23 111Y XL
818	5.763	285/40ZR19 107Y
819	5.764	285/40ZR19 107Y XL
820	5.765	285/40ZR20 108Y XL
821	5.766	285/40ZR22 (110W)
822	5.767	285/40ZR22 (110Y)
823	5.768	285/40ZR22 110Y XL
824	5.769	285/45R19 111W and Run Flat
825	5.770	285/45R21 113W
826	5.771	285/45R21 113Y and Run Flat
827	5.772	285/45R21 113Y XL
828	5.773	285/45R22 114Y
829	5.774	285/45R22 114Y XL
830	5.775	285/45ZR21 (113W)
831	5.776	285/45ZR21 (113Y)
832	5.777	295/30R20 101Y and Run Flat
833	5.778	295/30R20 101Y XL
834	5.779	295/30ZR19 (100Y)
835	5.780	295/30ZR20 101Y
836	5.781	295/30ZR20 101Y XL
837	5.782	295/35R22 108Y XL
838	5.783	295/35ZR19 104Y
839	5.784	295/35ZR19 104Y XL
840	5.785	295/35ZR20 105Y XL
841	5.786	295/35ZR21 107Y and Run Flat
842	5.787	295/35ZR21 107Y XL
843	5.788	295/35ZR23 108Y XL
844	5.789	295/40R22 112W XL
845	5.790	305/30ZR20 (103Y)
846	5.791	305/35ZR19 (102Y)
847	5.792	305/40R20 112Y and Run Flat
848	5.793	315/30R22 107Y and Run Flat
849	5.794	315/30R23 111Y

850	5.795	315/30ZR22 107Y and Run Flat
851	5.796	315/30ZR22 107Y XL
852	5.797	315/35R20 110W and Run Flat
853	5.798	315/35R20 110Y and Run Flat
854	5.799	315/35R21 111Y and Run Flat
855	5.800	315/35R22 111Y
856	5.801	315/35R22 111Y and Run Flat
857	5.802	315/35ZR21 111Y
858	5.803	315/35ZR21 111Y XL
859	5.804	315/40R21 111Y
860	5.805	315/40ZR21 (115W)
861	5.806	315/40ZR21 (115Y)
862	5.807	315/40ZR21 115Y XL
863	5.808	325/30R21 108Y and Run Flat
864	5.809	325/30ZR20 106Y XL
865	5.810	325/30ZR21 108Y
866	5.811	325/30ZR23 (109Y)
867	5.812	325/35R20 108Y
868	5.813	325/35R23 111Y
869	5.814	325/35ZR22 (114W)
870	5.815	325/35ZR22 (114Y)
871	5.816	325/35ZR22 114Y XL
872	5.817	325/40R22 114Y
873	5.818	335/30ZR18 (102Y)
874	5.819	335/30ZR20 (104Y)
875	5.820	355/25ZR21 (107Y)
	6	**Truck/Bus/LCV Tyres**
876	6.1	8.25R15 18PR
877	6.2	115R13 LT 90Q
878	6.3	175R16C 98Q
879	6.4	185/60R15C 88T
880	6.5	205/65R16C 99H
881	6.6	205/75R17.5 14PR 124/122 M
882	6.7	195/75R16C 107/105R
883	6.8	225/75R16C 110S (M+S)
884	6.9	225/75R16C 113/110N (M+S)
885	6.10	255/75R15C 104/102R
886	6.11	255/75R15C 104S (M+S)
887	6.12	255/75R15C 110/108N

888	6.13	18x8.5 -8 6PR
889	6.14	18x6.5 -8 6PR
890	6.15	20.5x8 -10 8PR

रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

सत्यमेव जयते

भारत का राजपत्र
The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1905] नई दिल्ली, बृहस्पतिवार, नवम्बर 19, 2009/कार्तिक 28, 1931

No. 1905] NEW DELHI, THURSDAY, NOVEMBER 19, 2009/KARTIKA 28, 1931

वाणिज्य और उद्योग मंत्रालय

(औद्योगिक नीति और संवर्धन विभाग)

आदेश

नई दिल्ली, 19 नवम्बर, 2009

का.आ. 2953(अ).—भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63) की धारा 14 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार भारतीय मानक ब्यूरो से विचार विमर्श के बाद एतद्द्वारा निम्नलिखित आदेश बनाती है, नामत: :—

1. **संक्षिप्त शीर्षक तथा प्रारंभ.**—(1) इस आदेश को आटोमेटिव व्हीकलों के लिए न्यूमेटिक टायर तथा ट्यूब (गुणवत्ता नियंत्रण) आदेश, 2009 कहा जाएगा ।

(2) यह सरकारी राजपत्र में इसके प्रकाशन के 180 दिन पूरा हो जाने पर तुरन्त प्रभाव में आ जाएगा ।

2. **परिभाषाएं.**— इस आदेश में जब तक कि संदर्भ में अन्यथा अपेक्षित न हों :—

(क) "अधिनियम" का अर्थ है भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63);

(ख) "उपयुक्त प्राधिकारी" का अर्थ किसी ऐसे अधिकारी से है जो औद्योगिक नीति और संवर्धन विभाग में अवर सचिव अथवा जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, भारत सरकार में अवर सचिव से नीचे के रैंक का न हो अथवा किसी राज्य सरकार अथवा संघ शासित प्रदेश सरकार के जिला उद्योग केन्द्र में महाप्रबंधक (जनरल मैनेजर) से नीचे के रैंक का न हो;

(ग) "ब्यूरो" का अर्थ है भारतीय मानक ब्यूरो;

(घ) "आटोमोटिव व्हीकल्स के लिए न्यूमेटिक टायर तथा ट्यूब" का अर्थ है अनुसूची के कॉलम (2) में विनिर्दिष्ट मदें,

(ङ) न्यूमेटिक टायरों में "न्यूमेटिक ट्यूब" भी सम्मिलित हैं ।

(च) "अनुसूची" का अर्थ है इस आदेश के साथ संलग्न अनुसूची

(छ) न्यूमेटिक टायर से संबंधित "डीलर" का अर्थ ऐसे व्यक्ति, अथवा फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों को खरीदने, बेचने, आपूर्ति करने अथवा वितरण करने का कारोबार प्रत्यक्ष अथवा किसी अन्य रूप से चला रहा हो चाहे वह कैश में अथवा आस्थगित भुगतान अथवा दलाली के लिए अथवा क्षतिपूर्ति अथवा अन्य महत्वपूर्ण मुद्दों के लिए हो;

(ज) "आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों के सबंध में "विनिर्माता" का अर्थ किसी ऐसे व्यक्ति अथवा एक फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का उत्पादन करती है, बनाती है अथवा विनिर्माण करती है तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता हो कि आटोमोटिव वाहनों के लिए उत्पादित, बनाये गये अथवा विनिर्मित ऐसे न्यूमेटिक टायर किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती द्वारा किया गया है, जैसा भी मामला हो।

(झ) आटोमोटिव व्हीकलों के लिए न्यूमेंटिक टायरों के संबंध में मूल उपकरण विनिर्माता (औइएम) का अर्थ किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती से है जो आटोमोटिव वाहनों का उत्पादन करती हैं, बनाती है अथवा विनिर्माण करती हैं तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता है कि ऐसे आटोमोटिव वाहन ऐसे किसी अन्य किसी कानूनी हस्ती द्वारा उत्पादित किये गये, बनाये गये अथवा विनिर्मित किये गये हैं, जैसा भी मामला हो;

(ञ) "विनिर्दिष्ट मानदंड" का अर्थ अनुसूची के कॉलम (3) में संगत प्रविष्टि में यथा विनिर्दिष्ट भारतीय मानक से है।

(ट) "राज्य सरकार" में संघ शासित प्रशासन भी सम्मिलित होता है;

(ठ) "मानक चिन्ह" का अर्थ है एक विशेष भारतीय मानक का प्रतिनिधित्व करने के लिए ब्यूरो द्वारा विनिर्दिष्ट भारतीय मानक ब्यूरो का प्रमाणन चिन्ह।

(ड) "आयातक" का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो विदेश से भारत के सीमा शुल्क क्षेत्र में न्यूमेटिक टायरों का आयात करते हैं अथवा इसके आयात का कारण बनते हैं।

(ढ) "निर्यातक" का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो भारत से दूसरे देश को न्यूमेटिक टायरों का निर्यात करते हैं।

(ण) इस आदेश में प्रयोग किये गये परन्तु परिभाषित नहीं किये गये सभी अन्य शब्द व अभिव्यक्तियों का अर्थ क्रमशः उक्त अधिनियम में उन्हें दिया गया अर्थ होगा।

3. विनिर्माण, बिक्री, वितरण आदि के बारे में निषेध :- (1)कोई भी व्यक्ति न तो स्वयं अथवा उसकी ओर से कोई व्यक्ति आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का विनिर्माण, आयात अथवा बिक्री, बेचने तथा वितरण के लिए भंडारण नहीं करेगा जो विनिर्दिष्ट मानकों के अनुरूप नहीं है और जिन पर प्रमाणन चिन्ह लाइसेंस प्राप्त कर लेने पर ब्यूरो का मानक चिन्ह नहीं हो।

बशर्ते, इस आदेश में दी गई कोई भी बात न्यूमेटिक टायरों पर निम्नलिखित के लिए लागू नहीं होगी :

(क) भारत में निर्यात के लिए विनिर्मित न्यूमेटिक टायर;

(ख) वाहनों पर लगाने के लिए अथवा बिक्री पश्चात, निर्यात के लिए बने मूल उपकरण विनिर्माताओं (ओईएम) द्वारा तथा/अथवा उनकी प्राधिकृत कंपनियों द्वारा आयात किये गये न्यूमेटिक टायर।

नोटः

(1) दोनों मामलों में निर्यात या तो सीधे अलग-अलग संघटक के रूप में या ऐसे वाहन के हिस्से के तौर पर हो सकता है जो पूरा बना हो, या ड्राइव अवे चेसिस रूप में हो या पूरी तरह नॉक्ड डाउन (सीकेडी) अथवा सेमी नॉक्ड डाउन (एसकेडी) फार्म में हो।

(2) बशर्ते कि निर्यात के लिए अपेक्षित न्यूमेटिक टायरों के निर्यात के संबंध में इस आदेश में कुछ लागू नहीं होगा जो विदेशी खरीददार द्वारा अपेक्षित किसी भी विनिर्देशन के अनुरूप हो।

(ग) पूर्ण निर्मित यूनिट (सीबीयू) के भाग के तौर पर आयातित न्यूमेटिक टायर, चाहे सीबीयू का मान कुछ भी हो, बशर्ते ऐसे टायर बीआईएस विनिर्देशन पूरे करें। ऐसे मामलों में, वाहन नियमपुस्तिका में सीबीयू विनिर्माताओं द्वारा स्व-घोषणा ही पर्याप्त होगी कि वाहनों में लगाये गये टायर भारतीय मानक ब्यूरों की जरूरतों को पूरा करते हैं और वे केन्द्रीय मोटर वाहन नियमावली, (सीएमवीआर), 1989 के अन्तर्गत जरूरतों का अनुपालन करते हों, यदि भारत में होमोलोगेशन हेतु वाहन पहले ही डीजीएफटी अधिसूचना द्वारा मुक्त हैं, तो टायरों के लिए स्व-घोषणा की आवश्यकता नहीं होगी।

(घ) अनुसंधान और विकास उद्देश्यों हेतु आयातित अथवा विनिर्मित न्यूमेटिक टायर।

(ङ) घरेलू बाजार के लिए भारत में विनिर्मित वाहनों पर फिट किए जाने हेतु मूल उपकरण विनिर्माताओं (औइएम) द्वारा आयात किए जाने वाले न्यूमेटिक टायर (पूर्ण निर्मित या ड्राइव अवे चेसिस रूप में) ऐसे ममलों में, ओईएम द्वारा नियम पुस्तिका में

यह स्वघोषणा ही पर्याप्त होगी कि वाहन में लगाए गए टायर बीआईएस की अपेक्षाओं को पूरा करते हैं और यह पर्याप्त होगा कि वे केन्द्रीय मोटर वाहन नियमावली (सीएमवीआर), 1989 के अन्तर्गत जरूरतों को पूरा करते हैं।

(च) ऐसे टायर जो घरेलू तौर पर नहीं बनाए गए हों और मूल उपकरण विनिर्माताओं (ओईएम) या विनिर्माताओं द्वारा प्रतिस्थापन बाजार में अपने प्राधिकृत डीलरों के जरिये बिक्री हेतु आयात किए गए हों। घरेलू तौर पर विनिर्मित न किए गए तथा आयतित न्यूमेटिक टायरों की सूची की एक समिति द्वारा हर 3 माह बाद समीक्षा की जाएगी जिसके अध्यक्ष औद्योगिक नीति और संवर्धन विभाग के एक अधिकारी होंगे तथा जिसमें इन पार्टियों के सदस्य होंगे-जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, केन्द्रीय सड़क परिवहन संस्थान (सीआईआरटी) भारतीय आटोमोटिव अनुसंधान एसोसिएशन (एआरएआई) आटोमोबाइल टायर विनिर्माता एसोसिएशन, (एटीएमए) भारतीय आटोमोबाइल विनिर्माता सोसायटी (एसआईएएम) तथा भारतीय मानक ब्यूरो (बीआईएस), यह समिति संबद्ध पक्षों के सामने आ रहे मुद्दों/समस्याओं पर विचार करेगी, छूट दिए जाने वाले न्यूमेटिक टायरों की सूची को अंतिम रूप देगी तथा उपयुक्त सिफारिशें करेगी।

4. प्रमाणन हेतु दायित्व :-

(1) यदि पहले ही प्राप्त नहीं किया गया हो, तो इस आदेश के जारी होने से 45 दिन के भीतर मानक चिन्ह के उपयोग हेतु लाइसेंस प्राप्त करने के लिए सभी न्यूमेटिक टायर एवं ट्यूबों के विनिर्माताओं द्वारा ब्यूरो में आवेदन दिया जाएगा।

(2) ब्यूरो द्वारा मानक चिन्ह के उपयोग हेतु लाइसेंस प्रदानगी, अधिनियम के उपबंधों तथा उसके तहत नियमों व विनियमों के अनुसार की जाएगी।

(3) जब कोई व्यक्ति स्वयं या अपनी ओर से किसी अन्य व्यक्ति के जरिये आटोमोटिव वाहनों के न्यूमेटिक टायरों के विनिर्माण का प्रस्ताव करेगा, तो वह मानक चिन्ह के उपयोग हेतु ब्यूरो से वैध लाइसेंस प्राप्त कर लेने के पश्चात ही उत्पादन आंरभ करेगा।

(4) न्यमेटिक टायरों हेतु लाइसेंस की अवधि बीत जाने या रद्द किए जाने संबंधी सूचना उचित प्राधिकरण को दी जाएगी अथवा बीआईएस की वेबसाइट पर प्रदर्शित की जाएगी।

5. सूचना, आदि मंगाने का अधिकारः इस आदेश का अनुपालन सुनिश्चित करने के दृष्टिगत, उचित प्राधिकरण को अधिकार है कि वह :

(1) न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति से किसी ऐसी सूचना की मांग कर सकता है जिसे वह न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण के संबंध में आवश्यक समझता हो या किसी भी ऐसे व्यक्ति से ऐसे न्यूमेटिक टायरों के नमूने प्रस्तुत करने की मांग कर सकता है;

(2) ऐसे न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति द्वारा रखे गए, या उससे संबंधित या उसके कब्जे में या नियंत्रण वाले किसी भी पुस्तक या अन्य दस्तावेज या आटोमोटिव वाहनों के न्यूमेटिक टायरों का निरीक्षण कर सकता है अथवा करवा सकता है।

6. नमूनों का परीक्षण :- मानक चिन्ह वाले आटोमोटिव वाहनों के न्यूमेटिक टायर नमूने अथवा ओईएम द्वारा आयातित मानक चिन्ह के बिना और स्वघोषित अनुपालन के साथ जो उपयुक्त प्राधिकारण द्वारा यह तय करने हेतु लिए जाएंगे कि क्या वे विनिर्दिष्ट मानकों को पूरा करते हैं, उन्हें ब्यूरो अथवा उपयुक्त प्राधिकरण द्वारा अनुमोदित प्रयोगशाला में जांचा जाएगा।

7. विनिर्माताओं और डीलरों को निर्देश जारी करने के अधिकार :- उपयुक्त प्राधिकरण, अधिनियम अथवा इस आदेश के अनुरूप विनिर्माताओं और डीलरों को निर्देश जारी कर सकता है, जो इस आदेश के उद्देश्यों को पूरा करने हेतु आवश्यक हों।

8. निर्देशों का अनुपालनः- न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में लगा हर व्यक्ति जिसे इस आदेश के तहत कोई भी निर्देश दिया जाएगा, ऐसे निर्देशों का पालन करेगा।

9. सूचना उपलब्ध कराने का दायित्व :- कोई भी विनिर्माता, आयातक या डीलर इस आदेश के उपबंधों से बचने के आशय से, खंड 5 के तहत उससे कानूनी रूप से मांगी गई किसी भी सूचना को देने से न तो मना करेगा, न उसे छिपाएगा, नष्ट, विकृत करेगा और न ही ऐसे व्यक्ति द्वारा रखे या उसके कब्जे अथवा नियंत्रण में किसी न्यूमेटिक टायर को बिगाड़ेगा।

अनुसूची

(खंड 2च देखें)

क्र.सं. (1)	मद (2)	भारतीय मानक (3)
1	आटोमोटिव वाहन — दुपहिया और तिपहिया मोटर वाहनों के न्यूमेटिक टायर-विनिर्देशन	आईएस 15627
2	आटोमोटिव वाहन — सवारी कार वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15633
3	आटोमोटिव वाहन — वाणिज्यिक वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15636
4	आटोमोटिव वाहन — न्यूमेटिक टायरों की ट्यूबें - विनिर्देशन	आईएस 13098

[फा. सं. 16 (72)/2005-एल आर]

रेणु शर्मा, संयुक्त सचिव

4209 GI/05-2

MINISTRY OF COMMERCE AND INDUSTRY

(Department of Industrial Policy and Promotion)

ORDER

New Delhi, the 19th November, 2009

S.O. 2953(E).– In exercise of the powers conferred by section 14 of the Bureau of Indian Standards Act, 1986 (63 of 1986), the Central Government after consulting the Bureau of Indian Standards, hereby makes the following Order, namely:-

1. Short Title and commencement: - (1) This Order may be called the Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009.

(2) It shall come into force immediately on completion of 180 days of its publication in the Official Gazette.

2. Definitions:- In this Order, unless the context otherwise requires:-

(a) "Act" means the Bureau of Indian Standards Act, 1986 (63 of 1986);

(b) "Appropriate Authority" means an officer not below the rank of an Under Secretary in the Department of Industrial Policy and Promotion (DIPP) or an Under Secretary in the Ministry of Shipping, Road Transport and Highways, Government of India or an officer not below the rank of a General Manager, District Industries Centre of a State or Union Territory Government;

(c) "Bureau" means the Bureau of Indian Standards;

(d) "Pneumatic Tyres and Tubes for Automotive Vehicles" mean the items specified in column (2) of the Schedule;

(e) "Pneumatic Tyres" includes "Pneumatic Tubes" also;

(f) "Schedule" means the Schedule annexed to this Order;

(g) "dealer" in relation to Pneumatic Tyres means a person who, or a firm or any other legal entity which carries on, direct or otherwise, the business of buying, selling, supplying or distributing Pneumatic Tyres whether in cash or for deferred payment or for commission, remuneration or other valuable consideration;

(h) "manufacturer" in relation to Pneumatic Tyres for Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Pneumatic Tyres for Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Pneumatic Tyres for Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;

(i) "Original Equipment Manufacturer (OEM)" in relation to Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;

(j) "Specified Standard" means the Indian Standards as specified in the corresponding entry in column(3) of the Schedule;

(k) "State Government", includes a Union Territory Administration also;

(l) "Standard Mark" means the Bureau of Indian Standards Certification Mark specified by the Bureau to represent a particular Indian Standard;

(m) 'Importer" means a person, a firm or any other legal entity that imports pneumatic tyres or causes its imports from a foreign country into customs territory of India;

(n) "Exporter" means a person, a firm or any other legal entity that exports pneumatic tyres from India to another country;

(o) All other words and expressions used but not defined in this Order shall have the meanings respectively assigned to them in the Act.

3. Prohibition regarding manufacture, sale, distribution etc:- (1) No person shall by himself or through any person on his behalf, manufacture, import, store for sale, sell or distribute Pneumatic Tyres which do not conform to the Specified Standard and which do not bear the Standard Mark of the Bureau on obtaining Certification marks licence;

Provided that nothing in this Order shall apply in relation to Pneumatic Tyres for the following:

(a) Pneumatic tyres manufactured in India for exports ;

(b) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) and/or their authorized companies for fitment on vehicles or after sales, meant for exports;

Note:

(1) In both cases, exports may be either directly as individual components or as part of a vehicle completely built or in drive away chassis form or in Completely Knocked Down (CKD) or Semi-Knocked Down (SKD) condition.

(2) Provided that nothing in this Order shall apply in relation to export of pneumatic tyres required for export, which conforms to any specification required by the foreign buyer.

(c) Pneumatic tyres imported as part of Completely Built Unit (CBU), irrespective of the value of the CBU, so long as such pneumatic tyres meet the requirements of specified standard. In such cases self-declaration by CBU manufacturers in the vehicle manual to the effect that the tyres fitted in the vehicles meet the requirements of the BIS and they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice. If vehicles are already exempted by Director General of Foreign Trade (DGFT) notifications for homologation in India, self-declaration will not be required;

(d) Pneumatic Tyres imported or manufactured for research and development purposes;

(e) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) for fitment on vehicles manufactured in India for domestic market (completely built or drive away chassis form). In such cases, self-declaration by the OEM in the vehicle manual to the effect that tyres fitted in the vehicles meet the requirements of BIS and that they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice;

(f) Pneumatic tyres not manufactured domestically and imported by Original Equipment Manufacturers (OEM) or manufacturers for selling in replacement market through their authorized dealers. The list of pneumatic tyres not manufactured domestically and imported would be reviewed every three months by a Committee chaired by an officer of the Department of Industrial Policy and Promotion and having members from Ministry of Shipping, Road Transport and Highways, Central Institute of

Road Transport (CIRT), Automotive Research Association of India (ARAI), Automotive Tyre Manufacturers Association (ATMA), Society of Indian Automobile Manufacturers (SIAM) and Bureau of Indian Standards (BIS). The Committee will consider the issues/problems faced by the stakeholders, finalize the list of pneumatic tyres to be exempted and make suitable recommendations.

4. Obligation for Certification:- (1) All manufacturers of Pneumatic Tyres and Tubes shall make an application to the Bureau for obtaining licence within 45 days of the issue of this Order, for use of the Standard Mark if not already obtained.

(2) The grant of licence by the Bureau for use of the Standard Mark shall be as per provisions of the Act and the rules and regulations made there under.

(3) When any person by himself or through any other person on his behalf proposes to manufacture Pneumatic Tyres, he shall commence production only after obtaining a valid licence from the Bureau for the use of Standard Mark.

(4) Information relating to expiry or cancellation of any licence by the Bureau for Pneumatic Tyres shall be intimated to the appropriate authority and displayed on BIS website.

5. Power to call for information etc: - The Appropriate Authority may, with a view to secure compliance with this Order:

(1) require any person engaged in the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres to give such information as it deems necessary relating to the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres or require any such person to furnish to it samples of such Pneumatic Tyres;

(2) inspect or cause to be inspected any book or other document or Pneumatic Tyres for Automotive Vehicles kept by or belonging to or in possession or under the control of any person engaged in the manufacture, import, storage for sale, sell or distribution of such Pneumatic Tyres.

6. Testing of samples:- Samples of Pneumatic Tyres bearing the Standard Mark or without standard mark imported by the OEM and with self declared conformation and drawn by the Appropriate Authority for ascertaining whether they are of the Specified Standard, shall be tested in the laboratory approved by the Bureau or Appropriate Authority.

7. Power to issue directions to manufacturers and dealers:- The Appropriate Authority may issue such directions to manufacturers and dealers consistent with the provisions of the Act or this Order, as may be necessary for carrying out the purposes of this Order.

8. Compliance of directions: - Every person engaged in the manufacture, import, storage for sale, sell or distribution of any Pneumatic Tyre to whom any direction is issued under this Order, shall comply with such direction.

9. Obligation to furnish information:- No manufacturer or dealer or importer shall, with intent to evade the provisions of this Order, refuse to give any information lawfully demanded from him under clause 5 or conceal, destroy, mutilate or deface any book or document or any Pneumatic Tyres kept by, or in the possession or control of such person.

SCHEDULE
(See clause 2 (f))

Sl. No.	Item	Indian Standard
(1)	(2)	(3)
1	Automotive vehicles – Pneumatic tyres for two and three-wheeled motor vehicles - Specification	IS 15627
2	Automotive vehicles – Pneumatic tyres for passenger car vehicles – Diagonal and radial ply – Specification	IS 15633
3	Automotive vehicles – Pneumatic tyres for commercial vehicles – Diagonal and radial ply – Specification	IS 15636
4	Automotive vehicles – Tubes For Pneumatic Tyres - Specification	IS 13098

[F. No. 16(72)/2005-LR]

RENU SHARMA, Jt. Secy.

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.