

File No.P.39012/5/2018-L&R
Government of India
Ministry of Commerce and Industry
Department for Promotion of Industry and Internal Trade
(L&R Section)

Udyog Bhawan, New Delhi
Dated the 7th July, 2025

OFFICE MEMORANDUM

Subject: Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009 – **Revise list of 766 tyre sizes/types (635+131run flat tyres)** – reg.

The undersigned is directed to refer to Minutes of IMC Meeting held on 14.05.2025 in hybrid mode (offline/online) to discuss exclusion of Pneumatic Tyres and Tubes from QCO 2009 (**Copy Enclosed**) and to say that w.r.t Para 8 of said Minutes, it is further stated that as per provisions contained under sub-clause (a) to (f) of Clause 3 of the “Pneumatic Tyres and Tubes for Automotive (Quality Control) Order, 2009” (**Copy Enclosed**), certain categories of Tyres have been exempted from the application of the provisions of the said Quality Control Order, 2009. In pursuance of the Sub-Clause (f) of Clause 3 of said Order, 2009, a Committee was constituted to review the list of Tyres not manufactured domestically and Imported by the Original Equipment Manufacturers (OEMs) for selling in replacement market through their authorized dealers.

2. The said Committee has reviewed and finalized the lists as under:

- **Annexure-I:** Updated list of 635 tyres sizes (629 existing +30 additions – 24 deletions).
- **Annexure-II:** The list of 131 run-flat tyres with BIS text noted as a footnote, carried forward from the previous list.

A Copy of the list of Tyres can also be obtained from the website of this Department <https://dipp.gov.in>.

3. This issue with the approval of the Competent Authority.

R. Rawat
07.07.25

(Rajesh Rawat)
Under Secretary to the Govt. of India
e.mail: rajesh.rawat@nic.in

Encl: as above

To

1. Central Board of Indirect Taxes and Customs(CBIC) (Kind Attention: Shri Anupam Prakash, Joint Secretary (Customs), Department of Revenue, North Block, New Delhi 110 001. (email: js.cus@nic.in)
2. Bureau of Indian Standards (Kind Attention: Shri P.K. Tiwari, Director General (DG), Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Dehi-110 002. (e.mail: dg@bis.gov.in).
3. Director General of Foreign Trade, (Kind Attention: Ms. Shubra, Additional Director General of Foreign Trade), Department of Commerce, Udyog Bhawan, New Delhi -110 0011 shubhra.ag@nic.in.
4. Society of Indian Automobile Manufacturers (SIAM), (Kind Attention: Shri Rajesh Menon, Director General) Core 4-B, 5th Floor, India Habitat Centre, Lodi Road, New Delhi-110 003. email: siam@siam.in
5. Automotive Tyre Manufacturers' Association (ATMA), (Kind Attention: Shri Rajiv Budhraja, Director General), PHD House 4th Floor Apposite Asian Games Village, Siri Fort Institutional Area, New Delhi-110 016.
6. Dr. K. Rajkumar, Director, Indian Rubber Materials Research Institute (IRMRI), Plot No.254/1B Road No.16V, Wagle Industrial Estate Thane(W), Pin400604. e-mail: info@irmra.org

Copy to NIC, DPIIT for uploading on the Website of Department.

LIST OF 635 TYRE SIZES WHICH ARE NOT MANUFACTURED DOMESTICALLY w.e.f July 2025

Revised Exemption list of 635 Tyre sizes

S.No.	S. No. (B)(*)	Tyre Size & Type (C)	REMARKS (D)
1	23	100/90-19 57M	
2	24	100/90-19 57T Tubeless/Tubetype	
3	25	100/90-19 M/C 57V M+S TL	
4	27	120/70-15 M/C 56P	
5	28	120/70-15 MC 56P	
6	29	120/80R14 58S TL	
7	30	130/80-17 65T Tubeless/Tubetype	
8	31	140/80-18 70R Tubeless/Tubetype	
9	32	140/80-18 70S Tubeless/Tubetype	
10	33	140/80B18 70T Tubeless/Tubetype	
11	34	150/70R14 66S TL	
12	35	150/80-16 77H	
13	36	80/100-21 51M	
14	37	90/90-21 54T Tubeless/Tubetype	
15	38	90/90-21 M/C 54V M+S	
16	39	MT90B16	
17	40	MU85B16	
18	41	120/80-14 58S	
19	42	150/70-14 66S	
20	43	110/80R18 M/C 58H TL	
21	44	120/600R17 RADIAL	
22	45	120/60ZR17 M/C (55W) TL	
23	59	150/80R16 Whitewall	
24	63	170/60R17 M/C 72V M+S TL	
25	67	180/60ZR17 M/C (75W) TL	
26	68	180/70R16 Whitewall	
27	75	200/55ZR17 M/C (78W) TL	
28	77	200/55 R16 M/C 77H	
29	79	200/60ZR17 M/C (78W) TL	
30	81	240/45ZR17 M/C (82W) TL	
31	83	90/580R17 RADIAL	
32	84	110/80 R19 M/C 59 V	
33	86	115/75 R17	
34	87	120/70R19 60W	
35	88	120/95 R17 TL	
36	89	130/80 R17 65Q Tubeless/Tubetype	
37	90	130/80R17 65H	
38	91	140/80R17 M/C 69V M+S TL	
39	92	150/70 R18 M/C 70V M+S	
40	94	160/70R17 M/C 73V	
41	95	200/50R18 76V	
42	96	240/40R18 79V	
43	97	90/580R17 TL	
44	98	90/80R17	
45	99	95/70R17	
46	100	130/80 R17 M/C 65V	
47	101	180/55 ZR17 M/C 73W	
48	102	110 / 80-R19 59H	
49	103	180/55 ZR17 M/C (73W)	
50	105	150/70 R18 M/C 70H	
51	106	110/70 R17 M/C 54H	Exemption till 31.03.2026
52	107	150/60 R17 M/C 66H	Exemption till 31.03.2026

53	110	180/60-17 93P	
54	114	195/75-18 106P	
55	116	T125/70D15 95M T/L	
56	121	T155/80D19 114M	
57	126	T135/80 D17 103M	
58	127	T135/90 D17 104M	
59	128	T125/80 D16 97M	
60	129	T195/70-20 116P	
61	134	T125/70R17 98M	
62	136	T125/70R19 100M	
63	140	T135/70R19 105M	
64	141	T135/80 R17 102M	
65	142	T135/80R17 103M	
66	143	T135/80R18 104M	
67	144	T135/90R16 102M	
68	145	T135/90R17 104M	
69	150	T145/80R19	
70	151	T145/80R19 110M	
71	152	T145/85R18 103M	
72	157	T155/80R19 114M	
73	161	T115/40R15 90M	
74	162	T115/95R17 95M	
75	165	T135/80R17 102M	
76	166	T135/80R17 102W	
77	170	T155/90R18 113M	
78	171	T165/70D20 119M	
79	172	T165/80D17 104M	
80	173	T165/90D18 107M	
81	174	T145/65R20 105M	
82	175	T195/75R18 106 P	
83	176	T145/80 R19 110M	
84	177	T145/70R17 106M	
85	178	110/90B19 62H	
86	181	125/70R19 100M	
87	185	135/80R18 104M	
88	192	155/80R19 114M	
89	195	160/60R18 70V	
90	196	165-15 8PR 89P	
91	206	205/50R17 93H XL M+S	
92	211	215/40ZR18 89W 'EXTRA LOAD' or 'REINFORCED'	
93	214	215/45R16 90V XL	
94	215	215/45R20 95W	
95	216	215/50ZR17 95W'EXTRA LOAD' or 'REINFORCED'	
96	220	225/35R19 88Y'EXTRA LOAD' or 'REINFORCED'	
97	221	225/40R16 92H (M+S)	
98	223	225/40R18 92W XL	
99	227	225/40ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
100	228	225/40ZR19 93Y XL	
101	231	225/45ZR17 91Y	
102	233	225/45ZR18 95Y XL	
103	235	225/50R16 92W	
104	238	225/55R17 101H 'EXTRA LOAD' or 'REINFORCED'	
105	241	225/60R16 98W	
106	245	225/75R16 108S (M+S)	
107	246	225/75R16 110/107R	
108	249	235/35ZR19 87Y XL	

109	250	235/35ZR19 91Y	
110	251	235/35ZR19 91Y'EXTRA LOAD' or 'REINFORCED'	
111	252	235/35ZR20 (88Y)	
112	253	235/40R18 95H (M+S) 'EXTRA LOAD' or 'REINFORCED'	
113	254	235/40R18 95H XL M+S	
114	255	235/40ZR19 92Y	
115	256	235/45R17 93H M+S	
116	257	235/45R17 94H (M+S)	
117	260	235/45R19 99Y XL	
118	261	235/45ZR19 99Y XL	
119	262	235/50R18 97H	
120	263	235/50ZR18 101Y XL	
121	266	235/55R18 104Y 'EXTRA LOAD' or 'REINFORCED'	
122	267	235/55R19 101Y	
123	268	235/60R16 100V	
124	269	235/65 R18 106 V	
125	271	235/65R19 109V XL	
126	272	235-700R450A 114H	
127	273	245/30ZR20 90Y	
128	275	245/35R18 92Y'EXTRA LOAD' or 'REINFORCED'	
129	276	245/35R19 93Y'EXTRA LOAD' or 'REINFORCED'	
130	278	245/35R21 96Y	
131	279	245/35R21 96Y'EXTRA LOAD' or 'REINFORCED'	
132	282	245/35ZR18 92Y 'EXTRA LOAD' or 'REINFORCED'	
133	283	245/35ZR19 93Y XL	
134	284	245/35ZR19 93Y	
135	285	245/35ZR20 91Y	
136	286	245/35ZR20 95Y	
137	287	245/35ZR21 96Y	
138	288	245/35ZR21 96Y XL	
139	289	245/40 ZR19 98Y	
140	291	245/40R18 97V'EXTRA LOAD' or 'REINFORCED'	
141	294	245/40R19 98Y'EXTRA LOAD' or 'REINFORCED'	
142	296	245/40R20 99V	
143	297	245/40R20 99W	
144	298	245/40R20 99Y'EXTRA LOAD' or 'REINFORCED'	
145	299	245/40ZR 17 91Y	
146	302	245/40ZR19 98Y'EXTRA LOAD' or 'REINFORCED'	
147	303	245/40ZR20 99Y'EXTRA LOAD' or 'REINFORCED'	
148	306	245/45R18 100H 'EXTRA LOAD' or 'REINFORCED'	
149	307	245/45R18 100V M+S 'EXTRA LOAD' or 'REINFORCED'	
150	309	245/45R19 102V 'EXTRA LOAD' or 'REINFORCED'	
151	310	245/45R19 98Y	
152	312	245/45ZR19 102Y 'EXTRA LOAD' or 'REINFORCED'	
153	313	245/45ZR19 98Y	
154	316	245/50ZR18 100Y	
155	317	245/50ZR18 104Y XL	
156	325	245-700R470A 116H	
157	326	245-700R470A 121Q	
158	327	245-700R470AC 116H	
159	328	245-710R490AC 117T	
160	329	255/30ZR20 92Y	
161	330	255/30R19 91Y'EXTRA LOAD' or 'REINFORCED'	
162	331	255/30ZR19 XL	
163	336	255/35R18 94Y'EXTRA LOAD' or 'REINFORCED'	
164	339	255/35R19 96V (M+S)	

165	340	255/35R19 96V M+S 'EXTRA LOAD' or 'REINFORCED'	
166	341	255/35R19 96V XL	
167	342	255/35R19 96V XL (M+S)	
168	343	255/35R19 96Y	
169	344	255/35R19 96Y XL or 'EXTRA LOAD' or 'REINFORCED'	
170	345	255/35ZR18 94Y	
171	346	255/35ZR18 94Y 'EXTRA LOAD' or 'REINFORCED'	
172	348	255/35ZR19 96Y	
173	349	255/35ZR19 96Y 'EXTRA LOAD' or 'REINFORCED'	
174	350	255/35ZR20 97Y 'EXTRA LOAD' or 'REINFORCED'	
175	353	255/40R18 95V (M+S)	
176	355	255/40R18 99V XL (M+S)	
177	356	255/40R19 100V XL (M+S)	
178	357	255/40R19 100Y	
179	358	255/40R19 100Y 'EXTRA LOAD' or 'REINFORCED'	
180	359	255/40R19 96W	
181	360	255/40R19 96Y	
182	361	255/40ZR18 95Y	
183	362	255/40ZR18 99Y 'EXTRA LOAD' or 'REINFORCED'	
184	363	255/40ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
185	364	255/40ZR19	
186	365	255/40ZR20 101Y XL	
187	366	255/45 ZR19 104Y XL	
188	367	255/45R17 98V (M+S)	
189	370	255/45R18 99V (M+S)	
190	372	255/45R19 104Y	
191	373	255/45R19 104Y 'EXTRA LOAD' or 'REINFORCED'	
192	374	255/45R20 105V XL (M+S)	
193	376	255/45ZR19 100Y	
194	377	255/50R20 109W	
195	378	255/50R19 103V	
196	379	255/50R19 103W	
197	380	255/50R19 107V 'EXTRA LOAD' or 'REINFORCED'	
198	381	255/50R19 107W 'EXTRA LOAD' or 'REINFORCED'	
199	383	255/50R20 109Y 'EXTRA LOAD' or 'REINFORCED'	
200	385	255/50ZR20 109Y 'EXTRA LOAD' or 'REINFORCED'	
201	389	255/55R18 109H 'EXTRA LOAD' or 'REINFORCED'	
202	390	255/55R18 109W 'EXTRA LOAD' or 'REINFORCED'	
203	391	255/55R19 111V 'EXTRA LOAD' or 'REINFORCED'	
204	392	255/55R19 111Y XL	
205	393	255/55R20 110W XL	
206	394	255/55R20 110Y XL	
207	395	255/55ZR19 111Y EXTRA LOAD	
208	398	255/60R18 112W	
209	399	255/60R19 113V	
210	401	255/70R18 113T	
211	402	255-720 R490 AH	
212	403	255-720R490AC 117H	
213	404	265/35R18 97Y 'EXTRA LOAD' or 'REINFORCED'	
214	406	265/35ZR18 93Y	
215	407	265/35ZR18 95Y 'EXTRA LOAD' or 'REINFORCED'	
216	409	265/35ZR19 98Y XL or 'EXTRA LOAD' or 'REINFORCED'	
217	410	265/35ZR20	
218	411	265/35ZR20 95Y	
219	412	265/40R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
220	415	265/40R20 104Y	

221	416	265/40R21 101Y	
222	417	265/40R21 105Y	
223	418	265/40R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
224	419	265/40ZR18 101Y XL	
225	421	265/40ZR21 105Y 'EXTRA LOAD' or 'REINFORCED'	
226	423	265/45R20 108Y XL	
227	424	265/45ZR19 105Y Extra Load	
228	425	265/45ZR20 104Y	
229	426	265/45ZR20 108Y 'EXTRA LOAD' or 'REINFORCED'	
230	427	265/45ZR20 108Y XL(M+S)	
231	428	265/50R19 110Y	
232	429	265/50R19 110Y 'EXTRA LOAD' or 'REINFORCED'	
233	430	265/50R20 107V	
234	432	265/50R20 111V	
235	433	265/55R19 109H (M+S)	
236	436	275/30R19 96Y XL	
237	438	275/30R20 97Y	
238	440	275/30R21 98Y	
239	444	275/35R20 102Y 'EXTRA LOAD' or 'REINFORCED'	
240	447	275/35ZR18 95Y	
241	448	275/35ZR19 100Y 'EXTRA LOAD' or 'REINFORCED'	
242	449	275/35ZR19 96Y	
243	450	275/35ZR20 102Y 'EXTRA LOAD' or 'REINFORCED'	
244	451	275/35ZR21 103Y 'EXTRA LOAD' or 'REINFORCED'	
245	453	275/40R18 99Y	
246	454	275/40R19 101V (M+S)	
247	455	275/40R19 101Y	
248	456	275/40R19 101Y XL	
249	458	275/40R20 106W 'EXTRA LOAD' or 'REINFORCED'	
250	459	275/40R20 106Y XL or'EXTRA LOAD' or 'REINFORCED'	
251	460	275/40R22 108Y XL	
252	461	275/40ZR18 99Y	
253	462	275/40ZR19 101Y	
254	463	275/40ZR19 105Y 'EXTRA LOAD' or 'REINFORCED'	
255	464	275/40ZR20 106Y 'EXTRA LOAD' or 'REINFORCED'	
256	468	275/45R20 110V XL (M+S)	
257	469	275/45R20 110Y	
258	470	275/45R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
259	471	275/45R21 107Y	
260	472	275/45R21 110W XL	
261	473	275/45ZR18 103Y	
262	474	275/45ZR18 107Y XL	
263	475	275/45ZR19 108Y XL	
264	476	275/45ZR20 110Y 'EXTRA LOAD' or 'REINFORCED'	
265	478	275/50R19 112W 'EXTRA LOAD' or 'REINFORCED'	
266	479	275/50R19 112W XL (M+S)	
267	480	275/50R20 109W	
268	482	275/50R20 113W XL	
269	483	275/50ZR19 112Y EXTRA LOAD	
270	485	275/55R17 109V	
271	486	275/55R19 111V	
272	487	275/55R19 111V(M+S)	
273	488	275/55R19 111W	
274	489	285/30R19 98Y XL or'EXTRA LOAD' or 'REINFORCED'	
275	490	285/30R21 100Y 'EXTRA LOAD' or 'REINFORCED'	
276	491	285/30ZR19 98Y	

277	492	285/30ZR19 98Y 'EXTRA LOAD' or 'REINFORCED'	
278	493	285/30ZR20 99Y 'EXTRA LOAD' or 'REINFORCED'	
279	494	285/30ZR21 100Y XL	
280	495	285/35ZR23 107Y	
281	497	285/35R18 101Y 'EXTRA LOAD' or 'REINFORCED'	
282	499	285/35R18 97Y	
283	500	285/35R21 105W 'EXTRA LOAD' or 'REINFORCED'	
284	501	285/35R21 105Y 'EXTRA LOAD' or 'REINFORCED'	
285	502	285/35ZR18 101Y XL	
286	503	285/35ZR19 103Y XL	
287	504	285/35ZR19	
288	505	285/35ZR20 100Y	
289	506	285/35ZR20 104Y XL	
290	507	285/35ZR22 106Y EXTRA LOAD	
291	508	285/40R22 110Y	
292	509	285/40ZR19 103Y	
293	510	285/40ZR19 107Y XL	
294	511	285/40ZR21 109Y EXTRA LOAD	
295	512	285/40ZR22 110Y	
296	513	285/45ZR21 113Y	
297	517	285/45R19 111V 'EXTRA LOAD' or 'REINFORCED'	
298	518	285/45R19 111W 'EXTRA LOAD' or 'REINFORCED'	
299	519	285/45R20 112Y XL	
300	520	285/50R20 112 V	
301	523	285/60R18 116V	
302	525	295/30R20 101W M+S 'EXTRA LOAD' or 'REINFORCED'	
303	527	295/30ZR19 100Y	
304	528	295/30ZR19 100Y XL	
305	530	295/30ZR20	
306	531	295/30ZR20 101Y XL or 'EXTRA LOAD' or 'REINFORCED'	
307	533	295/35R21 103Y	
308	534	295/35R21 107Y XL	
309	535	295/35ZR20 100Y XL	
310	538	295/35ZR20 105Y XL	
311	539	295/35ZR21 107Y XL (M+S)	
312	540	295/40R21 111W XL	
313	541	295/40ZR21 110Y XL	
314	543	295/40R20 110Y	
315	544	295/40R20 110Y XL	
316	545	295/40ZR19 108Y Extra Load	
317	546	295/40ZR21 111Y	
318	547	295/40ZR21 111Y XL	
319	549	295/45ZR20 110Y	
320	551	305/30ZR19 102Y XL	
321	552	305/30ZR20 103Y	
322	553	305/30ZR20 103Y XL	
323	554	305/35ZR19 102Y	
324	555	305/40ZR20 112Y EXTRA LOAD	
325	556	315/30ZR21 105Y EXTRA LOAD	
326	557	315/30ZR22 107Y EXTRA LOAD	
327	559	315/35R20 110W 'EXTRA LOAD' or 'REINFORCED'	
328	560	315/35R20 110Y 'EXTRA LOAD' or 'REINFORCED'	
329	561	315/35ZR20 110Y EXTRA LOAD	
330	562	315/35ZR21 111Y EXTRA LOAD	
331	563	315/40ZR21 115Y	
332	564	315/40R21 111Y	

333	565	325/30ZR23 109Y	
334	567	325/30R21 108Y	
335	568	325/35ZR22 114Y	
336	571	335/30ZR20 104Y	
337	572	355/25ZR21 107Y	
338	573	LT315/75R16 All Terrain	
339	574	LT255/75R17 111/108Q	
340	575	LT315/70R16 121Q (M + S)	
341	576	P225/65R17 100H	
342	579	P245/65R18 110H (Temporary use spare wheel)	
343	581	175/55R20 89T	
344	582	195/50R20 89W	
345	583	195/50R20 93T	
346	584	195/50R20 93W	
347	585	205/45R17 88Y	
348	586	205/55R17 91W	
349	587	205/55R17 91W Extended Mobility Tyre	
350	588	205R16 8PR LT 110/108S AT	
351	589	215/45R20 91W	
352	591	215/50R18 96T XL	
353	592	215/55R17 94T	
354	593	215/65R17 99V	
355	594	225/40R20 94T XL	
356	595	225/40ZR19 93Y	
357	596	225/45R19 92T	
358	597	225/50R18 95T	
359	598	225/55 R19 103H	
360	599	225/55R17 97T	
361	600	235/35ZR19 (91Y)	
362	601	235/40R18 103V	
363	602	235/45R18 98W	
364	604	235/50R19 103V	
365	605	235/50R19 99V	
366	606	235/50R19 99W Extended Mobility Tyre	
367	607	235/50R20 100T	
368	608	235/50R20 100W	
369	609	235/50ZR19 99Y	
370	610	235/55R18 100W Extended Mobility Tyre	
371	611	235/55R18 104T XL	
372	612	235/55R19 101T	
373	613	235/55R19 105W XL	
374	614	235/60R19 107V XL	
375	615	235/60R20 108H	
376	616	235/60R20 108H XL	
377	617	245/30ZR20 (90Y)	
378	618	245/35R20 95Y	
379	619	245/35ZR18 (88Y)	
380	620	245/35ZR18 (92Y)	
381	621	245/35ZR19 (93Y)	
382	623	245/40R20 95W	
383	625	245/40R20 99Y XL	
384	626	245/40ZR19 98Y XL	
385	627	245/45R20 103Y	
386	628	245/45R20 99Y	
387	629	245-700 R470A C 116H	
388	630	245-700 R470A C 121Q	

389	631	255/30ZR20 (92Y)	
390	632	255/35R18 95Y XL	
391	633	255/35ZR18 94Y XL	
392	634	255/35ZR19 (96Y)	
393	635	255/35ZR19 92Y	
394	637	255/35ZR19 96Y XL	
395	638	255/40R19 100W	
396	639	255/40R20 101Y XL	
397	640	255/40R21 102Y	
398	642	255/40ZR18 99Y XL	
399	643	255/40ZR19 101Y XL	
400	644	255/40ZR21 102Y	
401	645	255/45R18 93Y	
402	646	255/45R19 100V	
403	647	255/45R19 104V	
404	648	255/45R20 101T	
405	649	255/45R20 101W	
406	650	255/45R20 105H XL	
407	651	255/45R20 105W	
408	652	255/45R20 105Y	
409	653	255/45ZR19 104YXL	
410	654	255/45ZR20 105Y	
411	655	255/50R19 103T	
412	656	255/50R20 109H XL	
413	657	255/50R21 109Y	
414	658	255/50R21 109Y XL	
415	659	255/55R19 111H XL	
416	660	255/60R20 113H	
417	661	255/65R19 114V XL	
418	662	255/720R490 117H	
419	663	255-720R490-C 117H	
420	664	255-720R490-C 119T	
421	665	265/30ZR20 94Y	
422	666	265/35R19 98Y XL	
423	667	265/35R20 99Y XL	
424	668	265/35ZR19 98Y XL	
425	670	265/35ZR20 99Y	
426	671	265/35ZR20 99Y XL	
427	673	265/40R21 105Y XL	
428	674	265/40R22 106Y XL	
429	675	265/40ZR19 102Y	
430	676	265/40ZR20 104Y XL	
431	677	265/40ZR21 105Y	
432	678	265/45R20 108Y	
433	679	265/45ZR20 108Y	
434	680	265/45ZR20 108Y XL	
435	681	265/45ZR21 108Y XL	
436	682	265/55R19 113Y XL	
437	683	275/30R20 97Y XL	
438	684	275/35R20 102Y XL	
439	685	275/35R23 108Y	
440	686	275/35ZR19 100Y	
441	687	275/35ZR19 100Y XL	
442	688	275/35ZR20 102Y	
443	689	275/35ZR21 103Y XL	
444	691	275/40R20 106Y	

445	692	275/40R21 107Y	
446	693	275/40R22 107Y	
447	694	275/40R22 107Y XL	
448	696	275/40ZR19 105Y	
449	697	275/40ZR19 105Y XL	
450	698	275/45R21 107H S	
451	700	275/45R21 110H XL S	
452	701	275/45ZR21 107Y	
453	702	275/45ZR21 110Y XL	
454	703	275/50R20 113W	
455	704	275/50R21 113Y XL	
456	706	285/30ZR19 98Y XL	
457	707	285/30ZR22 101Y XL	
458	708	285/35R18 97W	
459	709	285/35R20 104Y XL	
460	711	285/35ZR20 104Y	
461	712	285/35ZR21 105Y	
462	713	285/35ZR23 (107Y)	
463	714	285/40R20 104Y	
464	715	285/40R20 108Y	
465	716	285/40R23 107Y	
466	717	285/40R23 111Y XL	
467	718	285/40ZR19 107Y	
468	720	285/40ZR20 108Y XL	
469	721	285/40ZR22 (110W)	
470	722	285/40ZR22 (110Y)	
471	723	285/40ZR22 110Y XL	
472	724	285/45R21 113W	
473	725	285/45R21 113Y XL	
474	726	285/45R22 114Y	
475	727	285/45R22 114Y XL	
476	728	285/45ZR21 (113W)	
477	729	285/45ZR21 (113Y)	
478	730	295/30R20 101Y XL	
479	731	295/30ZR19 (100Y)	
480	732	295/30ZR20 101Y	
481	733	295/30ZR20 101Y XL	
482	734	295/35R22 108Y XL	
483	735	295/35ZR19 104Y	
484	736	295/35ZR19 104Y XL	
485	738	295/35ZR21 107Y XL	
486	739	295/35ZR23 108Y XL	
487	740	295/40R22 112W XL	
488	741	305/30ZR20 (103Y)	
489	742	305/35ZR19 (102Y)	
490	743	315/30R23 111Y	
491	744	315/30ZR22 107Y XL	
492	745	315/35R22 111Y	
493	746	315/35ZR21 111Y	
494	747	315/35ZR21 111Y XL	
495	749	315/40ZR21 (115W)	
496	750	315/40ZR21 (115Y)	
497	751	315/40ZR21 115Y XL	
498	752	325/30ZR20 106Y XL	
499	753	325/30ZR21 108Y	
500	754	325/30ZR23 (109Y)	

501	755	325/35R20 108Y	
502	756	325/35R23 111Y	
503	757	325/35ZR22 (114W)	
504	758	325/35ZR22 (114Y)	
505	759	325/35ZR22 114Y XL	
506	760	325/40R22 114Y	
507	761	335/30ZR18 (102Y)	
508	762	335/30ZR20 (104Y)	
509	763	355/25ZR21 (107Y)	
510	764	225/55 R18 102Y XL	
511	765	235/50 R19 103T XL EXTENDED MOBILITY TIRE	
512	766	225/45 R18 95Y XL EXTENDED MOBILITY TIRE	
513	767	245/40 R18 97Y XL EXTENDED MOBILITY TIRE	
514	768	235/55 R18 100W	
515	769	235/50 R19 99W	
516	770	265/35 ZR20 102Y XL	
517	771	275/35 ZR20 102Y XL	
518	772	255/40 R21 105Y HL	
519	773	285/35 R21 108 Y HL	
520	774	265/40 ZR21 105Y XL	
521	775	295/35 ZR21 107Y	
522	776	295/40 ZR20 110Y	
523	777	235/55 R18 104T	
524	778	275/35 R19 100Y XL	
525	779	235/45 R21	
526	780	235/55 R19 105V	
527	781	265/45 R21 108V	
528	782	295/40 R21 111V	
529	783	235/45R19 95H	
530	784	245/40 R18 97Y XL	Exemption till 31.03.2026
531	785	245/45 R19 102Y XL	Exemption till 31.03.2026
532	786	225/45 R18 95Y XL	Exemption till 31.03.2026
533	787	255/60 R18 108S	Exemption till 31.03.2026
534	803	215/70R17.5	
535	804	285/40R23 115Y HL	
536	805	T155/85R18 115M	
537	806	275/50R 21 113Y XL	
538	807	T125/80R18 100M	
539	808	T125/70R19 101M	
540	809	225/55R18 102Y XL	
541	810	235/40 RF19 (96W) and Run Flat	
542	811	285/40 RF19 (107W) and RFT	
543	812	315/40 R21 (115H) and Studded	
544	813	285/45 R21 (113H) and Studded	
545	814	265/35 RF20 (99Y) and Run Flat	
546	815	265/30 RF21 (96Y) and Run Flat	
547	816	345/30 RF21 (111Y) and Run Flat	
548	817	355/25 RF22 (108Y) and Run Flat	
549	818	235/45 R18 98Y XL and RFT	
550	819	245/45 R19 102Y XL and RFT	
551	820	235/60 R18 107W XL and RFT	
552	821	275/50 R20 113Y XL and RFT	
553	822	T135/80D18 104M	
554	823	275/50R20 113V	
555	826	100/90-19 54V	
556	827	130/80R17 65V	

557	828	245/45R20 XL 103V	
558	829	165/65 R15 81H	
559	830	110/80R19 59H	
560	832	235/50R19 103T XL	
561	833	285/45R21 113W XL	
562	834	265/50R20 111V XL	
563	835	275/40R20 113V XL	
564	836	205/65R17 100Y XL	
565	837	215/40R18 89Y XL	
566	838	215/45R17 91Y XL	
567	839	265/50R21 111Y XL	
568	840	275/45R22 112Y XL	
569	841	295/45R21 115Y XL	
570	842	315/40R22 116Y XL	
571	843	285/40ZR20 111Y	
572	844	295/35ZR21 110Y	
573	845	T145/85R19 112M	
574	846	245/40 RF21 96Y RFT	
575	847	275/35RF21 99Y RFT	
576	848	265/55R20 112V Tubeless	
577	849	235/55R18100V	Exemption till 31.08.2026
578	850	235/60R18103H	Exemption till 31.08.2026
579	PV	265/35 ZR20 99 Y XL	
580	PV	295/30 ZR20 101 Y XL	
581	PV	255/45 R20 105 W XL	
582	PV	285/40 R20 108 W XL	
583	PV	255/40 R18 99 WXL	
584	PV	T125/85 R18 101M	
585	PV	T155/75 R20 115M	
586	PV	285/45 ZR21 113Y	
587	PV	315/40 ZR21 115Y	
588	PV	285/40 ZR22 110Y	
589	PV	325/35 ZR22 114Y	
590	PV	285/35 ZR23 107Y	
591	PV	325/30 ZR23 109Y	
592	PV	285/40 ZR22 110W	
593	PV	325/35 ZR22 114W	
594	PV	305/35 ZR21 109Y	
595	PV	285/40ZR23 111Y	
596	PV	325/35ZR23 115Y	
597	PV	305/35R21- 109Y XL	
598	PV	315/30 R23 108Y XL	
599	PV	265/35R22 102 W	
600	PV	275/35 ZR22 104Y	
601	PV	305/35/R23 114Y XL	
602	PV	275/35R23 104Y XL	
603	PV	305/30/R22 105W	
604	PV	235/55R19 101V	
605	PV	235/45R21 101W	
606	PV	225/65R17106V	
607	PV	275/55R20117W	
608	2W	90/90-21M/CTL54TM	
609	2W	140/80-18M/CTL70SM	
610	PV	LT245/75R16120RS-A/T+	
611	PV	275/35ZR21103Y	
612	PV	305/30ZR21104Y	

613	PV	275/40R22107H XL	
614	PV	235/45R2096W	
615	PV	255/45R19104Y	
616	PV	255/45R19104YEXTENDED MOBILITY TIRE	
617	PV	255-720R490AC121Q	
618	PV	225/50R1794Y	
619	PV	295/45R20110Y	
620	PV	245/75R17112 T	
621	PV	295/45ZR20110W	
622	2W	TIRE,240/40R18	
623	2W	TIRE,FR,130/80B17	
624	2W	TIRE,FR,100/90B19	
625	2W	TIRE,FR,150/80-16	
626	2W	TIRE,FR,120/70ZR18	
627	2W	TIRE,RR,150/70R18	
628	2W	TIRE,FR,130/60B21	
629	2W	TIREFRONT120/70R19 60W	
630	2W	TIREFR130/70B18	
631	PV	T115/85R1896M	
632	PV	T125/80R1799M	
633	PV	Michelin37x12.5R17LT124R(KO2)	
634	PV	Michelin37x12.50xR17LT124Q(KM3)	
635	PV	LT245/75R16120RS-A/T	

(*) S.No.B refer OM dt 26.09.2024 of the list 850 tyres

List of Run Flat Tyres in the Exemption Listⁱ

(not covered under the QCO, vide DPIIT's O.M. No. 16 (72)/2005-LR dated 13 Dec 2011)

Sl. No. (running)	Type S. No. (B)	Tyre Size & Type (C)	Remarks
1.	5.516	195/55R16 87H and Run Flat	
2.	5.517	195/55R16 87V and Run Flat	
3.	5.518	195/55R16 87W and Run Flat	
4.	5.519	205/40R18 86W and Run Flat	
5.	5.520	205/45R17 84V and Run Flat	
6.	5.521	205/45R17 84W and Run Flat	
7.	5.522	205/45R17 88W and Run Flat	
8.	5.524	205/55R16 91V and Run Flat	
9.	5.525	205/55R16 91W and Run Flat	
10.	5.526	205/55R17 91V and Run Flat	
11.	5.529	205/60R16 92W and Run Flat	
12.	5.530	205/60R16 96W and Run Flat	
13.	5.537	225/35R20 90Y and Run Flat	
14.	5.538	225/40R18 88W and Run Flat	
15.	5.539	225/40R18 88Y and Run Flat	
16.	5.540	225/40R18 92Y and Run Flat	
17.	5.541	225/40R18 95Y and Run Flat	
18.	5.542	225/40R18 99Y and Run Flat	
19.	5.543	225/40R19 89Y and Run Flat	
20.	5.544	225/40R19 93Y and Run Flat	
21.	5.547	225/45R17 91H and Run Flat	
22.	5.548	225/45R17 91V and Run Flat	
23.	5.549	225/45R17 91W and Run Flat	
24.	5.550	225/45R17 94Y and Run Flat	
25.	5.551	225/45R18 91V and Run Flat	
26.	5.552	225/45R18 91Y and Run Flat	
27.	5.553	225/45R18 95Y and Run Flat	
28.	5.554	225/45R18 99W and Run Flat	
29.	5.556	225/45ZR18 95Y and Run Flat	
30.	5.557	225/50R16 92V and Run Flat	
31.	5.558	225/50R17 94H and Run Flat	
32.	5.559	225/50R17 94V and Run Flat	
33.	5.560	225/50R17 94W and Run Flat	
34.	5.561	225/50R17 94Y and Run Flat	
35.	5.562	225/50R17 98Y and Run Flat	

36.	5.564	225/50R18 95W and Run Flat	
37.	5.565	225/50R18 99W and Run Flat	
38.	5.566	225/50R19 107W and Run Flat	
39.	5.567	225/50ZR18 99Y and Run Flat	
40.	5.569	225/55R16 95W and Run Flat	
41.	5.570	225/55R17 101Y and Run Flat	
42.	5.572	225/55R17 97W and Run Flat	
43.	5.573	225/55R17 97Y and Run Flat	
44.	5.574	225/60R17 99V and Run Flat	
45.	5.575	225/60R18 104W and Run Flat	
46.	5.580	235/50R18 97H and Run Flat	
47.	5.587	235/55R17 99H and Run Flat	
48.	5.596	245/35R18 88Y and Run Flat	
49.	5.597	245/35R19 93Y and Run Flat	
50.	5.599	245/35R20 95Y and Run Flat	
51.	5.603	245/35ZR19 93Y and Run Flat	
52.	5.605	245/40R18 93Y and Run Flat	
53.	5.606	245/40R19 94W and Run Flat	
54.	5.607	245/40R19 94Y and Run Flat	
55.	5.608	245/40R19 98Y and Run Flat	
56.	5.609	245/40R20 106W and Run Flat	
57.	5.612	245/40R20 99Y and Run Flat	
58.	5.615	245/45 R20 106Y and Run Flat	
59.	5.616	245/45R17 95Y and Run Flat	
60.	5.617	245/45R18 100Y and Run Flat	
61.	5.618	245/45R18 96W and Run Flat	
62.	5.619	245/45R18 96Y and Run Flat	
63.	5.620	245/45R19 98Y and Run Flat	
64.	5.621	245/45R20 103 and Run Flat	
65.	5.622	245/45R20 103W and Run Flat	
66.	5.624	245/45R20 106W and Run Flat	
67.	5.626	245/50R18 100W and Run Flat	
68.	5.627	245/50R18 100Y and Run Flat	
69.	5.628	245/50R19 105W and Run Flat	
70.	5.629	245/50R19 105Y and Run Flat	
71.	5.630	245/60R18 104W and Run Flat	
72.	5.633	255/30R19 91Y and Run Flat	
73.	5.634	255/30R20 92Y and Run Flat	
74.	5.636	255/35R18 90W and Run Flat	
75.	5.637	255/35R18 90Y and Run Flat	

76.	5.639	255/35R19 92Y and Run Flat	
77.	5.640	255/35R19 96Y and Run Flat	
78.	5.641	255/35R20 100Y and Run Flat	
79.	5.646	255/35ZR19 96Y and Run Flat	
80.	5.648	255/40R17 94V and Run Flat	
81.	5.649	255/40R18 95Y and Run Flat	
82.	5.650	255/40R18 99Y and Run Flat	
83.	5.652	255/40R19 100Y and Run Flat	
84.	5.656	255/40ZR18 99Y and Run Flat	
85.	5.660	255/45R17 98W and Run Flat	
86.	5.661	255/45R18 103Y and Run Flat	
87.	5.663	255/45R18 99W and Run Flat	
88.	5.674	255/50R19 107V and Run Flat	
89.	5.675	255/50R19 107W and Run Flat	
90.	5.679	255/55R18 109H and Run Flat	
91.	5.680	255/55R18 109V and Run Flat	
92.	5.687	265/30R20 94Y and Run Flat	
93.	5.691	265/35ZR19 98Y and Run Flat	
94.	5.696	265/40R18 97Y and Run Flat	
95.	5.707	265/50R19 110W and Run Flat	
96.	5.709	275/30R20 97Y and Run Flat	
97.	5.711	275/35R19 100Y and Run Flat	
98.	5.712	275/35R20 102Y and Run Flat	
99.	5.714	275/35R20 98Y and Run Flat	
100.	5.715	275/35R22 104Y and Run Flat	
101.	5.721	275/40R18 103Y and Run Flat	
102.	5.723	275/40R18 99Y and Run Flat	
103.	5.724	275/40R19 101Y and Run Flat	
104.	5.725	275/40R20 106W and Run Flat	
105.	5.727	275/40R20 106Y and Run Flat	
106.	5.729	275/40R21 107Y and Run Flat	
107.	5.730	275/40R21 107Y XL and Run Flat	
108.	5.732	275/40R22 107Y and Run Flat	
109.	5.737	275/45R18 99Y and Run Flat	
110.	5.738	275/45R20 110Y and Run Flat	
111.	5.745	275/50R20 113W and Run Flat	
112.	5.748	285/30R20 99Y and Run Flat	
113.	5.752	285/35R19 99Y and Run Flat	
114.	5.754	285/35R21 105Y and Run Flat	
115.	5.769	285/45R19 111W and Run Flat	

116.	5.771	285/45R21 113Y and Run Flat	
117.	5.777	295/30R20 101Y and Run Flat	
118.	5.786	295/35ZR21 107Y and Run Flat	
119.	5.792	305/40R20 112Y and Run Flat	
120.	5.793	315/30R22 107Y and Run Flat	
121.	5.795	315/30ZR22 107Y and Run Flat	
122.	5.797	315/35R20 110W and Run Flat	
123.	5.798	315/35R20 110Y and Run Flat	
124.	5.799	315/35R21 111Y and Run Flat	
125.	5.801	315/35R22 111Y and Run Flat	
126.	5.808	325/30R21 108Y and Run Flat	
05 RFT tyres added in the exemption list			
127.	PV	235/60 R18 107W XL run flat	Exempted upto 31.03.2026
128.	PV	225/55 R18 102Y XL run flat	Exempted upto 31.03.2026
129.	PV	235/45 R18 98Y XL run flat	Exempted upto 31.03.2026
130.	PV	245/45 R19 102Y XL run flat	Exempted upto 31.03.2026
131.	PV	275/50 R20 113Y XL run flat	Exempted upto 31.03.2026

ⁱTyre Size marked RF or RFT or Run Flat and / or carrying the symbol  are exempted from QCO requirements till the time such Tyre sizes are not manufactured domestically"



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1905]

नई दिल्ली, बृहस्पतिवार, नवम्बर 19, 2009/कार्तिक 28, 1931

No. 1905]

NEW DELHI, THURSDAY, NOVEMBER 19, 2009/KARTIKA 28, 1931

वाणिज्य और उद्योग मंत्रालय

(औद्योगिक नीति और संवर्धन विभाग)

आदेश

नई दिल्ली, 19 नवम्बर, 2009

का.आ. 2953(अ).—भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63) की धारा 14 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार भारतीय मानक ब्यूरो से विचार विमर्श के बाद एतद्वारा निम्नलिखित आदेश बनाती है। नामतः :—

1. **संक्षिप्त शीर्षक तथा प्रारंभ.**—(1) इस आदेश को आटोमेटिव व्हीकलों के लिए न्यूमेटिक टायर तथा ट्यूब (गुणवत्ता नियंत्रण) आदेश, 2009 कहा जाएगा।

(2) यह सरकारी राजपत्र में इसके प्रकाशन के 180 दिन पूरा हो जाने पर तुरन्त प्रभाव में आ जाएगा।

2. **परिभाषाएं.**— इस आदेश में जब तक कि संदर्भ में अन्यथा अपेक्षित न हों :—

(क) “अधिनियम” का अर्थ है भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63);

(ख) “उपयुक्त प्राधिकारी” का अर्थ किसी ऐसे अधिकारी से है जो औद्योगिक नीति और संवर्धन विभाग में अवर सचिव अथवा जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, भारत सरकार में अवर सचिव से नीचे के रैंक का न हो अथवा किसी राज्य सरकार अथवा संघ शासित प्रदेश सरकार के जिला उद्योग केन्द्र में महाप्रबंधक (जनरल मैनेजर) से नीचे के रैंक का न हो;

(ग) “ब्यूरो” का अर्थ है भारतीय मानक ब्यूरो;

(घ) “आटोमेटिव व्हीकल्स के लिए न्यूमेटिक टायर तथा ट्यूब” का अर्थ है अनुसूची के कॉलम (2) में विनिर्दिष्ट मदें,

(ङ) न्यूमेटिक टायरों में “न्यूमेटिक ट्यूब” भी सम्मिलित हैं।

(च) “अनुसूची” का अर्थ है इस आदेश के साथ संलग्न अनुसूची

(छ) न्यूमेटिक टायर से संबंधित “डीलर” का अर्थ ऐसे व्यक्ति, अथवा फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों को खरीदने, बेचने, आपूर्ति करने अथवा वितरण करने का कारोबार प्रत्यक्ष अथवा किसी अन्य रूप से चला रहा हो चाहे वह कैश में अथवा आस्थगित भुगतान अथवा दलाली के लिए अथवा क्षतिपूर्ति अथवा अन्य महत्वपूर्ण मुद्दों के लिए हो;

(ज) “आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों के संबंध में “विनिर्माता” का अर्थ किसी ऐसे व्यक्ति अथवा एक फर्म अथवा अन्य कानूनी हस्ती से है जो आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का उत्पादन करती है, बनाती है अथवा विनिर्माण करती है तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता हो कि आटोमोटिव वाहनों के लिए उत्पादित, बनाये गये अथवा विनिर्मित ऐसे न्यूमेटिक टायर किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कानूनी हस्ती द्वारा किया गया है, जैसा भी मामला हो।

(झ) आटोमोटिव व्हीकलों के लिए न्यूमेटिक टायरों के संबंध में मूल उपकरण विनिर्माता (औइएम) का अर्थ किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती से है जो आटोमोटिव वाहनों का उत्पादन करती हैं, बनाती है अथवा विनिर्माण करती हैं तथा इसमें किसी ऐसे व्यक्ति अथवा फर्म अथवा अन्य कोई कानूनी हस्ती को भी सम्मिलित किया जा सकता है जो यह दावा करता है कि ऐसे आटोमोटिव वाहन ऐसे किसी अन्य किसी कानूनी हस्ती द्वारा उत्पादित किये गये, बनाये गये अथवा विनिर्मित किये गये हैं, जैसा भी मामला हो;

(ञ) “विनिर्दिष्ट मानदंड” का अर्थ अनुसूची के कॉलम (3) में संगत प्रविष्टि में यथा विनिर्दिष्ट भारतीय मानक से है।

(ट) “राज्य सरकार” में संघ शासित प्रशासन भी सम्मिलित होता है;

(ठ) “मानक चिन्ह” का अर्थ है एक विशेष भारतीय मानक का प्रतिनिधित्व करने के लिए ब्यूरो द्वारा विनिर्दिष्ट भारतीय मानक ब्यूरो का प्रमाणन चिन्ह।

(ड) “आयातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो विदेश से भारत के सीमा शुल्क क्षेत्र में न्यूमेटिक टायरों का आयात करते हैं अथवा इसके आयात का कारण बनते हैं।

(ढ़) “निर्यातक” का अर्थ किसी ऐसे व्यक्ति, फर्म अथवा कोई अन्य कानूनी हस्ती से है जो भारत से दूसरे देश को न्यूमेटिक टायरों का निर्यात करते हैं।

(ण) इस आदेश में प्रयोग किये गये परन्तु परिभाषित नहीं किये गये सभी अन्य शब्द व अभिव्यक्तियों का अर्थ क्रमशः उक्त अधिनियम में उन्हें दिया गया अर्थ होगा।

3. विनिर्माण, बिक्री, वितरण आदि के बारे में निषेध :- (1) कोई भी व्यक्ति न तो स्वयं अथवा उसकी ओर से कोई व्यक्ति आटोमोटिव वाहनों के लिए न्यूमेटिक टायरों का विनिर्माण, आयात अथवा बिक्री, बेचने तथा वितरण के लिए भंडारण नहीं करेगा जो विनिर्दिष्ट मानकों के अनुरूप नहीं है और जिन पर प्रमाणन चिन्ह लाइसेंस प्राप्त कर लेने पर ब्यूरो का मानक चिन्ह नहीं हो।

बशर्ते, इस आदेश में दी गई कोई भी बात न्यूमेटिक टायरों पर निम्नलिखित के लिए लागू नहीं होगी :

(क) भारत में निर्यात के लिए विनिर्मित न्यूमेटिक टायर;

(ख) वाहनों पर लगाने के लिए अथवा बिक्री पश्चात, निर्यात के लिए बने मूल उपकरण विनिर्माताओं (ओईएम) द्वारा तथा/अथवा उनकी प्राधिकृत कंपनियों द्वारा आयात किये गये न्यूमेटिक टायर।

नोट:

(1) दोनों मामलों में निर्यात या तो सीधे अलग-अलग संघटक के रूप में या ऐसे वाहन के हिस्से के तौर पर हो सकता है जो पूरा बना हो, या ड्राइव अवे चेसिस रूप में हो या पूरी तरह नॉकड डाउन (सीकेडी) अथवा सेमी नॉकड डाउन (एसकेडी) फार्म में हो।

(2) बशर्ते कि निर्यात के लिए अपेक्षित न्यूमेटिक टायरों के निर्यात के संबंध में इस आदेश में कुछ लागू नहीं होगा जो विदेशी खरीददार द्वारा अपेक्षित किसी भी विनिर्देशन के अनुरूप हो।

(ग) पूर्ण निर्मित यूनिट (सीबीयू) के भाग के तौर पर आयातित न्यूमेटिक टायर, चाहे सीबीयू का मान कुछ भी हो, बशर्ते ऐसे टायर बीआईएस विनिर्देशन पूरे करें। ऐसे मामलों में, वाहन नियमपुस्तिका में सीबीयू विनिर्माताओं द्वारा स्व-घोषणा ही पर्याप्त होगी कि वाहनों में लगाये गये टायर भारतीय मानक ब्यूरो की जरूरतों को पूरा करते हैं और वे केन्द्रीय मोटर वाहन नियमावली, (सीएमवीआर), 1989 के अन्तर्गत जरूरतों का अनुपालन करते हों, यदि भारत में होमोलोगेशन हेतु वाहन पहले ही डीजीएफटी अधिसूचना द्वारा मुक्त हैं, तो टायरों के लिए स्व-घोषणा की आवश्यकता नहीं होगी।

(घ) अनुसंधान और विकास उद्देश्यों हेतु आयातित अथवा विनिर्मित न्यूमेटिक टायर।

(ङ) घरेलू बाजार के लिए भारत में विनिर्मित वाहनों पर फिट किए जाने हेतु मूल उपकरण विनिर्माताओं (ओईएम) द्वारा आयात किए जाने वाले न्यूमेटिक टायर (पूर्ण निर्मित या ड्राइव अवे चेसिस रूप में) ऐसे मामलों में, ओईएम द्वारा नियम पुस्तिका में

यह स्वघोषणा ही पर्याप्त होगी कि वाहन में लगाए गए टायर बीआईएस की अपेक्षाओं को पूरा करते हैं और यह पर्याप्त होगा कि वे केन्द्रीय मोटर वाहन नियमावली (सीएमवीआर), 1989 के अन्तर्गत जरूरतों को पूरा करते हैं।

(च) ऐसे टायर जो घरेलू तौर पर नहीं बनाए गए हों और मूल उपकरण विनिर्माताओं (ओईएम) या विनिर्माताओं द्वारा प्रतिस्थापन बाजार में अपने प्राधिकृत डीलरों के जरिये बिक्री हेतु आयात किए गए हों। घरेलू तौर पर विनिर्मित न किए गए तथा आयतित न्यूमेटिक टायरों की सूची की एक समिति द्वारा हर 3 माह बाद समीक्षा की जाएगी जिसके अध्यक्ष औद्योगिक नीति और संवर्धन विभाग के एक अधिकारी होंगे तथा जिसमें इन पार्टियों के सदस्य होंगे—जहाजरानी, सड़क परिवहन तथा राजमार्ग मंत्रालय, केन्द्रीय सड़क परिवहन संस्थान (सीआईआरटी) भारतीय आटोमोटिव अनुसंधान एसोसिएशन (एआरएआई) आटोमोबाइल टायर विनिर्माता एसोसिएशन, (एटीएमए) भारतीय आटोमोबाइल विनिर्माता सोसायटी (एसआईएम) तथा भारतीय मानक ब्यूरो (बीआईएस), यह समिति संबद्ध पक्षों के सामने आ रहे मुद्दों/समस्याओं पर विचार करेगी, छूट दिए जाने वाले न्यूमेटिक टायरों की सूची को अंतिम रूप देगी तथा उपयुक्त सिफारिशें करेगी।

4. प्रमाणन हेतु दायित्व :-

- (1) यदि पहले ही प्राप्त नहीं किया गया हो, तो इस आदेश के जारी होने से 45 दिन के भीतर मानक चिन्ह के उपयोग हेतु लाइसेंस प्राप्त करने के लिए सभी न्यूमेटिक टायर एवं ट्यूबों के विनिर्माताओं द्वारा ब्यूरो में आवेदन दिया जाएगा।
- (2) ब्यूरो द्वारा मानक चिन्ह के उपयोग हेतु लाइसेंस प्रदानगी, अधिनियम के उपबंधों तथा उसके तहत नियमों व विनियमों के अनुसार की जाएगी।
- (3) जब कोई व्यक्ति स्वयं या अपनी ओर से किसी अन्य व्यक्ति के जरिये आटोमोटिव वाहनों के न्यूमेटिक टायरों के विनिर्माण का प्रस्ताव करेगा, तो वह मानक चिन्ह के उपयोग हेतु ब्यूरो से वैध लाइसेंस प्राप्त कर लेने के पश्चात ही उत्पादन आरंभ करेगा।
- (4) न्यूमेटिक टायरों हेतु लाइसेंस की अवधि बीत जाने या रद्द किए जाने संबंधी सूचना उचित प्राधिकरण को दी जाएगी अथवा बीआईएस की वेबसाइट पर प्रदर्शित की जाएगी।

5. सूचना, आदि मंगाने का अधिकार: इस आदेश का अनुपालन सुनिश्चित करने के दृष्टिगत, उचित प्राधिकरण को अधिकार है कि वह :

- (1) न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति से किसी ऐसी सूचना की मांग कर सकता है जिसे वह न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण के संबंध में आवश्यक समझता हो या किसी भी ऐसे व्यक्ति से ऐसे न्यूमेटिक टायरों के नमूने प्रस्तुत करने की मांग कर सकता है;

- (2) ऐसे न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में कार्यरत किसी भी व्यक्ति द्वारा रखे गए, या उससे संबंधित या उसके कब्जे में या नियंत्रण वाले किसी भी पुस्तक या अन्य दस्तावेज या आटोमोटिव वाहनों के न्यूमेटिक टायरों का निरीक्षण कर सकता है अथवा करवा सकता है।
6. नमूनों का परीक्षण :- मानक चिन्ह वाले आटोमोटिव वाहनों के न्यूमेटिक टायर नमूने अथवा ओईएम द्वारा आयातित मानक चिन्ह के बिना और स्वघोषित अनुपालन के साथ जो उपयुक्त प्राधिकारण द्वारा यह तय करने हेतु लिए जाएंगे कि क्या वे विनिर्दिष्ट मानकों को पूरा करते हैं, उन्हें ब्यूरो अथवा उपयुक्त प्राधिकरण द्वारा अनुमोदित प्रयोगशाला में जांचा जाएगा।
7. विनिर्माताओं और डीलरों को निर्देश जारी करने के अधिकार :- उपयुक्त प्राधिकरण, अधिनियम अथवा इस आदेश के अनुरूप विनिर्माताओं और डीलरों को निर्देश जारी कर सकता है, जो इस आदेश के उद्देश्यों को पूरा करने हेतु आवश्यक हों।
8. निर्देशों का अनुपालन:- न्यूमेटिक टायरों के विनिर्माण, आयात, बिक्री हेतु भंडारण, बिक्री या वितरण में लगा हर व्यक्ति जिसे इस आदेश के तहत कोई भी निर्देश दिया जाएगा, ऐसे निर्देशों का पालन करेगा।
9. सूचना उपलब्ध कराने का दायित्व :- कोई भी विनिर्माता, आयातक या डीलर इस आदेश के उपबंधों से बचने के आशय से, खंड 5 के तहत उससे कानूनी रूप से मांगी गई किसी भी सूचना को देने से न तो मना करेगा, न उसे छिपाएगा, नष्ट, विकृत करेगा और न ही ऐसे व्यक्ति द्वारा रखे या उसके कब्जे अथवा नियंत्रण में किसी न्यूमेटिक टायर को बिगाड़ेगा।

अनुसूची

(खंड 2 च देखें)

क्र.सं. (1)	मद (2)	भारतीय मानक (3)
1	आटोमोटिव वाहन — दुपहिया और तिपहिया मोटर वाहनों के न्यूमेटिक टायर-विनिर्देशन	आईएस 15627
2	आटोमोटिव वाहन — सवारी कार वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15633
3	आटोमोटिव वाहन — वाणिज्यिक वाहनों के न्यूमेटिक टायर डायोगनल और रेडियल प्लाई — विनिर्देशन	आईएस 15636
4	आटोमोटिव वाहन — न्यूमेटिक टायरों की ट्यूबें - विनिर्देशन	आईएस 13098

MINISTRY OF COMMERCE AND INDUSTRY**(Department of Industrial Policy and Promotion)****ORDER**

New Delhi, the 19th November, 2009

S.O. 2953(E).— In exercise of the powers conferred by section 14 of the Bureau of Indian Standards Act, 1986 (63 of 1986), the Central Government after consulting the Bureau of Indian Standards, hereby makes the following Order, namely:-

1. Short Title and commencement: - (1) This Order may be called the Pneumatic Tyres and Tubes for Automotive Vehicles (Quality Control) Order, 2009.

(2) It shall come into force immediately on completion of 180 days of its publication in the Official Gazette.

2. Definitions:- In this Order, unless the context otherwise requires:-

- (a) "Act" means the Bureau of Indian Standards Act, 1986 (63 of 1986);
- (b) "Appropriate Authority" means an officer not below the rank of an Under Secretary in the Department of Industrial Policy and Promotion (DIPP) or an Under Secretary in the Ministry of Shipping, Road Transport and Highways, Government of India or an officer not below the rank of a General Manager, District Industries Centre of a State or Union Territory Government;
- (c) "Bureau" means the Bureau of Indian Standards;
- (d) "Pneumatic Tyres and Tubes for Automotive Vehicles" mean the items specified in column (2) of the Schedule;
- (e) "Pneumatic Tyres" includes "Pneumatic Tubes" also;
- (f) "Schedule" means the Schedule annexed to this Order;

- (g) "dealer" in relation to Pneumatic Tyres means a person who, or a firm or any other legal entity which carries on, direct or otherwise, the business of buying, selling, supplying or distributing Pneumatic Tyres whether in cash or for deferred payment or for commission, remuneration or other valuable consideration;
- (h) "manufacturer" in relation to Pneumatic Tyres for Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Pneumatic Tyres for Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Pneumatic Tyres for Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (i) "Original Equipment Manufacturer (OEM)" in relation to Automotive Vehicles, means a person who, or a firm or any other legal entity which, produces, makes or manufactures Automotive Vehicles and includes a person who, or a firm or any other legal entity which, claims such Automotive Vehicles to be produced, made or manufactured by any such person or firm or any other legal entity as the case may be;
- (j) "Specified Standard" means the Indian Standards as specified in the corresponding entry in column(3) of the Schedule;
- (k) "State Government", includes a Union Territory Administration also;
- (l) "Standard Mark" means the Bureau of Indian Standards Certification Mark specified by the Bureau to represent a particular Indian Standard;
- (m) "Importer" means a person, a firm or any other legal entity that imports pneumatic tyres or causes its imports from a foreign country into customs territory of India;
- (n) "Exporter" means a person, a firm or any other legal entity that exports pneumatic tyres from India to another country;
- (o) All other words and expressions used but not defined in this Order shall have the meanings respectively assigned to them in the Act.
3. Prohibition regarding manufacture, sale, distribution etc:- (1) No person shall by himself or through any person on his behalf, manufacture, import, store for sale, sell or distribute Pneumatic Tyres which do not conform to the Specified Standard and which do not bear the Standard Mark of the Bureau on obtaining Certification marks licence;

4209 48/09-3

Provided that nothing in this Order shall apply in relation to Pneumatic Tyres for the following:

- (a) Pneumatic tyres manufactured in India for exports ;
- (b) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) and/or their authorized companies for fitment on vehicles or after sales, meant for exports;

Note:

- (1) In both cases, exports may be either directly as individual components or as part of a vehicle completely built or in drive away chassis form or in Completely Knocked Down (CKD) or Semi-Knocked Down (SKD) condition.
 - (2) Provided that nothing in this Order shall apply in relation to export of pneumatic tyres required for export, which conforms to any specification required by the foreign buyer.
- (c) Pneumatic tyres imported as part of Completely Built Unit (CBU), irrespective of the value of the CBU, so long as such pneumatic tyres meet the requirements of specified standard. In such cases self-declaration by CBU manufacturers in the vehicle manual to the effect that the tyres fitted in the vehicles meet the requirements of the BIS and they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice. If vehicles are already exempted by Director General of Foreign Trade (DGFT) notifications for homologation in India, self-declaration will not be required;
 - (d) Pneumatic Tyres imported or manufactured for research and development purposes;
 - (e) Pneumatic tyres imported by Original Equipment Manufacturers (OEM) for fitment on vehicles manufactured in India for domestic market (completely built or drive away chassis form). In such cases, self-declaration by the OEM in the vehicle manual to the effect that tyres fitted in the vehicles meet the requirements of BIS and that they comply with the requirements under the Central Motor Vehicles Rules (CMVR), 1989, would suffice;
 - (f) Pneumatic tyres not manufactured domestically and imported by Original Equipment Manufacturers (OEM) or manufacturers for selling in replacement market through their authorized dealers. The list of pneumatic tyres not manufactured domestically and imported would be reviewed every three months by a Committee chaired by an officer of the Department of Industrial Policy and Promotion and having members from Ministry of Shipping, Road Transport and Highways, Central Institute of

Road Transport (CIRT), Automotive Research Association of India (ARAI), Automotive Tyre Manufacturers Association (ATMA), Society of Indian Automobile Manufacturers (SIAM) and Bureau of Indian Standards (BIS). The Committee will consider the issues/problems faced by the stakeholders, finalize the list of pneumatic tyres to be exempted and make suitable recommendations.

4. **Obligation for Certification:-** (1) All manufacturers of Pneumatic Tyres and Tubes shall make an application to the Bureau for obtaining licence within 45 days of the issue of this Order, for use of the Standard Mark if not already obtained.
 - (2) The grant of licence by the Bureau for use of the Standard Mark shall be as per provisions of the Act and the rules and regulations made there under.
 - (3) When any person by himself or through any other person on his behalf proposes to manufacture Pneumatic Tyres, he shall commence production only after obtaining a valid licence from the Bureau for the use of Standard Mark.
 - (4) Information relating to expiry or cancellation of any licence by the Bureau for Pneumatic Tyres shall be intimated to the appropriate authority and displayed on BIS website.
5. **Power to call for information etc:-** The Appropriate Authority may, with a view to secure compliance with this Order:
 - (1) require any person engaged in the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres to give such information as it deems necessary relating to the manufacture, import, storage for sale, sell or distribution of Pneumatic Tyres or require any such person to furnish to it samples of such Pneumatic Tyres;
 - (2) inspect or cause to be inspected any book or other document or Pneumatic Tyres for Automotive Vehicles kept by or belonging to or in possession or under the control of any person engaged in the manufacture, import, storage for sale, sell or distribution of such Pneumatic Tyres.
6. **Testing of samples:-** Samples of Pneumatic Tyres bearing the Standard Mark or without standard mark imported by the OEM and with self declared conformation and drawn by the Appropriate Authority for ascertaining whether they are of the Specified Standard, shall be tested in the laboratory approved by the Bureau or Appropriate Authority.

7. Power to issue directions to manufacturers and dealers:- The Appropriate Authority may issue such directions to manufacturers and dealers consistent with the provisions of the Act or this Order, as may be necessary for carrying out the purposes of this Order.
8. Compliance of directions: - Every person engaged in the manufacture, import, storage for sale, sell or distribution of any Pneumatic Tyre to whom any direction is issued under this Order, shall comply with such direction.
9. Obligation to furnish information:- No manufacturer or dealer or importer shall, with intent to evade the provisions of this Order, refuse to give any information lawfully demanded from him under clause 5 or conceal, destroy, mutilate or deface any book or document or any Pneumatic Tyres kept by, or in the possession or control of such person.

SCHEDULE
(See clause 2 (f))

Sl. No.	Item	Indian Standard
(1)	(2)	(3)
1	Automotive vehicles - Pneumatic tyres for two and three-wheeled motor vehicles - Specification	IS 15627
2	Automotive vehicles - Pneumatic tyres for passenger car vehicles - Diagonal and radial ply - Specification	IS 15633
3	Automotive vehicles - Pneumatic tyres for commercial vehicles - Diagonal and radial ply - Specification	IS 15636
4	Automotive vehicles - Tubes For Pneumatic Tyres - Specification	IS 13098

[F. No. 16(72)/2005-LR]

RENU SHARMA, Jt. Secy.